


Category Plots

- Overview 308
- Creating a Category Plot..... 308
 - Combining Category Plots and XY Plots 309
- Modifying a Category Plot 309
 - Bar and Category Gaps 309
 - Tick Mark Positioning..... 310
 - Fancy Tick Mark Labels 310
 - Horizontal Bars 311
 - Reversed Category Axis..... 311
 - Category Axis Range..... 311
 - Bar Drawing Order..... 311
- Stacked Bar Charts 312
- Numeric Categories 314
- Category Plot Pitfalls..... 314
 - Pitfall: X Scaling Moves Bars..... 314
 - Pitfall: Changing the Drawing Order Breaks Stacked Bars 314
 - Pitfall: Bars Disappear with “Draw to next” Mode 315
- Category Plot Preferences..... 315
 - Category Plot Axes and Axis Labels..... 315
 - Category Plot Wave Styles 316
 - How to Use Category Plot Preferences..... 316

Overview

Category plots are two-dimensional plots with a continuous numeric variable on one axis and a nonnumeric (text) category on the other. Most often they are presented as bar charts with one or more bars occupying a category slot either side-by-side or stacked or some combination of the two. You can also combine them with error bars:




Category plots are created in ordinary graph windows when a text wave is used as the X data. For more on graphs, see Chapter II-12, **Graphs**.

Creating a Category Plot

To create a category plot, first create your numeric wave(s) and your text category wave.

Note: The numeric waves used to create a category plot should have “point scaling” (X scaling with Offset = 0 and Delta = 1). See **Category Plot Pitfalls** on page II-316 for an explanation.


Then use the Category Plot dialog (see the New submenu of the Windows menu). You can append to an existing graph by choosing Category Plot from the Append to Graph submenu in the Graph menu. Select the numeric waves in the Y Wave(s) list, and the category (text) wave in the X Wave list:



You can use the Display command directly to create a category plot:

```
Make/O control={100,300,50,500},test={50,200,70,300}
Make/O/T sample={"15 min","1 hr","6 hrs","24 hrs"}
Display control,test vs sample //vs text wave creates category plot
ModifyGraph hbFill(control)=5,hbFill(test)=7
```

SetAxis/A/E=1 left
Legend



Combining Category Plots and XY Plots

You can have ordinary XY plots and category plots in the same graph window. However, once an axis has been used as either numeric or category, it is not usable as the other type.

For example, if you tried to append an ordinary XY plot to the above graph you would find that the bottom (category) axis was not available in the Axis pop-up menu. If you try to append data to an existing category plot using a different text wave as the category wave, the new category wave will be ignored.

The solution to these problems is to create a new axis using the Append Traces to Graph dialog or the Append Category Plot dialog.


Modifying a Category Plot

Because category plots are created in ordinary graph windows, you can change the appearance of the category plot using the same methods you use for XY plots. For example, you modify the bar colors and line widths using the Modify Trace Appearance dialog. For information on traces, XY plots and graphs, see **Modifying Styles** on page II-248.

The settings unique to category plots are described in the following sections.


Bar and Category Gaps

You can control the gap size between bars and between categories.



Generally, the category gap should be larger than the bar gap so that it is clear which bars are in the same category. However, a category gap of 100% leaves no space for bars.

The gap sizes are set in the Modify Axis dialog (Graph menu or double-click the category axis):




Sets the gap between the last bar in one category and the first bar in the next category as a percentage of the category width.

Sets the gap between bars within a category as a percentage of the bar width. If there is only one bar per category, then this has no effect.

Tick Mark Positioning

You can cause the tick marks to appear in the center of each category slot rather than at the edges. Bring up the Modify Axis dialog (Graph menu or double-click the category axis) and select the “Tick in center” checkbox in the “Auto/Man Ticks” pane. This looks best when there is only one bar per category.



Fancy Tick Mark Labels


Tick mark labels on the category axis are drawn using the contents of your category text wave. In addition to simple text, you can insert special escape codes in your category text wave to create multiline labels and to include font changes and other special effects. The escape codes are exactly the same as those used for axis labels and for annotation text boxes (see **Modifying Annotations** on page III-43). However, there is no point-and-click way to insert the codes in this version of Igor Pro. You will have to either remember the codes or use the Add Annotation dialog to create a string you can paste into a cell in a table (use the To Clip button in the dialog).

Macintosh: Creating multiline labels is easy enough; just edit your category wave in a table and press Option-Return (to insert a carriage return into the cell’s text) as needed:

Press Option-Return to start a new line. Click this scroll arrow to see previous lines.

Point	sample	t(0)
0	15 (min)t(0)	
1	1 hr	
2	6hrs	
3	24 hrs	
4		

Option-Returns aren’t displayed in table cells.



Multiline labels will be center-aligned on a horizontal category axis and right-aligned on a left axis but left-aligned on a right axis. You can override the default alignment using the alignment escape codes as used in the Add Annotation dialog.


Windows: You can make category labels with more than one line. Because it is impossible on Windows to enter a return character in a table, you must make multiline labels on the command line, using “\r” to separate the lines:

```
Make/T/N=5 CatWave // Mostly you won't need this line
CatWave[0]="Line 1\rLine2" // "\r" Makes first label with two lines
```

Multiline labels will be center-aligned on a horizontal category axis and right-aligned on a left axis but left-aligned on a right axis. You can override the default alignment using the alignment escape codes as used in the Add Annotation dialog. See the **TextBox** operation on page V-695 for a description of the formatting codes.


Horizontal Bars

To create a category plot in which the category axis runs vertically and the bars run horizontally, create a normal vertical bar plot and then select the Swap XY checkbox in the Modify Graph dialog (Graph menu).




Reversed Category Axis

Although the ordering of the categories is determined by the ordering of the value (numeric) and category (text) waves, you can reverse a category axis just like you can reverse a numeric axis. Double-click one of the category axis tick labels or choose the Set Axis Range from the Graph menu to access the Axis Range pane in the Modify Axes dialog. When the axis is in autoscale mode, select the Reverse Axis checkbox to reverse the axis range.



Category Axis Range

You can also enter numeric values in the min and max value items of the Axis Range pane of the Modify Axes dialog. The X scaling of the numeric waves determine the range of the category axis. We used “point” X scaling for the numeric waves, so the numeric range of the category axis for the 15 min, 1 hr, 6 hrs, 24hrs example is 0 to 4. To display only the second and third categories, set the min to 1 and the max to 3.



Bar Drawing Order

When you plot multiple numeric waves against a single category axis you will have multiple bars within each category group. (In the examples so far, there are two bars per category group.) The order in which the bars are initially drawn is the same as the order of the numeric waves in the Display or AppendToGraph command:

```
Display control,test vs elapsed //control on left, test on right
```

Chapter II-13 — Category Plots

You can change the drawing order in an existing graph using the **Reorder Traces dialog** (Graph menu) and the Trace pop-up menu (see **Graph Pop-Up Menus** on page II-304).


The ordering of the traces is particularly important for stacked bar charts.

Stacked Bar Charts

You can stack one bar on top of the next by choosing one of several grouping modes in the Modify Trace Appearance dialog (Graph menu or double-click in a bar). The modes are chosen from the Grouping pop-up menu in the dialog. The pop-up menu options are:

Mode	Mode Name	Purpose
-1	Keep with next	For special effects
0	None	Side-by-side bars (default)
1	Draw to next	Overlapping bars
2	Add to next	Arithmetically combined bars
3	Stack on next	Stacked bars


For most uses, you will use the **None** and “Stack on next” modes which produce the familiar bar and stacked bar charts.



In all of the Stacked Bar Chart examples that follow, the stacking mode is applied to the Gain Test #1 bar and Gain Test #2 is the “next” bar.


We have offset Gain Test #1 horizontally by 0.1 so that you can see what is being drawn behind Gain Test #2.

Choosing “**Draw to next**” will cause the current bar to be in the same horizontal position as the next bar and to be drawn from the y value of this trace to the Y value of the next trace.




If the next bar is taller than the current bar then the current bar will not be visible because it will be hidden by the next bar. The result is as if the current bar is drawn behind the next bar, as is done when bars are displayed using a common numeric X axis.

“Add to next” is similar to “Draw to next” except the Y values of the current bar are added to the Y values of the next bar(s) before plotting.




If the current Y value is negative and the next is positive then the final position will be shorter than the next bar, as it is here for the 24 hrs bar.

“Stack on next” is similar to “Add to next” except bars are allowed only to grow, not shrink.




Negative values act like zero when added to a positive next trace (see the 24 hrs bar) and positive values act like zero when added to a negative next trace (see the 1 hr bar). Zero height bars are drawn as a horizontal line. Normally the values are all positive, and the bars stack additively, like the 15 min and 6 hrs bars.

“Keep with next” creates special effects in category plots. Use it when you want the current trace to be plotted in the same horizontal slot as the next but you don’t want to affect the length of the current bar. For example, if the current trace is a bar and the next is a marker then the marker will be plotted on top of the bar. Here we set the Gain Test #2 wave to Lines from Zero mode, using a line width of 10 points.



“Keep with next” mode is also useful for category plots that don’t use bars; you can keep markers from different traces vertically aligned within the same category:



More details about these modes can be found in **Grouping, Stacking and Adding Modes** on page II-253.

Numeric Categories

You can create category plots with numeric categories by creating a text wave from your numeric category data. Create a text wave containing the numeric values by using the num2str function. For example, if we have years in a numeric wave:

```
Make years={1993,1995,1996,1997}
```

we can create an equivalent text wave:

```
Make/T/N=4 textYears= num2str(years)
```

Then create your category plot using textYears:


```
Display ydata vs textYears // vs 1993, 1995, 1996, 1997 (as text)
```

Category Plot Pitfalls

You may encounter situations in which the category plot doesn't look like you expect it to.

Pitfall: X Scaling Moves Bars

Category plots position the bars using the X scaling of the value (numeric) waves. The X scaling of the category (text) wave is completely ignored. It is usually best if you leave the X scaling of the category plot waves at the default "point scaling." In any event, the X scaling of the value (numeric) waves should be identical. Differing X scaling will separate the bars in category plots containing multiple bars per category. In the graph on the right the numeric waves have different X scaling



Pitfall: Changing the Drawing Order Breaks Stacked Bars

Stacked bar charts are heavily dependent on the concept of the "current bar" and the "next bar". The modes describe how the current bar is connected to the next bar, such as "Stack on next".

If you change the drawing order of the traces, using the Reorder Traces dialog or the Trace pop-up menu, one or more bars will have a new "next bar" (a different trace than before). Usually this means that a bar

will be stacking on a different bar. This is usually a problem only when the stacking modes of the traces differ, or when smaller bars become hidden by larger bars.

After you change the drawing order, you may have to change the stacking mode(s). Bars hidden by larger bars may have to be moved forward in the drawing order with the Reorder Traces dialog or the Trace pop-up menu.


Pitfall: Bars Disappear with “Draw to next” Mode

In “Draw to next” mode, if the next bar is taller than the current bar then the current bar will not be visible because it will be hidden by the next bar.

You can change the drawing order with the Reorder Traces dialog or the Trace pop-up menu to move the shorter bars forward in the drawing order, so they will be drawn in front of the larger bars.

Category Plot Preferences

You can change the default appearance of category plots by “capturing” preferences from a “prototype” graph containing category plots. Create a graph containing a category plot (or plots) having the settings you use most often. Then choose Capture Graph Prefs from the Graph menu. Select the Category Plots categories, and click Capture Prefs.



Preferences are normally in effect only for *manual* operations, not for automatic operations from Igor procedures. This is discussed in more detail in Chapter III-17, **Preferences**.

Category Plot Axes and Axis Labels

When creating category plots with preferences turned on, Igor will use the Category Plot axis settings for the text wave axis and *XY plot axis settings for the numeric wave axis*.

Only axes used by category plot *text waves* have their settings captured. Axes used solely for an XY plot, image plot, or contour plot are ignored. *Usually this means that only the bottom axis settings are captured (the left axis is usually a numeric wave, and is therefore an XY Plot axis).*

The category plot axis preferences are applied only when axes having the same name as the captured axis are created by a Display or AppendToGraph operation when creating a category plot. If the axes existed before the operation is executed, they will not be affected by the category plot axis preferences.

The names of captured category plot axes are listed in the X Axis pop-up menu of the New Category Plot and Append Category Plot dialogs.

For example, suppose you capture preferences for a category plot that was created with the command:
 AppendToGraph/R=myRightAxis/T=myTopAxis ywave vs textwave

Chapter II-13 — Category Plots

Since only the X axis is a category axis, “myTopAxis” will appear in the X Axis pop-up menu in the category plot dialogs. The Y Axis pop-up menu will be unaffected.

- If you choose “myTopAxis” in the X Axis pop-up menu of the New Category Plot dialog and click Do It, a graph will be created containing a *newly-created* X axis named “myTopAxis” and having the axis settings you captured.
- If you have a graph which already uses an axis named “myTopAxis” *as a category axis* and you choose it from the X Axis pop-up menu in the Append Category Plot dialog, the category plot will use the axis, but no captured axis settings will be (re)applied to it. (Of course, the preferred settings were probably applied when the axis was created in the first place.)

You can capture category plot axis settings for the standard left or bottom axis, and Igor will save the settings separately from left and bottom axis preferences captured for XY, image, and contour plots.

Remember, when creating category plots, Igor will use the category plot axis settings for the text wave axis and XY plot axis settings for the numeric wave axis.

Category Plot Wave Styles

The captured category plot wave styles are automatically applied to a category plot when it is first created (provided preferences are turned on; see **How to Use Preferences** on page III-430). “Wave styles” refers to the various trace-specific settings for category plot numeric waves in the graph. The settings include trace mode, line style, stacking mode, fill pattern, colors, etc., as set by the Modify Trace Appearance dialog.

If you capture the category plot preferences from a graph with more than one category plot, the first category plot appended to a graph gets the wave style settings from the category first appended to the prototype graph. The second category plot appended to a graph gets the settings from the second category plot appended to the prototype graph, etc. This is similar to the way XY plot wave styles work.

How to Use Category Plot Preferences

Here is our recommended strategy for using category preferences:

1. Create a new graph containing a single category plot. Use the axes you will normally use, even if they are left and bottom. You can use other axes, too (choose New Axis in the Category Plot dialogs).
2. Use the Modify Trace Appearance dialog and the Modify Axes dialogs to make the category plot appear as you prefer.
3. Choose Capture Graph Prefs from the Graph menu. Select the Category Plot checkboxes, and click Capture Prefs.