

Index

Symbols

(character in menus IV-125
(left parenthesis
 multidimensional wave indexing II-87
 wave indexing II-71
! character in menus IV-126
! operator IV-5, IV-39
!= operator IV-5, IV-38
operator
 deferred assignment V-920
 deferred assignments IV-217
 in instance names IV-19
 instance names and \$ IV-19
 string expressions V-920
#define IV-100
 example IV-101
 predefined symbols IV-101
#define statement V-16
#if-#elif-#endif statement V-16
#if-#endif statement V-16
#ifdef-#endif statement V-17
 example IV-101
#ifndef-#endif statement V-17
#include (see include statements)
#pragma (see pragma statements)
#pragma hide III-355
#pragma rtGlobals (see rtGlobals)
#undefine statement V-18
\$ operator IV-5
 convert string to name IV-5, IV-17
 in dependency formulas IV-218
 in macros IV-113
 in user functions IV-57-IV-58, IV-77
 instance notation IV-19
 load waves (example) II-152
 page layout object names V-417
 precedence IV-18
 tricky case IV-18
 quoting liberal data folder path names II-102
 quoting liberal data folder paths IV-158
 with # operator IV-19
 with data folder paths IV-58
 with NVAR, SVAR, WAVE IV-57
 with window names IV-58
%& operator
 obsolete IV-8
%^ operator IV-5
%~ operator
 obsolete IV-8
%| operator
 obsolete IV-8
%d, %e, %f, %g, %s, etc.
 conversion specifications for printf IV-245,
 V-653-V-655
%W V-655
& character in menus IV-126
& operator IV-5, IV-39
 pass-by-reference IV-54
&& operator IV-5-IV-6, IV-39
&~ operator IV-5
* (asterisk)
 operator IV-5
 wave indexing II-71
*= operator IV-5
+ operator IV-5
++ operator IV-5, IV-40
+= operator
 accumulate operator IV-5
 string concatenation operator IV-5
- character in menus IV-125
- operator IV-5
-- operator IV-5, IV-40
-= operator IV-5
/ character in menus IV-125
/ operator IV-5
// (comment symbol) IV-2
/= operator IV-5
/C flag
 in user functions IV-31, IV-62
 WAVE reference IV-77, V-924
/D flag
 in user functions IV-31
/S flag
 in user functions IV-31
/SDFR flag IV-74
/T flag
 in user functions IV-62, IV-77
 WAVE reference V-924
/Z flag IV-20
^ operator IV-5
:
 conditional operator IV-5-IV-6
 indicating current data folder II-101
:= (see dependency formulas)
; character in menus IV-126
; command separator IV-2
< operator IV-5, IV-38
<<
 shift left operator IV-39
<< operator IV-5, IV-40
<= operator IV-5, IV-38
<singlepage>importing
 waves V-506

= operator
 assignment operator IV-5
 string assignment operator IV-5
 == operator IV-5, IV-7, IV-38
 and roundoff error IV-7
 > operator IV-5, IV-38
 >= operator IV-5, IV-38
 >>
 shift right operator IV-39
 >> operator IV-5, IV-40
 ?: conditional operator IV-5–IV-6
 [left bracket
 wave indexing II-71
 [left square bracket
 multidimensional wave indexing II-87
 \ (see backslash characters, escape codes)
 \\ (double backslash)
 insert \ in annotation III-38
 \\M (see menu definitions:special characters)
 ~ operator IV-5, IV-39
 auto trace
 curve fit residuals III-160, III-191
 auto wave
 curve fit residuals III-160, III-192
 calculated (see calculated X values)
 default
 curve fitting coefficient wave menu III-168
 curve fitting coefficients III-163
 New Wave
 curve fit destination III-170
 curve fit residuals III-192
 curve fitting coefficients wave III-169
 none
 curve fit destination III-169
 curve fit epsilon III-167
 PictGallery V-705
 | (vertical bar character)
 bitwise operator IV-5, IV-39
 obsolete for comments IV-105
 || operator IV-5–IV-6, IV-39
 .noindex files II-28

Numbers

0xFFFF (see hexadecimal literals)
 2D waves (see contour plots, image plots, Gizmo,
 matrices)
 32-bit Igor (see IGOR32)
 32-bit version I-2
 3D bar plots
 Gizmo II-370
 3D graphics
 (see Gizmo)
 3D scatter plot
 data format II-364
 Gizmo tour II-322, II-326

3D scatter plots
 Gizmo II-368
 3D waves
 (see also multidimensional waves)
 displaying II-86
 Gizmo II-321
 4D waves (see multidimensional waves)
 4K displays III-446
 resolution of panels III-405
 4K displays (see high-DPI)
 5K displays (see high-DPI)
 64-bit Igor (see IGOR64)
 64-bit version I-2

A

abbreviated date
 in notebooks III-12
 Abort Experiment Load button II-25, II-27
 abort key combinations IV-47
 Abort operation V-18
 aborting
 curve fitting III-154
 from control panel IV-148
 macros IV-115
 network operations IV-255
 procedures IV-45, IV-47, V-18–V-19, V-907
 progress windows IV-144
 user functions IV-103
 AbortOnRTE keyword IV-45, V-18
 AbortOnValue keyword IV-45, V-19
 abs (absolute value) function V-19
 abs of a wave V-938
 absolute value V-938
 abs (real) function V-19
 cabs (complex) function V-48
 acausal convolution III-254
 accelerators
 in menus IV-126
 Accumulate into dest III-123
 accumulating histogram III-123
 acos function V-19
 acos of a wave V-938
 acosh function V-19
 action procedures (see controls:action procedures)
 active page
 in page layouts II-391
 ActiveX Automation IV-250
 as server IV-250
 example experiment IV-251
 Adams-Moulton method V-394
 adaptive thresholding III-308
 Add Annotation dialog III-36–III-48
 dynamic pop-up menu III-39
 for page layouts II-405
 Insert: group III-36

- Special pop-up menu III-37
- Add Controls submenu III-372
- AddDropLine macro III-73
- AddFIFOData operation V-20
- AddFIFOVectData operation V-20
- addition IV-5
- AddListItem function V-20
- AddMovieAudio operation V-21
- AddMovieFrame operation V-21
- ADIstruments data acquisition package IV-291
- Adjust Indentation IV-25
- AdoptFiles operation V-21
- adopting
 - all procedure files II-24
 - files programmatically V-21
 - notebooks II-23, V-585
 - procedure files II-23, III-357
 - unadopting II-24
 - waves in Data Browser II-111
- AfterFileOpenHook hook function IV-266
 - example IV-268
- AfterMDIFrameSizedHook hook function IV-269
- AfterWindowCreatedHook hook function IV-270
- AIFF files V-761
- airy functions V-22–V-23
- airyA function V-22
- airyAD function V-23
- airyB function V-23
- airyBD function V-23
- alerts
 - from procedures V-144
- aliases
 - CreateAliasShortcut operation V-95
 - creating V-95
 - finding folders II-27
- aligning
 - (see also stacking)
 - controls III-372
 - drawing objects III-66
 - graphs in page layouts II-401
 - pictures in notebooks III-9
- alignment
 - in annotation text III-54
- All Files IV-137, IV-139
- all-at-once fit functions III-224
 - multivariate III-228
- alog function V-23
- alpha
 - color blending III-440
 - color table waves II-312
 - Gizmo II-346
 - graphics technology III-445
 - image plots II-312–II-313
 - in Gizmo II-341
 - in graph traces II-228
- alternation
 - in regular expressions IV-172
- ambient light
 - Gizmo II-345
- Ambiguity function III-250
- amplitude compensation in windowing III-247
- analysis III-103–III-148
 - area III-115–III-117
 - convolution III-253–III-255
 - correlation III-255
 - decimation III-128–III-272
 - by omission III-128
 - by smoothing III-129
 - differential equations III-274–III-288
 - differentiation III-115, V-137
 - Fourier Transforms III-239–III-248
 - function plotting III-272–III-274
 - functions
 - plotting III-272–III-274
 - histogram III-120–III-126
 - image operations V-4
 - integration III-115
 - interpolation III-104–III-107
 - level detection III-256–III-259
 - matrix operations V-3, V-7
 - missing values (NaNs) III-107
 - of XY data III-103
 - peak detection III-259–III-261
 - principle component analysis V-627
 - programming III-142–III-148
 - related functions V-8
 - related operations V-3
 - root finding III-290–III-295
 - rotate wave III-268
 - smoothing III-261–III-268
 - sorting III-126–III-128
 - statistics operations V-4
 - unwrap wave III-269
 - wave statistics III-117–III-119
 - windowing III-244–III-248
- anchors
 - in page layouts II-405
 - legends III-41–III-42
 - Simple Text drawing tool III-62
 - tags III-47
 - textboxes III-41–III-42
- AND
 - bitwise operator IV-5–IV-6, IV-39
 - logical operator IV-5–IV-6, IV-39
- Annotation Tweaks dialog III-40, III-42, III-47
- AnnotationInfo function V-23
- AnnotationList function V-25
- annotations III-35–III-53
 - (see also labels, legends, tags, textboxes)
 - Add Annotation dialog III-36
 - alignment III-54

anchors III-41–III-42, III-47
 AnnotationInfo function V-23
 AnnotationList function V-25
 AppendText operation V-31
 as input mechanisms V-23
 axis escape codes III-57
 background color III-40
 backslash characters III-38, III-57
 centering text III-38
 color III-54
 color scale bars III-35, III-48–III-51
 creating III-35, III-52
 deleting III-35, III-46, III-53, V-133
 drawing layer III-68
 duplicating III-35
 dynamic text III-56
 in tags III-39
 elaborate III-51–III-52
 escape codes III-36, III-43, III-53–III-58
 exterior III-41
 affects graph plot area III-42
 font styles III-54
 fonts III-37, III-54
 default III-37
 relative size III-37
 size III-37, III-44
 default III-37
 style (bold, italic, etc.) III-38
 frame III-40
 Gizmo II-358, II-384
 halo III-40, IV-275
 in graphs III-35–III-53
 in page layouts II-396, II-404–II-406,
 III-35–III-53
 in style macros II-264
 interior III-41
 Legend operation V-423–V-424
 legend symbols in III-57
 legends III-43–III-44
 definition III-35
 position III-41–III-42
 markers III-44, III-55
 Modify Annotation dialog III-36
 modifying III-35–III-36, III-53
 names III-40, III-53
 naming rules III-443
 Normal escape code, \M III-38
 opaque III-40
 pictures III-54
 position III-41–III-43, III-47–III-48
 anchors III-41–III-42
 exterior III-41
 frozen III-42, III-47
 in graphs III-41–III-42, III-47–III-48
 in page layouts II-405, III-42
 interior III-41
 offset III-42
 programming with III-52
 quick start III-35
 renaming III-40, III-53
 ReplaceText operation V-681
 rotating III-41
 subscripts III-38, III-54
 superscripts III-38, III-54
 tab characters III-40
 Tag operation V-881–V-885
 tags III-44–III-48, III-55
 definition III-35
 TagVal function III-39
 TagWaveRef function III-39
 text
 color III-38, III-40
 content III-36, V-31, V-681
 justification III-38
 text info variables III-55–III-56
 text info variables (see text info variables)
 TextBox operation V-887–V-890
 textboxes
 definition III-35
 position III-41–III-42
 transparency III-40
 wave symbols III-38, III-43–III-44
 wave symbols (see also wave symbols)
 APMath operation V-25
 Append Columns dialog II-177
 Append from Layout dialog II-399
 Append Objects dialog II-399
 Append operation V-27
 Append to Layout dialog II-399
 Append Traces to Graph dialog II-216, II-261
 AppendImage operation V-27
 AppendLayoutObject operation V-28
 AppendMatrixContour operation V-29–V-34
 example II-280
 AppendText operation V-31
 AppendToGizmo operation V-31
 AppendToGraph operation V-31
 AppendToLayout operation V-32
 AppendToTable operation V-33
 AppendXYZContour operation V-33–V-34
 Apple events IV-247–IV-249
 supported events IV-247
 details IV-248
 AppleScript IV-249
 executing scripts V-177
 AppleScripts
 executing Unix shell scripts IV-250
 arbitrary numeric precision V-25
 arc functions
 inverse cosine V-19, V-938
 inverse hyperbolic cosine V-19
 inverse hyperbolic sine V-35

-
- inverse hyperbolic tangent V-36
 - inverse sine V-35, V-938
 - inverse tangent V-36, V-939
 - area**
 - faverage function V-186
 - faverageXY function V-186
 - functions compared V-186
 - Integrate operation V-386
 - integrate1D function V-388
 - normalized V-939
 - PolygonArea function V-638
 - waveform data III-115
 - XY area procedures III-117
 - area function III-116, V-34
 - subranges III-117
 - areaXY function III-117, V-35
 - arithmetic (see wave assignments, expressions, and operators)
 - Arrange Objects dialog II-400
 - arrays (see waves)
 - arrow keys
 - in Gizmo II-338
 - in tables II-178
 - moving graph cursors II-248
 - arrow markers in graphs V-523
 - arrow tool
 - Gizmo II-328
 - in page layouts II-394
 - selecting, deselecting drawing objects III-62
 - arrows
 - (see also drawing tools, tags)
 - double arrow cursor II-218, II-220, II-236
 - drawing V-716
 - arrow head shape III-63, V-716
 - four-arrow cursor II-231
 - markers in graphs II-225
 - examples V-533
 - wind barbs V-523
 - on tags III-46–III-47
 - ASCII codes
 - char2num function V-50
 - escape codes for IV-13
 - num2char function V-601
 - ASCII files (see files, text files, text operations)
 - ASCII text encoding III-410
 - Asian text encodings III-412
 - asin function V-35
 - asin of a wave V-938
 - asinh function V-35
 - aspect ratio tool
 - Gizmo II-328
 - assignment operators IV-5
 - assignment statements IV-4–IV-9
 - data folders IV-3
 - deferred IV-217, V-920
 - assignments (see dependency assignments, strings:assignment, wave assignments)
 - associativity
 - of operators IV-6
 - atan function V-36
 - atan of a wave V-939
 - atan2 function V-36
 - atanh function V-36
 - attribute list
 - Gizmo II-330–II-331
 - attributes
 - Gizmo II-332
 - global II-333
 - internal II-333
 - authentication
 - in URLs IV-253
 - security IV-254
 - URLRequest operation V-911
 - auto
 - general text tweaks II-130
 - auto-compiling procedures III-358, IV-24
 - auto-correlation III-256, V-91
 - auto-identify column type II-120
 - auto-save
 - in notebooks V-587
 - auto-trace destination waves in curve fitting III-169, III-204
 - (see also curve fitting:destination waves)
 - Auto/Man Ticks tab II-236–II-237
 - automatic Igor update II-4
 - automatic multithreading
 - MultiThreadControl operation V-563
 - automatically multithreaded
 - MultiThreadingControl operation V-563
 - automation
 - Apple events IV-247
 - AppleScript IV-249
 - generating notebook commands III-29
 - loading files in folder (example) II-155
 - loading waves II-151
 - example II-151, II-154
 - notebooks III-25–III-30
 - examples III-26
 - overview I-7
 - retrieving text from notebooks III-28
 - Unix shell scripts IV-250
 - updating in notebooks III-28
 - AutoPositionWindow operation V-36
 - Autoscale Axes in Graph Menu II-218
 - autoscaling II-217, II-219, II-232, II-259
 - Gizmo II-335
 - log axes II-232
 - Autosizing Columns By Double-Clicking II-187
 - Autosizing Columns Using Menus II-188
 - auxiliary procedure files III-350, III-352

-
- average deviation of wave V-358, V-936
 2D V-358
- average functions
 compared V-186
 faverage V-186
 faverageXY V-186
- FindSegmentMeans user-defined function
 III-146
- mean V-503
- average of several waves
 WavesAverage user-defined function III-146
- average value of a wave III-115
- avg3D filter V-316
- AVI
 movies IV-231
- AVI movies
 NewMovie operation V-571
 PlayMovieAction operation V-634
 related operations V-5
- axes II-214–II-220, II-235–II-248, II-253–II-259
 (see also axis labels, graphs:axes)
 adding to graph II-216
 AppendToGraph operation V-31
 AppendWithCapturedAxis macro II-261
 auto ticks II-236
 autoscaling modes II-219
 AxisInfo function V-36
 AxisList function V-37
 AxisValFromPixel function V-38
 bottom axis II-215
 broken axes (see axes:split axes)
 category axis V-37
 category plots
 bar gaps V-534
 category gaps V-535
 color II-236, V-541
 computed manual ticks II-236
 contour plot V-70
 controlling wave II-215, II-246–II-247, II-269,
 V-37
 coordinates for drawing III-68
 crossing II-236
 curve fit residuals III-191
 date/time II-235, II-244–II-246
 custom formats II-245
 manual ticks II-246
 suppress date II-245
 dragging II-220, II-236
 draw between (examples) II-236, II-253, II-255
 drawing layer III-68
 exponential labels II-237
 mode II-237
 tick marks II-237
 fake (custom axes) II-246
 flags in Display operation V-140
 free axis II-214–II-215, II-240
 creating V-409, V-568
 crossing at II-236
 distance II-236
 examples I-39, II-215, II-253, II-255
 killing V-409
 mirror axis II-235
 modifying V-518
 GetAxis operation V-254
 hiding II-236
 HorizCrossing free axis II-214–II-215
 image plot V-325
 KillFreeAxis operation V-409
 labels
 (see also axis labels)
 margin II-240
 on mirror axes II-235
 position II-239
 scaling II-237
 units II-215
 left axis II-215
 log axes II-237, II-243–II-244, II-248
 curve fitting auto-trace III-169
 minor ticks II-244
 labels II-244
 unexpected behavior II-243
 log or linear axes II-235
 LogLin mode II-243
 low trip, high trip II-237
 manual ticks II-240–II-243
 minor ticks II-237
 on log axes II-244
 mirror axis II-235–II-236
 ModifyFreeAxis operation V-518
 ModifyGraph operation V-534, V-541
 modifying II-235–II-248, V-534
 moving II-220, II-236
 multiple axes (example) I-39, II-253–II-254
 NewFreeAxis operation V-409, V-568
 not listed in dialogs II-269
 offset II-220, II-236
 PixelFromAxisVal function V-631
 preferences II-260, II-275, II-294, II-316
 probability II-246
 range II-219–II-220
 GetAxis operation V-254
 SetAxis operation V-713
 reciprocal II-246
 removed automatically II-215
 reversed II-219, V-713
 right axis II-215
 scaling II-217–II-220, II-248
 SetAxis operation V-713
 shortcuts II-265–II-266
 split axes II-259
 stacked axes V-534
 example I-41

standard axes II-215
 standoff II-221, II-235, II-255
 ignored II-235
 styles II-262–II-264
 swap X & Y axes II-220
 tags V-881–V-885
 thickness II-236
 thousands separators V-540
 tick mark labels (see tick mark labels)
 tick marks (see tick marks)
 top axis II-215
 transforming II-246
 units II-215, II-246–II-248, V-37
 user ticks from waves II-236
 VertCrossing free axis II-214–II-215
 WMAxisHookStruct V-518
 zero line II-239
 Axes Properties dialog
 Gizmo II-363
 axis coordinate system
 Gizmo II-335
 axis cue
 Gizmo II-329
 axis cue objects
 Gizmo II-361
 Axis Label tab in Modify Graph dialog II-246
 axis labels II-246–II-248
 (see also annotations, tick mark labels)
 escape codes II-247, III-57
 exponential notation II-237
 fonts II-236, II-247, III-54
 size II-247
 formatted text III-53
 Gizmo II-383
 hiding II-240
 Label operation V-414
 marker symbols II-247, III-38
 parentheses omitted II-248
 position II-239
 preferences II-260
 special characters II-247, III-38
 subscripts II-247
 superscripts II-247
 text color II-236
 text info variables (see text info variables)
 trace symbols II-247
 units II-246–II-248
 Manual Override escape code II-248
 prefix II-248
 scaling II-247
 x10ⁿ prevention II-248
 axis objects
 Gizmo II-362
 Axis Range tab II-219–II-220
 Axis Range tab in Modify Axis dialog
 Quick Set buttons II-219

Axis tab II-235–II-236
 axis tool
 Gizmo II-328
 AxisInfo function IV-162, V-36
 AxisList function V-37
 AxisValFromPixel function V-38

B

B-spline surfaces V-361
 back projection V-361
 background color
 in graphs III-393
 in notebooks III-7
 in panels III-394
 in procedure windows III-359
 background removal
 DSPDetrend operation V-161
 background tasks IV-298–IV-302
 BackgroundInfo operation V-38
 caveats IV-300
 CtrlBackground operation V-100
 CtrlNamedBackground operation V-101
 debugger IV-300
 demo IV-302
 dialogs IV-300
 errors IV-300
 example IV-298, IV-301–IV-302
 exit code IV-299
 FakeData function V-183
 KillBackground operation V-408
 limitations IV-300
 multitasking
 example IV-314
 old techniques IV-302
 period IV-299
 preemptive
 example IV-314
 SetBackground operation V-714
 SetProcessSleep operation V-727
 terminating IV-299
 tips IV-300
 BackgroundInfo operation IV-302, V-38
 backslash
 escape sequences IV-13
 Unicode escape sequences IV-14
 backslash characters
 (see also escape codes)
 in annotations III-38, III-57
 in file paths III-401
 procedures III-404
 in strings IV-13
 LoadWave operation V-450
 Shift JIS III-434
 Backwards Differentiation Formula V-394
 balloon help (see Igor Tips)

bar charts (see category plots)
 bar display (see controls:Value Displays)
 bar limits for ValDisplays III-371, III-386
 Bartlet window function V-192
 for images V-379
 Bartlett window function V-162, V-193, V-946
 for images V-379
 batch files
 calling Igor from IV-251
 Battle-Lemarie wavelet transform V-166
 beams
 definition V-363
 extracting V-363
 Beep operation V-38
 BeforeDebuggerOpensHook hook function IV-268
 BeforeExperimentSaveHook hook function IV-270
 BeforeFileOpenHook hook function IV-271
 example IV-272
 BEGIN keyword in Igor Text files II-132
 Bessel functions V-38–V-39, V-766–V-767
 besseli function V-38
 besselj function V-39
 besselk function V-39
 bessely function V-39
 bessI function V-39
 beta function V-41
 betai function V-41
 BigWaveLoadMode II-35
 bilevel
 TIFF files
 II-138
 bilinear interpolation V-328
 bimodal thresholding III-308
 binary data
 in text waves III-424–III-427
 binary files
 (see also Igor Binary files)
 description of II-117
 FBinRead operation V-187
 FBinWrite operation V-188
 FReadLine operation V-223
 GBLoadWave operation II-146, V-250
 Igor Binary files II-135–II-137
 PadString function V-620
 binary operators IV-5
 AND IV-6
 OR IV-6
 XOR IV-6
 BinarySearch function V-42
 BinarySearchInterp function V-42
 binning (see histogram)
 binomial function V-43
 binomial smoothing III-262
 binomialln function V-43
 binomialNoise function V-43
 bit streams
 random V-425
 bitmaps
 exporting graphics III-91, III-98
 PNGs III-91
 bitmaps (see BMP files, HiRes bitmap PICTs, images, PNGs)
 bits
 setting IV-12
 bitwise operators IV-5, IV-39
 << IV-39
 >> IV-39
 AND IV-6, IV-39
 complement IV-5, IV-39
 OR IV-6, IV-39
 XOR IV-6
 Blackman window function V-162, V-193, V-946
 for images V-379
 blanks
 (see also missing values, NaNs)
 entering in tables II-182
 in delimited text files II-120, II-126
 blockReentry field III-390
 blocks
 in general text files II-128
 in Igor Text files II-132
 blurry images in PDFs III-91, III-97
 BMP files
 exporting V-348
 importing V-334
 BMPs
 exporting graphics III-97
 importing III-448
 loading II-138
 BOM (see byte order marks)
 bottlenecks IV-317
 GetRTLocation V-270
 GetRTLocInfo V-271
 bounce end effect method III-268
 bounding sphere V-44
 boundingBall operation V-44
 box axes
 Gizmo II-362
 box objects
 Gizmo II-353
 box smoothing III-264, V-748
 break
 in for loops IV-44
 in switch statements IV-41
 break keyword V-44
 breakpoints
 setting in debugger IV-199
 Brent's method V-613
 Bring to Front II-394
 broken axes (see axes:split axes)
 broken dependency objects IV-217

Browse Waves dialog II-67
 browser (see Data Browser, help browser)
 Browser XOP II-67
 BrowseURL operation V-45
 browsing
 experiments II-20
 waves II-67, II-162
 BuildMenu operation IV-121, V-45
 built-in fit functions
 notes III-179–III-184
 Bulirsch–Stoer method V-394
 bulldozer icon (what it is) III-66
 Burt–Adelson wavelet transform V-166
 bush icon (it's a tree, really) III-65
 Button Control dialog III-373
 Button controls
 custom III-375
 custom examples III-375
 examples III-374
 programming III-373–III-376
 using III-368
 button controls
 aborts IV-148
 Button operation III-373–III-376, V-45
 ButtonControl subtype IV-194
 keyword V-48
 .bwav extension II-136
 byte order marks III-420
 in notebooks V-586

C

C language IV-195
 for external functions and operations IV-195
 cabs (complex absolute value) function V-48
 Calculate Normals
 Gizmo II-345
 call-outs (see annotations, labels, drawing tools)
 cameras
 data acquisition IV-291
 GetCamera operation V-254
 ModifyCamera operation V-509
 NewCamera operation V-566
 CameraWindow subtype IV-194
 keyword V-48
 Canny edge detector V-314
 canonic tick defined II-240
 canonical equivalence
 Unicode V-582
 Capture Graph Preferences dialog II-260
 Capture Layout Preferences dialog II-408
 Capture Notebook Preferences dialogs III-30
 Capture Procedure Preferences dialog III-360
 Capture Table Preferences dialog II-205
 CaptureHistory function V-48
 CaptureHistoryStart function V-48

carriage return
 in data files II-120
 in delimited text files II-117, II-125
 in Igor Text files II-135
 in tables II-193
 saving text waves II-160
 carriage returns
 cross-platform issues III-402
 escape code for IV-13
 carriage-return/linefeed
 in data files II-120
 in delimited text files II-117
 cartesian coordinates
 conversion from crystallographic V-939
 conversion to crystallographic V-940
 Case Sensitive III-24
 case statements IV-41
 Constant keyword V-69
 default keyword V-126
 Strconstant keyword V-863
 catch keyword V-48
 category plots II-268–II-275
 Add to next II-272
 axis preferences II-275
 axis range II-270–II-271, II-274
 bar gaps II-269, V-534
 bars disappear II-274
 bars don't line up II-273–II-274
 bars don't stack correctly II-274
 bars on left or right II-271
 category gaps II-269, V-535
 combining with numeric II-273
 creating II-268–II-269, V-140
 example I-32
 Draw to next II-272, II-274
 drawing order II-271
 horizontal bars II-270
 Keep with next II-273
 modifying II-269–II-271
 New Category Plot dialog II-275
 numeric categories II-273
 options I-33
 pitfalls II-274–II-275
 preferences II-275
 axes II-275
 wave styles II-275
 programming (example) II-268
 Stack on next II-274
 stacked bar charts II-271
 tick in center II-270
 tick mark labels II-270
 vs numeric categories II-273
 wave style preferences II-275
 X scaling II-270–II-271, II-274
 Catmull–Clark surfaces V-361
 cd operation V-49

CDFFunc keyword V-817
 CDFFunc subtype IV-194
 ceil function V-49
 centering text (see justification of text)
 cequal function V-49
 Change Wave Scaling dialog II-63–II-64
 Delta II-64
 End II-64
 Right II-64
 SetScale Mode II-64
 Start II-64
 changeableByCommandOnly
 in notebooks III-10
 channels
 in FIFO buffers IV-292
 char2num function V-50
 character classes IV-167
 character encoding (see text encoding)
 character encoding schemes III-413
 character properties
 in notebooks III-9
 character set
 cross-platform issues III-402
 character-by-character operations IV-162
 characters versus bytes III-433
 chart controls III-368, IV-296–IV-298
 creating III-376
 live mode IV-292
 programming IV-291–IV-298
 review mode IV-292
 scrolling IV-292
 updates IV-294
 using IV-292
 Chart operation V-50–V-52
 chebyshev function V-52
 chebyshevU function V-53
 Checkbox controls
 custom III-377
 programming III-376
 using III-369
 CheckBox operation III-376, V-53
 CheckBoxControl subtype IV-194, V-55
 keyword V-56
 CheckDisplayed operation V-56
 CheckName function V-57
 chi-square
 weighting wave III-172
 ChildWindowList function V-58
 Chinese
 text encodings III-412
 Cholesky decomposition V-486
 Choose Dimensions dialog II-197
 Choose Text Encoding dialog V-453
 ChooseColor operation V-58
 chunks
 in multidimensional waves II-84, II-87
 in tables II-197
 indexing
 chunk numbers, s function V-691
 scaled index, t function V-876
 maximum location V-936
 minimum location V-936
 Ci function V-93
 circles (see drawing tools, markers)
 circular convolution III-254
 circular correlation V-91
 CleanupName function V-58
 Clear Cmd Buffer II-9
 clearing
 drawing objects III-69
 in tables II-182
 Clipboard
 Export Graphics dialog III-92, III-98
 importing data II-183
 in SavePICT operation V-704
 loading PICTs V-441–V-443
 playing sound V-635
 programming
 GetScrapText operation V-272
 PutScrapText operation V-666
 searching V-282
 clipboard
 exporting data II-187
 clipping
 Gizmo II-335
 troubleshooting in Gizmo II-382
 Close Notebook Window dialog III-5
 Close operation IV-184, V-59
 Close Procedure Window dialog III-353
 Close Window dialogs II-42, II-261
 CloseHelp operation V-59
 CloseMovie operation V-59
 CloseProc operation V-59
 closest integer function V-219
 closing
 graphs II-261
 help windows II-3
 page layouts II-390
 procedure windows III-353
 tables II-176
 windows II-41
 clustering
 FPClustering operation V-222
 CM_Kn: covariance matrix waves V-106
 cmap conversions
 cmap2rgb V-361
 cmplx function V-61
 CmpStr function V-61
 CMYK III-93, III-99
 CMYK conversions
 CMYK2RGB V-361

- CMYK images
 - TIFF files II-139
 - co-occurrence matrix V-319
 - Cochran's (Q) test V-792
 - code page (see text encoding)
 - code point III-413
 - codecs
 - NewMovie operation V-572
 - coefficients
 - coefficients wave in curve fitting III-168
 - curve fitting III-153
 - (see also curve fitting:coefficients)
 - coercion
 - in user functions IV-102
 - Coifman wavelet transform V-166
 - color
 - control panel background V-547
 - dialog V-58
 - direct color mode V-529
 - drawing environment V-717
 - Export Graphics dialog III-92, III-98
 - Gizmo II-341
 - in annotations III-54
 - in contour plots II-284–II-286, V-511–V-514
 - in graphs V-541
 - axes II-236
 - axis label text II-236
 - control bar V-541
 - cursors II-249
 - traces V-527, V-529
 - direct color mode V-529
 - in image plots II-305–II-314, V-543
 - in notebooks III-9
 - background V-585
 - text V-594
 - in procedure windows III-359
 - legends II-230
 - of annotation background III-40, V-887
 - of annotation text III-38, III-40, V-888
 - of markers V-529
 - of text in tables V-551
 - Save EPS File dialog III-92, III-99
 - Save PICT File dialog III-92, III-99
 - selecting V-58
 - color blending III-440
 - color index wave II-285–II-286, II-312–II-313
 - example II-285, II-313
 - from color table V-67
 - in contour plots II-284–II-286
 - in image plots II-312–II-313, V-543
 - color legends (see color scale bars)
 - color material
 - Gizmo II-342
 - color palette III-440
 - in pop-up menu controls V-649
 - Other... III-440
 - Recent Colors III-440
 - color scale bars III-35, III-48–III-51
 - axis ticks III-51
 - ColorScale operation V-61
 - dialog III-49
 - dimensions III-50
 - Gizmo II-384
 - height III-50
 - lateral offset III-50
 - margins III-50
 - orientation III-49
 - pasting in layouts II-404
 - position III-49
 - rotation III-50
 - settings III-49
 - size III-49
 - units III-50
 - user-defined ticks III-51
 - width III-50
 - color space conversion
 - cmap
 - to RGB V-361
 - CMYK
 - to RGB V-361
 - grayscale V-361
 - HSL
 - to RGB V-364
 - RGB
 - to grayscale V-366
 - to HSL V-366
 - to i123 V-367
 - to XYZ V-367
 - XYZ
 - to RGB V-371
 - color table waves II-311
 - alpha II-312
 - opacity II-312
 - translucency II-312
 - transparency II-312
 - color tables II-306–II-312
 - automatic color mapping II-285
 - color effects II-308
 - ColorTab2Wave operation V-67
 - compatibility II-308
 - first half, using II-285
 - gamma II-308
 - Gizmo II-344
 - gradients II-309
 - Igor and IgorRecent V-67
 - Igor Pro 4 II-309
 - Igor Pro 5 II-309
 - Igor Pro 6 II-310
 - Igor Pro 6.2 II-311
 - in contour plots II-284
 - in image plots II-306, V-543
 - listing V-100

manual color mapping II-285
 names of built-in tables II-306
 number of colors II-306
 overlays II-306
 reversing the color order II-305
 RGB waves II-312
 RGBA waves II-312
 specialized II-308–II-309
 color tables contrast effects II-308
 color waves
 Gizmo II-343
 COLORPOP V-649
 ColorScale operation V-61
 colorscales
 deleting V-133
 Gizmo II-358
 ColorTab2Wave
 Gizmo II-342
 ColorTab2Wave operation V-67
 COLORTABLEPOP V-649
 COLORTABLEPOPNONAMES V-649
 column formats
 in delimited text files II-120
 column indices
 in tables II-195, V-548
 column labels
 in delimited text files II-122, II-124, II-126
 in general text files II-128–II-129, II-131
 troubleshooting II-127
 column names
 can use index number instead V-548
 for multidimensional waves II-195
 pasting in tables II-175
 column position waves
 in delimited text files II-125
 column styles preference II-205
 column types
 in delimited text files II-125–II-126
 column-major order II-90, V-253
 columns
 .i, .d, .id, .real, .imag V-169
 .x, .y, .xy V-169
 appending to tables II-177
 AppendToTable operation V-33
 changing
 positions II-187
 styles II-188
 widths II-187
 extracting V-363
 flipping V-362
 formats II-184, II-189
 in multidimensional waves II-84, II-87
 column numbers, q function V-667
 scaled indices, y function V-966
 index columns II-176, II-184
 list of V-927

maximum location V-936
 minimum location V-936
 names II-176
 pasting column formats II-184
 pasting index columns II-184
 removing from tables II-177, V-674
 showing X values II-170
 specifying by index number V-548
 titles in tables II-189
 tool tips II-3
 X columns II-176
 command buffer II-8–II-13, IV-2
 searching II-11
 command line II-8–II-13
 copying commands to V-900
 length limit II-8, IV-2
 magnification II-47
 searching II-11
 Silent operation V-743
 zooming II-47
 command line interface I-6
 Command Settings III-5
 command window II-8–II-13
 background color II-12
 Clear Cmd Buffer II-9
 getting help II-12
 magnification II-12
 overview I-6
 preferences II-12
 shortcuts II-13
 text format II-12
 title II-9
 Command-dot
 aborting procedures IV-47
 Command/History Settings II-12
 commands IV-2–IV-20
 assignment operators IV-5
 assignment statements IV-4–IV-9
 comments IV-2
 executing from
 help windows II-3, III-4
 notebooks III-4
 procedure windows III-4
 executing from Data Browser II-110
 functions IV-10
 line continuation IV-2
 max characters per line II-8, IV-2
 multiple IV-2
 notebooks actions III-14–III-17, V-599,
 V-762–V-763
 operands IV-8
 operations IV-9
 operators IV-5
 overview II-8
 parameters IV-2, IV-11–IV-20
 relation to menus I-7

| | |
|---|--|
| ToCommandLine operation V-900 | complex functions V-7 |
| types IV-3–IV-11 | cabs V-48 |
| use of commas IV-11 | cequal V-49 |
| commas | cmplx V-61 |
| as decimal separator in graphs II-220 | conj V-69 |
| in commands IV-11 | cpow V-95 |
| in delimited text files II-122 | fresnelCS V-225 |
| in general text files II-128 | imag V-309 |
| commentizing III-361 | magsqr V-464 |
| Comments | p2rect V-620 |
| using obsolete style V-743 | r2polar function V-668 |
| comments IV-2 | real V-670 |
| obsolete style V-743 | user functions IV-31 |
| replacing obsolete character IV-105 | complex keyword V-68 |
| comparison functions | complex number type II-61 |
| CmpStr V-61 | complex variables II-96, V-68, V-921 |
| equalWave V-172 | complex waves II-74 |
| limit V-425 | accessing IV-62, IV-77, V-924 |
| max V-503 | assignments IV-62, IV-77, V-924 |
| min V-505 | in graphs II-232 |
| SelectNumber V-712 | in Igor Text files II-132 |
| SelectString V-712 | in user functions IV-59, IV-62, IV-77, IV-102, |
| comparison operations | V-924 |
| Extract V-182 | inverse V-476 |
| comparison operators IV-7 | statistics V-934 |
| roundoff error IV-7 | Compose Expression dialog III-130 |
| compatibility | table selection III-131 |
| Gizmo II-382 | compressing images V-361 |
| Igor6 and Igor7 III-429 | Concatenate operation V-68 |
| compatibility mode IV-105 | concatenating |
| Silent operation IV-105, V-743 | strings IV-7 |
| turning off IV-105, V-690 | waves II-73, V-68 |
| compatibility, cross-platform (see cross-platform | condition |
| issues, platform related issues) | matrix V-467 |
| compatible characters | conditional compilation IV-100 |
| Igor6 and Igor7 III-429 | #define statement V-16 |
| Unicode V-582 | #if-#elif-#endif statement V-16 |
| Compile button III-351, IV-24 | #if-#endif statement V-16 |
| compile time vs runtime IV-58 | #endif statement V-17 |
| compiler directives (see include statements, | #ifndef-#endif statement V-17 |
| pragma statements) | #undef statement V-18 |
| compiling IV-24 | IgorVersion function V-308 |
| auto-compiling IV-24 | predefined symbols IV-101 |
| help files IV-242 | Conditional Compilation Examples IV-101 |
| procedures III-351, IV-24 | conditional operator II-74, IV-5–IV-6 |
| complement operator IV-5–IV-6, IV-39 | conditional statements |
| complementary error function V-173–V-174 | if-else-endif IV-37 |
| complex | if-elseif-endif IV-38 |
| columns in tables II-176 | in macros IV-112 |
| variable in user functions IV-104 | in user functions IV-37 |
| waves in graphs III-242 | precedence of operators IV-39 |
| complex conjugate V-939 | conditionals in procedures |
| complex conjugate function V-69 | conditional operator IV-6 |
| complex declaration V-68 | confidence bands |
| local variables in user functions IV-104 | for curve fitting III-193, III-196 |
| variables in user functions IV-104 | |

-
- confidence intervals
 - curve fit coefficients III-193
 - conj function V-69
 - constant
 - numeric declaration IV-47
 - Constant keyword V-69
 - constant keyword
 - in switch statements IV-41
 - constants IV-47–IV-48
 - Constant keyword V-69
 - GL_constants II-383
 - in curve fitting III-163
 - in switch statements IV-41
 - in user functions IV-47
 - static IV-48
 - Static keyword V-775
 - Strconstant keyword V-863
 - syntax IV-47
 - constraints
 - sum of fit functions III-215
 - constraints in curve fitting III-198, III-202
 - context
 - loading text files II-124
 - context-sensitive help
 - for controls III-387
 - contextual menus
 - contextualmenu IV-119
 - controls V-639
 - dynamic IV-119
 - example IV-149
 - contextualmenu IV-119
 - continuation characters IV-2
 - in user functions IV-35, IV-104
 - continue keyword V-70
 - continue statements
 - for loops IV-45
 - continuous phase III-269
 - continuous wavelet transform (see wavelet transform)
 - contour fills II-286
 - Contour Labels dialog II-291
 - contour level not closeable II-287
 - contour plots II-279–II-296
 - appearance preferences II-293
 - Append Contour Plot dialog II-294
 - AppendMatrixContour operation V-29–V-34
 - AppendXYZContour operation V-33–V-34
 - axes
 - GetAxis operation V-254
 - SetAxis operation V-713
 - axis preferences II-294
 - boundary II-283
 - change updating V-515
 - color II-282, II-284–II-286, V-511–V-514
 - color index wave II-285–II-286
 - ColorTab2Wave operation V-67
 - programming (example) II-285
 - color scale bars II-290, III-35, III-48–III-51, V-61
 - (see also color scale bars)
 - color tables II-285
 - (also see color tables)
 - ColorScale operation V-61
 - combining with image plots II-280
 - contour fills II-286
 - contour instance names II-289–II-290
 - Contour Labels dialog II-291
 - contour lines (see contour traces)
 - contour traces II-283–II-289
 - appearance II-283
 - color II-284–II-286
 - cursors II-288
 - drawing order II-289
 - extracting XY data II-289
 - instance names II-284
 - list of V-903
 - names II-284
 - removing II-287
 - updating II-288
 - wave reference V-904
 - Z value II-288
 - ContourInfo operation V-70
 - ContourNameList function V-71
 - ContourNameToWaveRef function V-72
 - creating II-280–II-281, V-29, V-33, V-141
 - crossing lines II-293
 - cursors II-288
 - z value V-967
 - data
 - gridded II-279
 - matrix II-279
 - nonlinear grid II-279
 - sparse II-280
 - XYZ II-280
 - Delaunay triangulation II-283
 - DelayUpdate and DoUpdate II-288
 - drawing order II-289, II-292
 - FindContour operation V-206
 - gridded data II-279
 - interpolation II-283, II-292, V-72
 - labels II-290–II-292
 - color II-291
 - content II-291
 - coping with II-291
 - drawing order II-292
 - format II-291
 - ModifyContour operation V-512–V-513
 - modifying II-291–II-292
 - positioning II-291
 - removing II-291
 - rotation II-290–II-291
 - Tag/Q purpose II-292
 - turning off II-282

-
- updating II-282
 - layers II-289, II-292
 - legends II-290, III-35, III-48–III-51
 - (see also color scale bars)
 - levels II-281, II-288
 - arbitrary II-282
 - automatic II-281
 - manual II-282
 - ModifyContour operation V-513
 - More Levels dialog II-282, II-288
 - stored in a wave II-282
 - Line Colors dialog II-282, II-284–II-285
 - lines (see contour traces)
 - log colors II-286, V-513
 - manual color mapping II-285
 - matrix data II-279
 - Modify Contour Appearance dialog
 - II-281–II-283
 - ModifyContour operation V-509–V-515
 - modifying II-281–II-283
 - More Levels dialog II-282
 - multiple plots in graph II-290
 - names II-284, II-289–II-290
 - in legends II-284
 - NaNs V-514
 - New Contour Plot dialog II-294
 - pitfalls II-292–II-293
 - preferences II-293–II-294
 - programming notes II-284–II-285, II-288–II-290
 - references II-295
 - related operations V-1
 - removing V-672
 - ReplaceWave operation V-681
 - resolution II-283, II-292
 - shortcuts II-295–II-296
 - sparse data II-280
 - TraceInfo function V-902
 - traces (see contour traces)
 - treatment of NaNs V-514
 - triangulation II-283
 - updating II-282, II-288
 - Voronoi triangulation V-511
 - XY markers II-283
 - XYZ data II-280
 - Z level (see levels)
 - Z value II-288
 - ContourInfo operation V-70
 - ContourNameList function V-71
 - ContourNameToWaveRef function IV-187, V-72
 - contours
 - FindContour operation V-206
 - ContourZ function V-72
 - control bar in graphs III-392
 - color V-541
 - ControlBar operation V-73
- control panels
 - notebook subwindows III-86
 - resolution of V-620
- control panels (see panels)
- Control Procedure dialog III-373
- control procedures (see controls:action procedures)
- control structures III-388
 - blockReentry field III-390
 - eventMod field III-390
- ControlBar operation V-73
- ControlInfo operation V-74–V-78
- ControlNameList function V-78
- controls III-367–III-396
 - (see also panels, individual control names)
 - aborts IV-148
 - action procedures III-368, III-373–III-382, III-392, III-394, V-47, V-55, V-646
 - independent modules IV-226
 - regular modules IV-223
- background color III-388
- blockReentry field III-390
- blue bar III-371, III-386–III-387
- Buttons III-368, III-373–III-376
 - Button operation V-45
 - user data V-47
- WMButtonAction structure V-47
- charts III-368, IV-291–IV-298
 - Chart operation V-50–V-52
- CheckBoxes
 - user data V-55, V-115
 - WMCheckboxAction structure V-55
- Checkboxes III-369, III-376
 - CheckBox operation V-53
- color III-388
- Color pop-up menu V-649
- context-sensitive help III-387
- control bar III-392
 - example I-43
- control panels (see panels)
- control structures III-388
- ControlBar operation V-73
- ControlInfo operation V-74–V-78
- ControlNameList function V-78
- ControlUpdate operation V-79
- copying III-372
- custom
 - WMCustomAction structure V-115
- CustomControl III-369, III-377
 - examples III-377
- CustomControl operation V-114
- data folders II-103
- default appearance V-126
- default font V-128
- deferred compilation III-381, V-920
- disabling III-388
- duplicating III-372

-
- eventMod field III-390
 - Fill Pattern pop-up menu V-649
 - format strings III-373, V-730
 - formatted text in titles III-53
 - global variables
 - deferred evaluation III-381, V-920
 - graphic elements
 - GroupBox III-369, III-379
 - TitleBox III-371, III-384
 - group boxes V-289
 - GroupBox III-369, III-379
 - user data V-290
 - hiding III-388
 - Igor Tips III-387
 - in graphs III-392
 - drawing limitations III-394
 - killing III-387
 - KillControl operation V-408
 - labelBack keyword III-388
 - Line Style pop-up menu V-649
 - list boxes V-428
 - ListBox III-369, III-379
 - user data V-432
 - WMListboxAction structure V-433
 - Marker Style pop-up menu V-649
 - ModifyControl operation V-515
 - ModifyControlList operation V-517
 - modifying III-367, III-372, V-515, V-517
 - moving and resizing III-62
 - naming III-443
 - pop-up menus III-369, III-379–III-381
 - contextual menus V-639
 - PopupContextualMenu operation V-639
 - PopupMenu operation V-644
 - user data V-645
 - procedures (see controls:action procedures)
 - programming III-372–III-394
 - syntax III-373
 - radio buttons III-369, III-376
 - red bar III-371, III-386–III-387
 - related operations V-6
 - resolution of III-405
 - selecting III-372
 - Set Variable III-370, III-381–III-382
 - SetVariable operation V-729–V-733
 - WMSetVariableAction structure V-732
 - SetVariable
 - user data V-732
 - shortcuts III-396
 - Slider operation V-745
 - Sliders III-371, III-382
 - user data V-747
 - WMSliderAction structure V-747
 - status line help III-387
 - structures for III-388
 - tab controls V-876
 - tabbed panes III-371, III-383
 - TabControl III-371, III-383
 - creating III-383
 - user data V-877
 - WMTabControlAction structure V-878
 - tabs V-876
 - TitleBox III-371, III-384
 - titles III-371, III-384, V-897
 - updating III-387
 - ControlUpdate operation V-79
 - updating problems III-394
 - user data III-391, V-74, V-277
 - examples III-392
 - using III-273, III-368
 - example I-43
 - ValDisplays III-371
 - Value Displays III-385–III-387, III-394
 - ValDisplay operation V-916–V-920
 - ControlUpdate operation V-79
 - conversion functions V-7
 - char2num V-50
 - cmplx V-61
 - date2secs V-121
 - dateToJulian V-121
 - imag V-309
 - IndexToScale function V-384
 - JulianToDate V-407
 - LowerStr V-462
 - magsqr V-464
 - num2char V-601
 - num2istr V-601
 - num2str V-602
 - number-to-string V-771
 - p2rect V-620
 - pnt2x V-636
 - r2polar V-668
 - real V-670
 - ScaleToIndex function V-709
 - Secs2Date V-710
 - Secs2Time V-711
 - str2num V-863
 - UpperStr V-909
 - x2pnt V-961
 - conversion specifications in printf IV-245, V-653–V-655
 - ConvertGlobalStringTextEncoding operation V-79
 - ConvertTextEncoding function
 - example III-428
 - ConvertTextEncoding operation V-82
 - ConvexHull operation V-85
 - convolution III-253–III-255, V-85–V-87
 - (see also correlation, smoothing)
 - acausal III-254
 - circular III-254
 - curve fitting III-224
 - delay III-254

- end effects III-254
- FilterFIR operation V-197
- for smoothing III-267
- linear III-254
- number of points in result III-254
- Resample operation V-682
- SmoothCustom operation V-752
- Convolve dialog III-254
- Convolve operation V-85–V-87
- cool graphs II-5
- coordinate system
 - Gizmo II-334
- coordinate systems for drawing III-67–III-68
 - SetDrawEnv operation V-718–V-719
- coordinate transformation
 - Gizmo II-349
- coordinates
 - cartesian to crystallographic conversion V-940
 - crystallographic to cartesian conversion V-939
 - window III-405
- Copy or Share Wave dialog II-137
- copy to home II-23, II-136
- CopyFile operation V-87
- CopyFolder operation V-88
 - warning V-89
- copying
 - data folders V-165
 - data from tables II-175, II-182, II-187, II-203
 - data objects with Data Browser II-107
 - from Clipboard V-272
 - from page layouts II-403
 - graphics (see exporting)
 - Igor Binary files II-23
 - in page layouts II-395
 - rulers III-12
 - to Clipboard V-666
 - waves V-164–V-165
- CopyScales operation V-90
- Core Graphics
 - graphics technology III-446, V-739
- Correlate dialog III-256
- Correlate operation V-91–V-92
- correlation III-255, V-91–V-92, V-469
 - (see also convolution)
 - auto-correlation III-256, V-91
 - circular correlation V-91
 - cross-correlation III-256
- correlation matrix for curve fit III-197
- cos function V-92
- cos of a wave V-939
- Cos window function V-193
- cosh function V-93
- cot function V-93
- coth function V-94
- CountObjects operation V-94
- CountObjectsDFR operation V-94
- covariance V-469
 - cross-covariance V-487
- covariance matrix
 - curve fitting III-196, V-106
- cpowi function V-95
- CR (see carriage return)
- crashes IV-317–IV-318
 - (see also troubleshooting)
 - crash log file IV-318
 - Diagnostics folder IV-318
 - minidump files IV-318
- Create Line dialog
 - Arrow Fat III-63
- Create Oval dialog (see Create Rectangle dialog)
- Create Rectangle dialog
 - Fill Mode III-63
- Create Rounded Rect dialog (see Create Rectangle dialog)
- Create Text dialog III-62
- create-paste II-183
- CreateAliasShortcut operation V-95
- CreateBrowser operation V-96
 - modal Data Browser II-111
- creating
 - control panel V-575
 - data
 - in tables II-169, II-174, II-183
 - data folders V-567
 - derived rulers III-12
 - experiments II-20
 - files V-604
 - free data folders V-569
 - help files IV-241
 - new rulers III-11
 - notebook V-573
 - procedure files III-352
 - procedures III-351
 - symbolic paths II-21
 - waves V-464
- CreationDate function V-96
- creator code
 - for Igor files III-399
 - Open operation V-606
- CRLF (see carriage-return/linefeed)
- Crop to Page Contents
 - page layouts II-408
- Cross operation V-97
- cross product V-97
- cross-correlation III-256
- cross-covariance V-487
- cross-platform issues
 - (see also platform-related issues)
 - carriage return III-402
 - character set III-402
 - file extensions
 - in procedures III-404

- file transfers III-398
- file types
 - in procedures III-404
- fonts III-402
- FTP III-398
- keyboard III-402
- linefeed characters III-402
- mouse III-402
- notebook pictures III-19
- procedure files III-404
- text III-402
- crystallographic coordinates
 - conversion from cartesian V-940
 - conversion to cartesian V-939
- crystals
 - Gizmo II-370
- csc function V-97
- csch function V-97
- CsrInfo function V-98
- CsrWave function V-98
 - use CsrWaveRef instead IV-186
- CsrWaveRef function IV-186, V-99
 - example IV-150, IV-186
- CsrXWave function V-99
- CsrXWaveRef function IV-186, V-99
- CTabList function V-100
- Ctrl-Break
 - aborting procedures IV-47
- CtrlBackground operation IV-302, V-100
- CtrlFIFO operation V-102
- CtrlNamedBackground operation IV-298, V-101
- cubic spline interpolation III-110
 - example III-106, III-110
- current data folder II-100
 - (see data folders:current data folder)
 - Data Browser II-107
- current experiment II-17
- Cursor operation V-103
- CursorMovedHook function IV-317
- ursors
 - (see also info box)
 - activating II-248
 - as input for procedures IV-150
 - attached to wave II-248–II-249
 - Click cursor V-744
 - color II-249, V-103
 - cross hair style II-249
 - CsrInfo function V-98
 - CsrWave function V-98
 - CsrWaveRef function V-99
 - CsrXWave function V-99
 - CsrXWaveRef function V-99
 - Cursor operation V-103
 - dashed lines II-249
 - deactivating II-249
 - detecting movement IV-317
- double arrow cursor II-218, II-220, II-236
- four-arrow cursor II-231
- free II-249
- functions II-249
- hcsr function V-293
- hook functions IV-317
- horizontal coordinate V-293
- hour glass V-744
- in contour plots II-288
- in graphs (example) I-40, II-218
- information about V-98
- moving II-248
- moving cursor calls function IV-317
- operations II-249
- PauseForUser operation IV-140, IV-142
- pcsr function V-629
- putting in graphs II-248–II-250
- qcsr function V-667
- ranges of interest in curve fit III-170
 - example III-170
 - multivariate fit III-175
- related functions V-10
- related operations V-6
- removing II-248–II-249
- ShowInfo operation V-742
- Sleep operation V-744
- specifying range of interest II-248
- style functions II-249
- styles II-249
- vcsr function V-923
- vertical coordinate V-923
- watch V-744
- xcsr function V-962
- z value from contour trace V-967
- zcsr function V-967
- Cursors button
 - in Duplicate Waves dialog II-65
- CursorStyle subtype IV-193
 - keyword V-105
- Curve Fit progress window III-153, III-204
- curve fitting III-152–III-236
 - (see also cubic spline)
 - _auto trace_ (examples) I-49, I-53
 - aborting III-154
 - algorithms III-153–III-154
 - all-at-once functions III-224
 - Curve Fitting dialog and III-224
 - restrictions III-224
 - auto-trace destination waves III-169, III-204
 - length III-170
 - built-in functions
 - dblexp_XOffset III-179
 - double exponential III-181
 - exp_XOffset III-179
 - exponential III-180
 - gauss III-179

gauss2D III-184
 Hill equation III-183
 line III-182
 lognormal III-183
 Lorentzian III-179
 notes III-179–III-184
 poly2D III-184
 polynomial III-182
 power law III-183
 sigmoid III-183
 sin III-181
 two dimensional
 gaussian III-184
 polynomial III-184
 chi-square III-153, III-205
 CM_Kn: covariance matrix waves V-106
 coefficients III-153
 coefficient names III-168
 Coefficients tab in Curve Fitting dialog
 III-159, III-162
 coefficients wave III-158, III-168–III-169
 confidence intervals III-193
 default coefficient wave III-168
 explicit coefficients wave III-169
 for user-defined fit function III-164
 names III-164
 new wave III-169
 values III-158
 confidence bands
 nonlinear functions III-196
 statistics III-195
 waves generated by Igor III-195
 III-193, III-196
 confidence intervals
 calculating after fit III-195
 constraints V-109
 constraint expressions III-199
 equality constraint III-199
 examples III-199
 infeasible III-201
 ODR III-208, V-111
 pitfalls III-202
 using command line III-199
 using Curve Fitting dialog III-198
 violated III-201
 III-198, III-202
 convolution and III-224
 correlation coefficient III-203
 correlation matrix III-197
 covariance matrix III-196, V-106
 Curve Fitting dialog III-185
 CurveFit operation V-105
 data folders III-203
 dblexp (double exponential) V-107
 derivatives III-167
 destination waves III-169–III-171
 auto-trace III-169
 explicit destination III-170
 log axes III-169
 multivariate fits III-175
 no destination wave III-169
 saving III-169
 differential equations and III-224
 epsilon III-235
 epsilon wave III-167
 error estimates III-154, III-169, III-189, III-193
 ODR III-209
 examples
 ellipse III-212–III-214
 experiments III-233
 function list in a string III-217
 holding a coefficient III-158
 implicit functions III-212–III-214
 ODR III-209–III-211
 residuals III-158
 simple line fit III-156
 summed exponentials III-216
 excluding points III-172
 exp (exponential) V-107
 expected points/cycle III-181
 exponentials III-161, III-179–III-181, III-234
 problems III-180
 extrapolation (example) I-52
 fit constants III-163
 fit function expression III-165
 FitFunc keyword III-220, V-219
 FuncFit operation V-234
 FuncFitMD operation V-237
 gauss (Gaussian)
 1D V-107
 2D V-108
 gaussian (examples) I-49, I-57
 growing exponential III-161
 handling errors III-205
 Hill equation V-108
 history III-158, III-184
 coefficients III-168
 holding coefficients III-158
 ODR III-208
 identifiability problems III-197
 implicit functions III-212–III-214, V-106
 example III-212–III-214
 independent variables III-164, III-223
 multiple III-212
 INFs III-202
 initial guesses III-154, III-163, V-111
 graphing III-167
 ODR III-207
 problems III-161
 input values III-184
 iteration paths, saving III-204
 iteration start III-206

Levenberg-Marquardt algorithm III-153–III-154
line fit III-156, III-182, III-203, V-107
list of functions III-214
 constraints III-215
 linear dependency III-215
log axes
 and auto-trace III-169
log normal V-108
lor (Lorentzian) V-107
M_Covar wave III-196
M_FitConstraint wave III-201
manual guesses III-161
mask wave III-172
 multivariate fit III-175
maximum iterations III-204
miscellaneous options III-203
model curve III-169
multidimensional V-237
multiprocessor support
 curve fitting
 multitasking III-218
multithreading III-218
multivariate functions III-174–III-178, III-228,
 V-237
 and update time III-176
examples
 built-in function III-176
 user-defined function III-177
independent variables III-164
model results III-175
Poly2D III-176
selecting data III-174
 gridded III-175
 multicolumn III-174
 selecting function III-174
NaNs III-202
nonlinear least squares III-153
ODR III-207–III-211, V-106
 constraints III-208, V-111
 error estimates III-209
 examples III-209–III-211
 holding variables III-208
 initial guesses III-207
 results III-208
 weighting III-207
ODR not threadsafe III-207
ODRPACK95 III-207
only guess III-163
Orthogonal Distance Regression (see curve fitting:ODR)
output values III-158, III-184
 coefficients III-168
 ODR III-208
overview III-153–III-154
parameters (see coefficients)

poly (polynomial)
 1D V-107
 2D V-108
polynomials III-182, III-234–III-236
 two-dimensional III-184, V-346
 example III-176
power law V-108
prediction bands III-196
problems
 automatic guess didn't work III-161
 with dialog III-178
proportional weighting III-173
quality in line fit III-205
quick fit III-155
 limitations III-155
quit reason III-205
quitting III-154
ranges of interest III-170
references III-236, V-114
report III-158
 coefficient values III-168
residuals III-158, III-189
 auto trace III-191
 auto wave III-192
axes III-191
calculating after fit III-192
example I-59
explicit residual wave III-192
removing the auto-trace III-191
results III-158, III-184
robust fitting III-204
sigmoid V-108
simple example III-156–III-158
simplified III-155
sin (sine) V-107
singular value decomposition III-153, III-234
singularities III-233
special variables III-202–III-206
standard deviation for a point III-172
statistics V-871
structure fit functions III-229–III-232
 examples III-230
 multivariate III-232
syntax III-231
 WMFitInfoStruct structure III-231
subset of data III-170–III-172
 continuous III-170
 discontinuous III-172
 multivariate fit III-175
sums of fit functions III-214
 constraints III-215
 linear dependency III-215
suppressing Curve Fit progress window III-204
termination criteria III-154, III-203–III-204
terminology III-152
to subset of data (example) I-51

-
- to user-defined functions III-163–III-167
 - coefficient names III-164, III-168
 - Coefficients tab III-166
 - compile errors III-165
 - creating fit function III-163
 - FitFunc keyword III-220
 - forms not suitable for dialog III-223
 - function expression III-165
 - function format III-219–III-228
 - graphing initial guesses III-166
 - independent variables III-164
 - initial guesses III-166
 - making function always available III-167
 - special comments III-221
 - to XFUNCS (external functions) III-167
 - total least squares III-207
 - troubleshooting III-234–III-236
 - constraints III-202
 - Curve Fitting dialog III-178
 - singularities III-233
 - user-defined functions
 - all-at-once functions III-224, III-228
 - multivariate functions III-223, III-228
 - structure fit functions III-229–III-232
 - V_variables III-202–III-206, III-234
 - W_coef wave III-169, V-111
 - W_sigma wave III-169, III-193
 - weighting (example) I-57
 - weighting wave III-172–III-174
 - ODR III-207
 - XY data ranges III-170
 - Curve Fitting dialog III-155–III-189
 - all-at-once functions III-224
 - Coefficient Wave menu III-168
 - Coefficients list III-159, III-162
 - Coefficients tab III-159, III-162
 - constraints III-198
 - details III-188
 - user-defined function III-166
 - constraints III-198
 - Data Options tab III-170
 - Data Mask menu III-172
 - details III-188
 - multivariate fit III-175
 - detailed description III-185–III-189
 - external functions and III-168
 - fit function selection III-157
 - From Target checkbox III-157
 - Function and Data tab III-157
 - details III-186–III-187
 - multivariate functions
 - selecting III-174
 - selecting gridded data III-175
 - selecting multicolumn data III-174
 - Function menu III-157
 - multivariate functions III-174
 - global controls III-186
 - Graph Now button III-166
 - input data III-157
 - New Fit Function dialog III-163
 - compile errors III-165
 - Save Fit Function Now button III-165
 - Test Compile button III-165
 - Output Options tab III-160
 - auto-trace length III-170
 - create covariance matrix III-196
 - Destination menu III-169
 - destination, New Wave III-170
 - details III-188–III-189
 - error analysis III-193
 - residuals III-190
 - problems III-178
 - selecting data waves III-157
 - simple example III-156
 - user-defined functions III-163
 - problems III-223
 - special comments III-221
 - CurveFit operation V-105
 - data folders IV-160
 - curves in graphs (see traces)
 - custom axes
 - Gizmo II-363
 - CustomControl III-369
 - CustomControl operation III-377, V-114
 - customize at point II-234, V-532
 - legends III-44
 - cutting
 - in page layouts II-395
 - in tables II-183
 - rows or columns in tables II-202
 - CWT (see wavelet transform)
 - CWT operation V-116
 - cyclic redundancy check value V-864, V-925
 - cylinder objects
 - Gizmo II-355

D

d

- suffix in tables II-176, II-189
- dashed lines III-440
 - drawing V-716
 - in graphs II-225
 - preferences III-440
 - SetDashPattern operation V-714
- Dashed Lines dialog III-440
- data
 - (see also variables, waves, waveform data, XY data)
 - archiving V-695
 - creating II-60, II-84
 - examples I-37, I-48, I-55

-
- in tables II-169, II-174, II-183
 - editing by drawing (example) I-23–I-24, I-31
 - loading
 - example I-24
 - from files II-117–II-156
 - from Igor experiment file V-437–V-440
 - GBLoadWave operation II-146, V-250
 - JCAMPLoadWave operation V-403
 - MLLoadWave operation II-144
 - waves, LoadWave operation V-443
 - waves, MLLoadWave operation V-506
 - XLLoadWave operation II-140, V-962
 - reading binary files V-187
 - saving in files II-156–II-160, V-188
 - saving waves in file V-692
 - sparse II-280
 - typing into a table (example) I-14
 - writing formatted V-223
 - data acquisition IV-290
 - BackgroundInfo operation V-38
 - cameras IV-291
 - chart controls IV-291–IV-298
 - Chart operation V-50–V-52
 - CtrlBackground operation V-100
 - CtrlFIFO operation V-102
 - CtrlNamedBackground operation V-101
 - FakeData function V-183
 - FIFO buffers IV-291–IV-298
 - (see also FIFO buffers)
 - FIFO2Wave operation V-195
 - FIFOStatus operation V-196
 - frame grabbers IV-291
 - GPIB IV-291
 - GW Instruments IV-291
 - Instrutech IV-291
 - KillBackground operation V-408
 - KillFIFO operation V-409
 - National Instruments IV-291
 - NewFIFO operation V-567
 - NewFIFOChan operation V-567
 - NIDAQ Tools IV-291
 - oscilloscope displays II-259–II-260
 - serial port IV-291
 - SetBackground operation V-714
 - sound IV-291
 - VISA IV-291
 - Data Browser II-67, II-100, II-106–II-114
 - adopting waves II-111
 - browsing experiments II-20
 - browsing files II-108
 - copying objects II-107
 - CreateBrowser operation V-96
 - current data folder II-107
 - deleting data II-109
 - duplicating objects II-107
 - Execute Cmd button II-110
 - find dialog II-110
 - GetBrowserLine function V-254
 - GetBrowserSelection function V-254
 - info pane II-107
 - main list II-106
 - modal Data Browser II-111
 - ModifyBrowser operation V-509
 - moving data objects II-107
 - new data folder II-108
 - plot pane II-108
 - preferences II-111
 - saving experiment copies II-109
 - selecting objects II-107
 - shortcuts II-113
 - text encodings III-422
 - user-defined buttons II-112
 - data folder references IV-72–IV-76
 - /SDFR flag IV-74
 - as function results IV-75
 - checking validity IV-75
 - CountObjectsDFR operation V-94
 - DataFolderRefStatus function V-120
 - DFREF keyword IV-74
 - functions IV-75
 - GetDataFolderDFR function V-255
 - GetIndexedObjNameDFR function V-262
 - GetWavesDataFolder function V-274
 - NewFreeDataFolder function V-569
 - structure fields IV-74
 - waves containing IV-76
 - data folders II-100–II-114
 - \$ operator II-101
 - accessing in user functions IV-72–IV-76
 - assignment statements II-103, IV-3
 - browsing in dialogs II-162
 - clearing IV-160
 - controls II-103
 - conventions IV-159
 - CountObjects operation V-94
 - CountObjectsDFR operation V-94
 - creating II-108, V-165, V-567, V-569
 - creating global variables in user functions IV-235
 - current data folder II-100–II-101, II-103, II-107, IV-160
 - determining V-255
 - setting II-100, V-715
 - curve fitting III-203
 - data folder containing wave V-273–V-274
 - DataFolderDir function V-119
 - DataFolderExists function V-120
 - DataFolderRefStatus function V-120
 - dependencies II-103, III-56, IV-214
 - DFREF keyword IV-74
 - dialogs II-100
 - Dir operation V-139

-
- DuplicateDataFolder operation V-165
 - dynamic text in annotations III-56
 - examples II-104–II-106
 - free IV-88–IV-91
 - full data folder paths IV-3
 - GetDataFolder function V-255
 - GetDataFolderDFR function V-255
 - GetWavesDataFolder function V-273–V-274
 - global variables II-100, II-103
 - KillDataFolder operation IV-160, V-409
 - killing II-101
 - listing objects in V-261–V-262
 - listing of II-107
 - loading from Igor experiment file V-437–V-440
 - MoveDataFolder operation V-553
 - MoveString operation V-558
 - MoveVariable operation V-559
 - MoveWave operation V-560
 - multitasking IV-309
 - names II-101
 - CheckName function V-57
 - examples II-101
 - naming rules III-443
 - NewDataFolder operation V-567
 - NewFreeDataFolder function V-569
 - NVAR, SVAR and Wave keywords IV-60, IV-64
 - objects in data folders II-100
 - Packages data folder IV-159
 - programming IV-158–IV-161
 - quoting liberal names IV-158
 - references using \$ IV-58
 - referring to waves II-103
 - related functions II-102, V-12
 - related operations II-102, V-5
 - relative data folder paths IV-3
 - renaming V-677
 - ReplaceWave operation II-106, V-681
 - root II-101, II-107, IV-3, V-690
 - saving unpacked II-18
 - Set Variable controls II-103
 - SetDataFolder operation V-715
 - setting and restoring current IV-160
 - storing runs of data IV-159
 - string containing name II-101
 - syntax II-101
 - quoting liberal names II-102
 - text encodings III-428
 - UniqueName function V-907
 - use in commands IV-3
 - user-defined functions II-103
 - Value Display controls II-103
 - wave references IV-78
 - window macros II-103
 - Data Mask menu
 - Curve Fitting dialog III-172
- data objects
 - Gizmo II-366
 - data type
 - in Igor Text files II-132
 - MatrixOp operation III-138
 - Redimension operation V-670
 - data types
 - of waves II-61
 - data units
 - changing II-63
 - SetScale operation V-728
 - max length II-64
 - data values II-58
 - changing units V-90
 - in tables II-170, II-176
 - in wave assignments II-69
 - databases
 - SQL II-160
 - DataFolderDir function V-119
 - DataFolderExists function V-120
 - DataFolderRefStatus function IV-75, V-120
 - Date Format dialog II-245
 - date function V-121
 - date/time axes II-235, II-244–II-246
 - date format II-245
 - in Modify Axis dialog II-244
 - manual ticks II-246
 - suppress date II-245
 - time format II-245
 - date/time data II-78
 - Excel files II-142
 - date2secs
 - example II-78
 - date2secs function V-121
 - dates
 - CreationDate function V-96
 - Date Format dialog II-122
 - date/time axes II-235, II-244–II-246
 - custom formats II-245
 - date2secs function V-121
 - DateTime function V-122
 - dateToJulian function V-121
 - format in tables II-174
 - formats II-181
 - in delimited text files II-121, II-123, II-126
 - in Igor Text files II-132
 - in notebooks III-12, III-20
 - in tables II-174, II-180, II-191
 - Julian V-121, V-407
 - JulianToDate function V-407
 - loading custom formats II-122
 - LoadWave operation II-122
 - modDate function V-508
 - ordering of components II-181
 - pasting in tables II-184
 - range of II-244

| | |
|---|---|
| related functions V-7 | variables list IV-202 |
| representation of II-180, II-191, II-244 | columns IV-203 |
| Secs2Date function V-710 | Variables pop-up menu IV-204 |
| SetScale operation V-729 | WAVE checking IV-199 |
| stored in waves II-78 | wave inspector IV-207–IV-209 |
| Table Date Format dialog II-181 | Debugger operation V-125 |
| units II-63–II-64 | DebuggerOptions operation V-125 |
| wave precision II-64 | debugging procedures IV-198–IV-212 (see also debugger) |
| DateTime function V-122 | background tasks IV-300 |
| dateToJulian function V-121 | Debugger operation V-125 |
| Daubechies wavelet transform V-166 | DebuggerOptions operation V-125 |
| dawson function V-122 | fprintf operation IV-246, V-223 |
| dblexp (double exponential) curve fit V-107 | Print operation V-652 |
| DDE (see dynamic data exchange) | printf operation V-653 |
| DDEExecute function V-122 | runtime stack information V-271 |
| DDEInitiate function V-122 | Silent operation V-743 |
| DDEPokeString function V-123 | Slow operation V-748 |
| DDEPokeWave function V-123 | using print statements IV-198 |
| DDERestring function V-124 | decimal numeric format |
| DDERewave function V-124 | in tables II-190 |
| DDEStatus function V-124 | decimal separator |
| DDETerminate function V-125 | in delimited text files II-126 |
| deactivate events | in general text files II-130 |
| window hooks IV-283 | in graphs II-220 |
| debug on error IV-199 | in tables II-190 |
| preventing IV-268 | decimal symbols |
| debugger IV-198–IV-211 | tables II-190 |
| background tasks IV-300 | decimation III-128–III-272 (see also interpolation) |
| breakpoints IV-199 | FindSegmentMeans user-defined function |
| debug button IV-200 | III-146 |
| debug on error IV-199 | Resample operation III-129, V-682 |
| Debugger operation V-125 | techniques |
| DebuggerOptions operation V-125 | omission III-128 |
| enabling IV-198 | smoothing III-129 |
| enabling independent modules IV-225 | decommentizing III-361 |
| expression evaluator IV-210 | decomposed characters |
| expressions inspector IV-208–IV-209 | Unicode V-582 |
| function variables IV-205 | decomposing waves II-74 |
| Go button IV-201 | decompressing images V-361 |
| independent modules IV-225 | deconvolution |
| macro variables IV-204 | images V-347 |
| NVAR checking IV-199 | decrement operator IV-5, IV-40 |
| procedure pane IV-210 | default |
| setting breakpoints IV-199 | in switch statements IV-41 |
| shortcuts IV-211 | default file text encoding III-415 |
| single-stepping IV-201 | default font |
| stack list IV-202 | GetDefaultFont function V-255 |
| Step button IV-201 | GetDefaultFontSize function V-256 |
| Step Into button IV-201 | GetDefaultFontStyle function V-256 |
| Step Out button IV-201 | in controls V-128 |
| stepping through code IV-201 | in graphs II-220 |
| Stop button IV-201 | in notebooks III-9 |
| string inspector IV-207–IV-208, IV-210 | in page layouts II-406 |
| structures IV-207 | default keyword V-126 |
| SVAR checking IV-199 | |
| V_debugDangerously IV-210–IV-211 | |

| | |
|---|--|
| Default Output Resolution Factor II-376 | quotation marks II-126 |
| default tab width | row labels II-124 |
| in notebooks III-7 | row position waves II-125 |
| default wave properties II-62 | saving multidimensional waves II-158 |
| DefaultFont operation V-126 | saving waves II-156, II-159 |
| DefaultGuiControls operation V-126 | skipping lines II-126 |
| DefaultGuiFont operation V-128 | spaces II-126 |
| define statement V-16 | special characters II-125 |
| defined function V-131 | times II-121 |
| DefineGuide operation V-132 | troubleshooting II-127 |
| Delaunay triangulation | tweaks II-126 |
| contour plots V-514 | versus general text II-129 |
| Triangulate3d operation V-905 | X scaling II-124 |
| delay | delimiter characters |
| Sleep operation V-744 | in delimited text files II-117, II-122, II-126 |
| DelayUpdate | in general text files II-128 |
| box in tables II-172, II-179 | in text data columns II-125 |
| in page layouts II-396, II-400 | spaces II-126 |
| DelayUpdate operation V-132 | deltax function V-136 |
| DELETE method | use DimDelta instead V-139 |
| URLRequest operation V-910 | dependencies IV-5, IV-214–IV-218 |
| Delete Points dialog II-68 | cascading IV-216 |
| DeleteAnnotations operation V-133 | caveats IV-218 |
| DeleteFile operation V-134 | creating |
| DeleteFolder operation V-135 | in user functions IV-217 |
| warning V-135 | data folders IV-214 |
| DeletePoints operation II-68, V-136 | in user defined functions IV-218 |
| deleting | independent modules IV-229 |
| (see also killing) | updating |
| data in waves II-68, II-184 | in macros IV-115 |
| recreation macros II-43 | in user functions IV-103 |
| delimited text files II-120–II-127 | dependency assignments IV-214–IV-218 |
| carriage return II-125 | # operator IV-217 |
| column formats II-120 | creating |
| column labels II-122, II-124, II-126 | in user functions IV-217 |
| column position waves II-125 | data folders IV-214 |
| column types II-125–II-126 | deferred evaluation IV-217 |
| date columns II-123 | deleting IV-216 |
| dates II-121, II-126 | examples I-46, III-273, IV-214 |
| decimal character II-126 | numeric variables IV-215 |
| delimiter characters II-122, II-126 | SetFormula operation V-723 |
| escape codes II-126 | string variables IV-215 |
| example II-123 | waves IV-216 |
| features of II-117–II-118 | dependency formulas IV-214–IV-218 |
| fixed field text files II-127 | := operator IV-5 |
| FORTRAN files II-127 | broken objects IV-217 |
| INFs II-120 | creating |
| linefeed II-125 | in user functions IV-217 |
| loading | data folders IV-214 |
| matrices II-124 | deleting IV-216 |
| text waves II-125 | dynamic text in annotations III-56 |
| loading process II-123 | for waves II-77 |
| missing values II-126 | GetFormula function V-261 |
| NaNs II-120 | guided tour (example) I-46 |
| nonnumeric columns II-123 | SetFormula operation IV-218, V-723 |
| numeric formats II-124 | status IV-215 |

- using \$ operator IV-218
- using operations IV-218
- derivatives in curve fitting III-167
- derived rulers III-12
- desktop
 - path to folder V-764
- destination waves IV-79
 - automatic wave references IV-66
 - in curve fitting III-169–III-171
 - in wave assignment II-69
 - inline wave references IV-67, IV-80
 - issues IV-80
 - standalone wave references IV-66
 - subranges of II-71
 - wave references IV-79
- determinant V-470
- development systems IV-195
- DF flag
 - function results IV-75
- DFREF keyword IV-74
 - example IV-73
 - function results IV-75
 - functions IV-75
 - structure fields IV-74
- DFTs (see FFTs)
- Diagnostics folder IV-318
- dialog wave browser II-162
 - filters II-163
- dialogs
 - background tasks IV-300
 - browsing waves II-162
 - from procedures V-144, V-146
 - from user functions IV-132
 - modeless using panels IV-146
 - relation to commands I-7
 - relation to menus I-7
 - text areas
 - magnification II-47
 - zooming II-47
- DIBs
 - exporting graphics III-97
 - saving V-704
- differential equations III-274–III-288
 - coupled first-order equations III-279
 - curve fitting and III-224
 - derivative function III-276
 - discontinuities III-287
 - first-order equations III-277
 - higher order equations III-280
 - IntegrateODE operation V-392
 - interrupting calculations III-286
 - stopping and restarting calculations III-286
 - stopping on a condition III-287
- Differentiate operation V-137
- differentiation III-115
 - Differentiate operation V-137
- multidimensional III-115
- of XY data III-115
- waveform data III-115
- diffuse light
 - Gizmo II-345
- digamma function V-138
- digital elevation models(see DEMs)
- digital line graphs (see DLGs)
- digital signal processing (see signal processing)
- digits after decimal point
 - in tables II-190
- DimDelta function V-139
- dimension labels II-85–II-86
 - (see also column labels, row labels)
 - example II-75
 - FindDimLabel function V-207
 - GetDimLabel function V-257
 - in delimited text files II-122
 - in tables II-196
 - length limit II-86, II-179
 - naming conventions II-86
 - SetDimLabel operation V-715
 - speed considerations II-86
 - text encodings III-423
 - viewing in tables II-170
 - wave indexing II-75
- dimension scaling
 - changing II-63
 - SetScale operation V-728
 - checking in tables II-170
- dimension units
 - changing
 - SetScale operation V-728
- dimensions
 - changing II-67
 - Redimension operation V-670
 - number of, WaveDims function V-926
 - platform-related issues III-404
- DimOffset function V-139
- DimSize function V-139
 - example IV-189
- Dir operation V-139
- direct color mode V-529
- direct reference to globals IV-106
 - converting to runtime lookup IV-106
- directional lights
 - Gizmo II-346
- directories
 - creating via FTP IV-259
 - deleting via FTP IV-260
 - downloading via FTP IV-258
 - FTPCreateDirectory operation V-226
 - FTPDelete operation V-228
 - uploading via FTP IV-259
- directories (see paths, symbolic paths)
- disappearing drawing objects III-66, III-68

discrete Fourier transforms (see FFTs)
 Discrete Prolate Spheroidal Sequences V-150
 discrete wavelet transform (see wavelet transform)
 disk objects
 Gizmo II-356
 dispersion of wave V-936
 2D V-358
 Display Advanced Options Menus II-377
 display list
 Gizmo II-330–II-331
 Display operation V-140–V-142
 display volume
 Gizmo II-334
 DisplayHelpTopic operation V-142
 DisplayProcedure operation V-143
 displays
 resolution of III-446
 distance sorting
 Gizmo II-345
 distance transform V-362
 distributing
 drawing objects III-66
 dithering
 image plots V-544
 division IV-5
 Do It button I-7
 do-while
 in user functions IV-42
 do-while statements V-144
 DoAlert operation V-144
 document info icon
 in notebooks III-6
 document properties
 in notebooks III-7
 Document Settings dialog III-7, III-19, III-359
 documents
 path to folder V-764
 DOG wavelet transform V-118
 DoIgorMenu operation V-145
 DoPrompt operation
 example IV-132
 help for IV-136
 DoPrompt statements V-146
 dot product V-470
 MatrixOp operation III-136
 dot-underscore files V-383
 double declaration V-146
 local variables in user functions IV-104
 variable in user functions IV-104
 double keyword V-146
 double precision V-670
 (see also numeric precision)
 numeric variables II-96
 double-clicking
 on text III-360
 double-precision floating point II-61
 DoUpdate operation IV-103, IV-218, V-147
 in macros IV-115
 DoWindow operation V-147
 style macros V-149
 window title V-149
 downloading
 directories via FTP IV-258
 files via FTP IV-258
 files via HTTP IV-261
 web pages via HTTP IV-261
 DoXOPIIdle operation V-150
 DPI
 platform-related issues III-404
 DPSS operation V-150, V-561
 drag and drop II-34, IV-264
 dragging
 a marquee in a page layout II-395
 cells in tables II-178
 column boundaries in tables II-187
 columns in tables II-187
 object handles in layouts II-394
 objects in layouts II-394
 DrawAction operation V-151
 DrawArc operation V-152
 DrawBezier operation III-71, V-153
 drawing
 grouped objects III-72
 drawing layer tool III-66
 Drawing Limitations III-394
 drawing objects
 Gizmo II-349
 drawing order of images
 ReorderImages operation V-678
 drawing order of traces II-228
 ReorderTraces operation V-678
 drawing tools III-61–III-73
 absolute coordinates III-67
 Align objects III-66
 anchor for text III-62
 arcs III-63, V-152–V-153
 Arrow Fat III-63
 Arrow tool III-62
 arrows III-63
 axis coordinates III-68
 bezier curves V-153
 creating III-71
 circles III-63, V-155
 coordinate systems III-67–III-69, V-718–V-719
 copy III-69
 creating objects III-62–III-65, III-70
 curves V-153
 dashed lines III-63, III-65
 SetDashPattern operation V-714
 deleting objects III-62, III-72, V-151
 disappearing objects III-66, III-68–III-69
 Distribute objects III-66

- draw object commands V-151
 Draw Poly tool III-64
 Draw Wave tool III-65
 DrawAction operation V-151
 DrawArc operation V-152
 DrawBezier operation V-153
 drawing layer drawing tool III-66
 Drawing mode III-61
 DrawLine operation V-154
 DrawOval operation V-155
 DrawPICT operation V-155
 DrawPoly operation V-155–V-156
 DrawRect operation V-157
 DrawRRect operation V-157
 DrawText operation V-157
 DrawUserShape operation V-158
 duplicating objects III-62
 Edit Poly tool III-64
 Edit Wave tool III-65
 environment III-70, III-72
 Environment pop-up menu III-65–III-66
 fill modes III-63, III-65
 Freehand Poly tool III-64
 Freehand Wave tool III-65
 grids III-66, V-900
 grouped objects III-66, III-70, III-73
 HideTools operation V-296
 in page layouts II-393
 inserting objects V-151
 kill layer III-72
 layers II-392, III-68–III-69, III-72–III-73
 - Overlay drawing layer III-69
 - ProgAxes drawing layer III-68
 - ProgAxes layer III-68
 - ProgBack drawing layer III-68
 - ProgBack layer III-68
 - ProgFront drawing layer III-69
 - ProgFront layer III-68
 - selection (example) I-27
 - SetDrawLayer operation V-720
 - UserAxes drawing layer III-68
 - UserAxes layer III-68
 - UserBack drawing layer III-68
 - UserBack layer III-68
 - UserFront drawing layer III-69
 - UserFront layer III-68- Line Properties III-65
- lines III-63, V-154
- Lines (and Arrows) tool III-63
- modifying objects III-62, III-70
- monotonic waves III-65
- Mover pop-up menu III-66
- moving, resizing objects III-62, III-69
- offscreen objects III-66, III-68–III-69
- Operate mode III-61
- operations III-70–III-72
- Oval tool III-63
- ovals V-155
- Overlay drawing layer III-69
- paste III-69
- pasted objects disappearing III-69
- pasted picture resizing III-69
- picture resizing III-69
- plot relative coordinates III-67
- Polygon tool III-63–III-65
- polygons
 - as input for procedures IV-151
 - creating III-64, III-71
 - example I-22
 - DrawPoly operation V-155
 - editing III-64–III-65
 - exiting edit mode III-64
 - last point III-64
 - origin III-71
 - scaling III-65
- ProgAxes drawing layer III-68
- ProgBack drawing layer III-68
- ProgFront drawing layer III-68–III-69
- programming III-69–III-73
 - example III-73
 - strategies III-72
- Rectangle tool III-63
- related operations V-4
- relative coordinates III-67
- replace group method III-72
- Retrieve objects III-66, III-68
- rotating objects III-62
- Rounded Rectangle tool III-63
- rounded rectangles
 - DrawRRect operation V-157
- selecting, deselecting objects III-62, III-69–III-70
- SetDashPattern operation V-714
- SetDrawEnv operation III-70, V-716–V-719
- SetDrawLayer operation V-720
- shortcuts III-73
- Show Tools III-61
- ShowTools operation V-742
- text III-62
 - anchor III-62
 - color III-62
 - properties III-62
 - rotation III-62
- Text tool III-62
- tool palette III-61
- ToolsGrid operation V-900
- User Shapes tool III-65
- UserAxes drawing layer III-68
- UserBack drawing layer III-68
- UserFront drawing layer III-68–III-69
- wave editing III-65, III-71–III-72
- waves as bezier curves III-71
- waves as polygons III-71

| | |
|--|--|
| DrawLine operation V-154 | edge detectors |
| DrawOval operation V-155 | Canny V-314 |
| DrawPICT operation V-155 | Frei-Chen V-314 |
| in independent modules IV-230 | Kirsch V-314 |
| DrawPoly operation III-71, V-155–V-156 | Marr-Hildreth V-314 |
| xOrg, yOrg III-71 | Prewitt V-314 |
| DrawRect operation V-157 | Roberts V-314 |
| DrawRRect operation V-157 | Shen-Castan V-314 |
| DrawText operation V-157 | Sobel V-314 |
| DrawUserShape operation V-158 | EdgeStats operation III-258, V-167–V-168 |
| formatted text III-53 | Edit operation V-169–V-170 |
| DrawUserShape subtype IV-193 | Edit Text Cell dialog II-193 |
| DSP (see signal processing) | editing waves II-170 |
| DSPDetrend operation V-161 | using drawing tools III-65 |
| DSPPeriodgram operation V-161 | ei function V-170 |
| dummy objects in page layouts II-400 | eigenvalues |
| Duplicate operation II-65, V-164–V-165 | MatrixEigenV operation V-470 |
| examples II-65 | eigenvectors |
| in user functions V-164–V-165 | MatrixEigenV operation V-470 |
| warning V-165 | elapsed time II-191, II-244–II-246, V-711 |
| Duplicate Waves dialog II-65 | loading format II-121 |
| DuplicateDataFolder operation V-165 | elements column in tables |
| duplicates | hiding V-552 |
| FindDuplicates operation V-207 | elements keyword for ModifyTable operation |
| duplicating | II-197 |
| controls III-372 | embedding III-76–III-88 |
| data folders V-165 | (see also subwindows) |
| data objects with Data Browser II-107 | in control panels III-394 |
| drawing objects III-62 | EMF III-96 |
| waves II-65, V-164–V-165 | saving V-704 |
| waves in tables II-175, II-203 | EMF (see enhanced metafiles) |
| DWT (see wavelet transform) | emphasized ticks |
| DWT operation V-166 | in user tick waves II-243 |
| dynamic IV-119 | Enable Transparency Blend |
| dynamic data exchange (DDE) | Gizmo II-342, II-346 |
| DDEExecute function V-122 | Enable Updating |
| DDEInitiate function V-122 | pictures in notebooks III-18 |
| DDEPokeString function V-123 | Enable Updating dialog III-14 |
| DDEPokeWave function V-123 | Encapsulated PostScript (see EPS) |
| DDERequestString function V-124 | end effects |
| DDERequestWave function V-124 | in convolution III-254 |
| DDEStatus function V-124 | in smoothing III-268 |
| DDETerninate function V-125 | End keyword |
| dynamic libraries | in Igor Text files II-132 |
| Matlab II-144 | in procedures V-171 |
| dynamic menu items IV-120 | EndMacro keyword V-171 |
| dynamic text | EndStructure keyword V-171 |
| in annotations III-56 | endtry keyword V-171 |
| TagVal function V-886 | energy loss when windowing III-247 |
| TagWaveRef function V-886 | engineering units |
| | printf operation V-655 |
| E | enhanced metafiles |
| e function V-167 | exporting graphics III-96 |
| edge detection | graphics technology III-445 |
| ImageEdgeDetection operation V-314 | importing III-448 |
| | saving V-704 |

- enoise function V-171
 Enter key
 in tables II-178
 entering data in tables II-169, II-174, II-179
 environment variables
 GetEnvironmentVariable function V-257
 SetEnvironmentVariable function V-720
 UnsetEnvironmentVariable function V-908
 EPS
 CMYK III-93, III-99
 creating file III-92, III-99
 embedding fonts III-93, III-99
 exporting graphics III-91, III-97
 missing PostScript fonts III-93, III-99
 PostScript language level III-91, III-97
 saving V-704
 screen preview III-91, III-97
 Symbol font III-438
 transparency III-90, III-96
 epsilon
 curve fitting III-235
 epsilon wave in curve fitting III-167, III-185
 equality IV-5
 equality operator IV-5, IV-7
 and roundoff error IV-7
 equalWave function V-172
 equations (see wave assignments)
 equidistant projection V-663
 erf function V-173
 erfc function V-173
 erfcw function V-174
 error bars
 (see also graphs:error bars)
 arbitrary error values II-233
 bar thickness II-233
 cap thickness II-233
 cap width II-233
 examples II-233
 in graphs II-233–II-234
 modes II-233
 NaNs in error values II-233
 parts identified V-175
 single sided II-233–II-234
 XY Error box II-233
 Error Bars dialog II-233
 error estimates in curve fitting III-193
 error function V-173, V-402
 error handling
 text encodings text encodings
 error handling III-414
 error shading II-234, V-174
 error waves II-233
 ErrorBars operation V-174–V-176
 errors
 GetErrMsg function V-257
 GetRTErrMessage function V-270
 GetRTError function V-270
 handling IV-45, V-907
 in background tasks IV-300
 in macros IV-114
 in user functions IV-102
 rtFunctionErrors pragma IV-51
 escape codes
 backslash characters in annotations III-57
 backslashes
 LoadWave operation V-450
 examples III-36
 for carriage return IV-13
 for linefeed IV-13
 in annotations III-36–III-39, III-43, III-53–III-58
 in axis label II-247
 in axis labels III-57
 in delimited text files II-126
 in Igor Text files II-135
 in strings IV-13
 LoadWave operation V-450
 saving text waves II-160
 text info variables III-51
 wave symbols III-43
 escape sequences IV-13
 invalid text in tables II-194
 null IV-15
 Unicode IV-14
 eventMod field III-390
 example experiments II-4
 examples
 all-at-once function III-225
 with convolution III-225
 confidence bands III-194
 confidence interval calculation III-195
 constraints III-199
 creating user-defined function III-163
 fit arbitrary number of Gaussian peaks III-223
 implicit function fitting III-212–III-214
 manual guesses III-161
 multivariate fit III-176
 ODR fitting III-209–III-211
 Poly2D III-176
 prediction bands III-194
 subrange destination III-171
 sums of fit functions III-216–III-218
 user-defined fit code III-220
 user-defined multivariate function III-177
 Excel files
 date/time data II-142
 loading II-140, V-962
 loading 2D data II-143
 excluding points in curve fitting III-172
 exclusive OR operator IV-5
 Execute Cmd button II-110

- Execute operation IV-103, IV-190, V-176
 - calling external operations from functions IV-191
 - calling macros from functions IV-191
 - data folder name V-274
 - GetErrMsg function V-257
 - independent modules IV-229
 - use of liberal names with IV-157
- Execute/P operation V-177
 - operation queue IV-263
- ExecuteCmdOnList function IV-190
- ExecuteScriptText operation V-177
- EXIF metadata V-337
- exists function V-180
- exp (exponential) curve fit V-107
- exp function V-180
- expanding graphs II-218
 - examples I-37
- expected points/cycle in curve fitting III-181
- expected wave reference error IV-70
- experiment file
 - loading data from V-437–V-440
 - packed II-17
 - SaveExperiment operation V-698
 - snooping II-24
 - unpacked II-17
- experiment file text encoding III-415
- experiment files
 - errors saving II-28
 - locked II-28
 - read-only II-28
- experiment folder II-17
- experiment recreation procedures II-24
- ExperimentModified operation V-180
- experiments II-17–II-29
 - browsing II-20, II-108
 - current experiment II-17
 - data folders II-18
 - empty table II-20
 - errors while loading II-25
 - examples II-4
 - ExperimentModified operation V-180
 - Igor Binary files II-18
 - initialization commands II-25, IV-193
 - LoadData operation II-137, V-437–V-440
 - loading data from II-108
 - loading of II-24
 - Macro Execute Error dialog II-25
 - merging II-19
 - missing folders II-26
 - name of II-9
 - new II-20, IV-275
 - notebooks in III-4, III-25
 - opening II-18, IV-275
 - packed file II-17
- procedure files II-18, III-350, III-352, III-354, III-357
- references to files and folders II-22
- reverting II-20
- safe save II-28
- SaveExperiment operation V-698
 - saving II-17–II-18, IV-270
 - copies II-109
 - saving of II-28
 - settings II-169
 - sharing Igor Binary files II-137
 - table in new experiments II-169
 - templates II-20
 - temporary files II-28
 - transferring II-23, II-108
 - unpacked file II-17
 - variables file II-18
- expInt function V-181
- expnoise function V-182
- exponential curve fitting III-234, V-107
 - problems III-180
- exponential functions V-7
 - acosh V-19
 - alog V-23
 - asinh V-35
 - atanh V-36
 - cosh V-93
 - coth V-94
 - cpow V-95
 - exp V-180
 - ln V-437
 - log V-460
 - sinh V-744
 - tanh V-887
- exponential integral V-181
- exponential notation
 - tick mark labels II-237
 - forcing II-239
- exponentiation IV-5
- exponentiation operator IV-6
- Export Graphics dialog III-92, III-98
 - Gizmo II-377
- ExportGizmo operation II-377, V-182
- exporting
 - (see also saving waves)
 - bitmaps III-91, III-98
 - BMP files V-348
 - BMPs III-97
 - choosing a format III-92, III-98
 - CMYK III-93, III-99
 - Crop to Page Contents II-408
 - DIB files V-704
 - DIBs III-97
 - EMF files V-704
 - enhanced metafiles III-96
 - EPS III-91, III-97

-
- EPS files V-704
 - FBinWrite operation V-188
 - from tables II-187, II-204, V-704
 - SaveTableCopy operation V-707
 - Gizmo II-377, V-182, V-704
 - graphics III-90–III-94, III-96–III-100, V-348
 - graphics formats III-90, III-96
 - graphs II-252, V-704
 - images V-348
 - ImageSave operation V-348
 - JPEG files V-348, V-704
 - metafiles III-96
 - notebooks III-20–III-21
 - numeric variables V-188
 - PadString function V-620
 - page layouts II-395, II-408, V-704
 - PDFs III-90, III-97
 - PhotoShop files V-348
 - PICT files V-348, V-704
 - HiRes V-704
 - PNG files V-348, V-704
 - PNGs III-91
 - PostScript language level III-91, III-97
 - PostScript PICT files V-704
 - QuickTime files V-348
 - SavePICT operation V-704
 - SGI files V-348
 - string variables V-188
 - SVGs III-91, III-98
 - tables as graphics II-204
 - Targa files V-348
 - TIFF files V-348, V-351
 - to databases II-160
 - waves II-156–II-160, II-204, V-188, V-707, V-942
 - WMF files V-704
 - exporting raw
 - raw PNG files V-351
 - expressions
 - as operation flag values IV-11
 - as parameters IV-11
 - in debugger IV-210
 - precision of IV-36
 - strings IV-12
 - expressions inspector in debugger IV-208–IV-209
 - extensions
 - (see Igor extensions, system extensions, file extensions, Windows OS:file extensions)
 - Igor Pro User Files folder III-450
 - exterior annotations III-41
 - affects graph plot area III-42
 - exterior subwindows III-394, V-275
 - window hooks IV-285
 - external functions IV-195
 - creating IV-195
 - curve fitting to III-167
 - FuncRefInfo function V-239
 - FunctionInfo function V-240
 - information about V-239–V-240
 - external operations IV-195
 - calling from a user function IV-191
 - conditional compilation IV-100
 - creating IV-195, V-624
 - IDLE events V-150
 - listing V-613
 - OperationList function V-613
 - ParseOperationTemplate operation V-624
 - External Operations Toolkit (see XOP Toolkit)
 - external text editor II-49
 - Extract operation V-182
 - extrema, finding (see minimization)
- F**
- f(z)
 - markers II-228
 - F1 help (see context-sensitive help)
 - factorial function V-183
 - FakeData function V-183
 - false and true IV-37
 - FAQ II-5
 - Fast Fourier Transforms (see FFTs)
 - Fast Hartley Transform (see Hartley Transform)
 - FastGaussTransform operation V-183
 - FastOp operation V-184
 - faverage function III-116, V-186
 - subranges III-117
 - faverageXY function V-186
 - FBinRead operation IV-184, V-187
 - FBinWrite operation IV-184, V-188
 - FetchURL function V-189
 - FFT
 - spatial frequency filtering III-313
 - wave references IV-69
 - FFT operation V-190–V-195
 - FFTs III-239–III-243, V-190–V-195
 - (see also IFFTs)
 - compared to Fourier transform III-241
 - continuous wavelet transform III-251
 - DFT equation III-241
 - effect on graphs III-242
 - effect on wave type and number of points III-239
 - Hanning window function III-246
 - harmonic analysis V-161
 - IDFT equation III-241
 - IFFT operation V-305–V-306
 - image analysis III-312–III-315
 - number of points restrictions III-239
 - one-sided spectrum III-239
 - periodograms V-161
 - phase calculation V-909

| | |
|---|---|
| unwrapping V-909 phase polarity III-242 power spectra III-248 scaling amplitude III-241 spectral leakage III-246 speed III-243 swap diagonal quadrants V-370 two-sided spectrum III-239 wave type restrictions III-239 windowing III-244–III-248, V-161, V-946 <ul style="list-style-type: none"> for images V-378 for matrices V-378 Hanning operation V-292 X scaling and units changed III-240 FGetPos operation IV-184, V-195 fidelity <ul style="list-style-type: none"> in page layouts II-399 FIFO buffers <ul style="list-style-type: none"> AddFIFOData operation V-20 AddFIFOVectData operation V-20 channels IV-292 chart controls IV-291–IV-298 Chart operation V-50–V-52 CtrlFIFO operation V-102 FIFO2Wave operation V-195 FIFOStatus operation V-196 KillFIFO operation V-409 NewFIFO operation V-567 NewFIFOChan operation V-567 programming IV-293 related operations V-6 SoundInStartChart V-757 SoundInStopChart V-758 updates IV-294 valid state IV-294 FIFO files <ul style="list-style-type: none"> format IV-295 FIFO2Wave operation V-195 FIFOStatus operation V-196 fifth tick <ul style="list-style-type: none"> in user tick waves II-243 FILE <ul style="list-style-type: none"> GET method V-910 PUT method V-910 file extensions <ul style="list-style-type: none"> (see also file types, Windows OS:file extensions) .noindex II-28 .bwav II-136 cross-platform issues <ul style="list-style-type: none"> in procedures III-404 .ibw II-136 Igor Binary file II-136 Open File dialog IV-137 platform-related issues III-398 Save File dialog IV-139 | File Information dialog <ul style="list-style-type: none"> for notebooks III-25 procedure file version IV-156 file paths <ul style="list-style-type: none"> in procedures III-404 file permissions <ul style="list-style-type: none"> Macintosh II-28 saving files II-28 Windows II-29 file reference numbers IV-185, V-604, V-607 FILE scheme <ul style="list-style-type: none"> URLRequest operation V-910, V-914 File Transfer Protocol (see FTP) file types <ul style="list-style-type: none"> (see also file extensions) cross-platform issues III-398 <ul style="list-style-type: none"> in procedures III-404 Open File dialog IV-137 Save File dialog IV-139 files <ul style="list-style-type: none"> (see also text operations) alias creation V-95 Appending V-605 carriage return II-120 carriage-return/linefeed II-120 Close operation V-59 closing IV-184 CopyFile operation V-87 copying V-87 CreateAliasShortcut operation V-95 creating V-604 <ul style="list-style-type: none"> formatted text IV-244–IV-246 movies V-571 creator code V-606 cross-platform compatibility III-398–III-399 current file position V-195, V-225 DeleteFile operation V-134 deleting V-134 delimited text files II-120–II-127 delimiter characters II-117 dot-underscore files V-383 downloading via FTP IV-258 downloading via HTTP IV-261 drag and drop II-34, IV-264 errors saving II-28 extensions (see file extensions) FIFO buffers IV-291–IV-298 file types IV-137, IV-139 finding IV-184 fixed field text files II-127 formats II-117 FORTRAN files II-127 FTPCreateDirectory operation V-226 FTPDelete operation V-228 FTPDownload operation V-229 FTPUpload operation V-232 |
|---|---|

FunctionPath function V-246
general text files II-128–II-131
GetFileInfo operation V-259
headers II-117
Igor Binary files II-135–II-137
Igor Text files II-131–II-135
ImageFileInfo operation V-316
IndexedFile function V-383
information about V-259
linefeed II-120
linefeed characters III-403
loading data files II-117–II-156, IV-264
locked II-28
MIME-TSV IV-266–IV-267, IV-271
MoveFile operation V-553
movies (see movies)
moving V-553
names
 length under Windows III-400
 platform-related issues III-400
 XOP length on Windows III-400
notebooks III-25
Open File dialog IV-137
Open operation V-604–V-609
opening IV-184, IV-264, V-610, V-612
ParseFilePath function V-621
paths
 extracting V-621
 manipulating V-621
 to functions V-246
procedure
 path separators III-404
programming IV-183
read-only II-28
reading V-605
reading binary files V-187, V-223
reading text files V-223
reference numbers V-604, V-607
related functions V-12
related operations V-5
safe save II-28
Save File dialog IV-139
saving data V-695
saving data files II-156–II-160
saving waves to V-691
searching V-282
SetFileInfo operation V-721
setting information about V-721
shortcut creation V-95
Spotlight II-28
status V-226
temporary files II-28
terminator characters II-117
TextFile function V-891
transferring
 cross-platform III-398–III-399
FTP III-398
 via FTP V-229, V-232
types III-404, IV-266, IV-270–IV-271
 (see also file types, file extensions)
uploading via FTP IV-259
writing V-605
 binary files V-188
 formatted data V-223
 writing to IV-185
fill patterns III-441
 in pop-up menu controls V-649
fill type in graphs II-225
FilterFIR operation V-197–V-200
FilterIIR operation V-200–V-206
filtering (see convolution, curve fitting, smoothing)
filters
 dialog wave browser II-163
 Open File dialog IV-137
 Save File dialog IV-139
Find bar II-47
find bar
 replacing text II-48
Find dialog
 Data Browser II-110
Find Same II-48
 in procedure windows III-358
Find Selection II-48
 in procedure windows III-358
Find Text dialog III-24
Find Text in Multiple Windows dialog II-48
FindContour operation V-206
FindDimLabel function V-207
FindDuplicates operation V-207
finding
 FindSequence operation V-217
 FindValue operation V-218
folders II-27
 in Data Browser II-110
 in tables II-184
procedures III-358
rulers in notebooks III-12
search expressions II-3
table values II-184
text II-47
 text in command window II-11
 text in notebooks III-24
 text in procedure windows III-358
 wave value V-217–V-218
finding (see also regular expressions)
FindLevel operation III-257, V-209–V-210
FindLevels operation III-257, V-210–V-211
FindLevelXY macro III-258
FindListItem function V-211
FindPeak operation III-259–III-261, V-212–V-213
FindPointsInPoly operation V-213

FindRoots operation V-213–V-217
 polynomial coefficients V-216

FindSequence operation V-217

FindValue operation V-218

First-In-First-Out buffer (see FIFO)

fit constants III-163

fit_
 curve fitting destination wave name III-169

FitFunc keyword III-220, V-219

FitFunc subtype IV-194

fitting data (see curve fitting, cubic spline)

fixed dimension
 in tables II-198

fixed field text files
 (see also FORTRAN files)
 blanks II-127
 field widths II-127
 loading II-127
 number of columns II-127
 padding II-127
 spaces II-127

flags
 in operations IV-9, IV-11
 expressions require parentheses V-15
 in user functions IV-31

floating panels V-575, V-577
 WinList function V-947
 WinName function V-949

floating point
 double-precision II-61
 single-precision II-61

floating point data
 in Igor Text files II-132
 VAX II-148

floating point truncation error
 and equality operator IV-7

floor function V-219

flow control
 break keyword V-44
 break statements IV-44
 continue keyword V-70
 continue statements IV-45
 default keyword V-126
 do-while V-144
 do-while loops IV-42
 extraneous text after IV-105
 for loops IV-43
 for-endfor V-222
 if-else-endif IV-37, V-305
 if-elseif-endif IV-38, V-305
 if-endif IV-38, V-305
 in macros IV-112
 in user functions IV-37
 keywords V-13
 loops IV-42
 return keyword V-688

strswitch statements V-868
 switch statements IV-41, V-876
 try-catch-endtry statements IV-45, V-907
 while loops IV-43

Folder button II-27

folders
 alias creation V-95
 browsing II-109
 CopyFolder operation V-88
 copying V-88
 CreateAliasShortcut operation V-95
 creating via FTP IV-259
 data folders II-100–II-114
 DeleteFolder operation V-135
 deleting V-135
 deleting via FTP IV-260
 downloading via FTP IV-258
 experiment folder II-17
 finding II-27
 FTPCreateDirectory operation V-226
 FTPDelete operation V-228
 GetFileInfo operation V-259
 Igor Extensions folder II-31
 Igor Help Files folder II-31
 Igor Pro Folder II-30, IV-155
 Igor Pro User Files II-31
 Igor Procedures folder II-32
 information about V-259
 missing II-26
 MoveFolder operation V-555
 moving V-555
 names
 platform-related issues III-400
 SetFileInfo operation V-721
 setting information about V-721
 shortcut creation V-95
 special II-29
 symbolic paths II-21–II-22
 uploading via FTP IV-259
 User Procedures folder II-32, IV-155
 WaveMetrics Procedures folder II-32, IV-155

FontList function V-219

fonts
 cross-platform issues III-402
 default V-126, V-128, V-255
 in controls V-128
 size V-256
 style V-256

functions
 FontList function V-219
 FontSizeHeight function V-220
 FontSizeStringWidth function V-221
 in an axis label II-247
 in annotation text III-54
 in annotations III-37
 in graphs II-220, II-236

in notebooks III-9
 in procedure windows III-359
 in tick labels II-236
 missing
 substitution III-403
 notebook rulers III-7, III-11
 relative size
 in annotations III-37
 size
 (see also text sizes)
 in an axis label II-247
 in annotations III-37, III-44
 style
 (see also text styles)
 in annotations III-38, III-54
 substitution for missing III-403
FontSizeHeight function V-220
FontSizeStringWidth function V-221
 footers
 in notebooks III-7, III-19
 in procedure windows III-359
 programming in notebooks III-26
 for loops
 in user functions IV-43
 for-endfor statements V-222
 format strings IV-244
 engineering units V-655
 printf operation V-653–V-655
 formatted notebooks
 text encodings III-421
 formatted notebooks (see notebooks:formatted)
 formatted text
 axis labels III-53
 DrawUserShape operation III-53
 in control titles III-53
 in ListBox controls III-53
 in SetVariable controls III-53
 formatted text notebooks
 MBCS III-421
 formula (see dependency formula)
 FORTRAN files
 (see also fixed field files)
 features of II-118
 loading II-117
 Fourier transforms III-239–III-243
 (see also FFTs)
 compared to FFTs III-241
 discrete (see FFTs)
 discrete wavelet transform III-252
 fast (see FFTs)
 harmonic analysis V-161
 inverse (see IFFTs)
 periodograms V-161
 phase polarity III-242
 windows V-161
 X scaling and units changed III-240
 FPCLustering operation V-222
fprintf operation IV-184, IV-244–IV-246, V-223
 conversion specifications IV-245
 example IV-246
 for debugging IV-246
 frame grabbers
 data acquisition IV-291
 GetCamera operation V-254
 ModifyCamera operation V-509
 NewCamera operation V-566
 frames
 for notebook pictures III-14
 in page layouts II-396
FReadLine operation IV-184, V-223
 cross-platform issues III-403
 free axis II-214–II-215
 (see also axes:free axis)
 creating V-409, V-568
 killing V-409
 modifying V-518
 free cursors II-249
 free data folder
 lifetime IV-89
 free data folders IV-88–IV-91
 converting to global IV-91
 creating V-569
 deletion of waves IV-90
 Multithread keyword example IV-304
 >NewFreeDataFolder function V-569
 objects lifetime IV-90
 free dimension
 in tables II-198
 free waves IV-84–IV-88
 converting to global IV-88
 Extract operation V-182
 leaks IV-87
 lifetime IV-86
 Multithread keyword example IV-306
 programming example IV-189
 Freedman-Daiconis method III-121
 Frei-Chen edge operator V-314
 Frequently Asked Questions (see FAQ)
fresnel functions V-224–V-225
fresnelCos function V-224
fresnelCS function V-225
fresnelSin function V-225
 frustum projection
 Gizmo II-337
FSetPos operation IV-184, V-225
FStatus operation IV-184, V-226
 FTP IV-257–IV-260
 ASCII transfers IV-260
 binary transfers IV-260
 creating directories IV-259
 creating help file links IV-243
 deleting directories IV-260

downloading directories IV-258
 downloading files IV-258
 example experiment IV-257
 FetchURL function V-189
 FTPCreateDirectory operation V-226
 FTPDelete operation V-228
 FTPDownload operation V-229
 FTPUpload operation V-232
 GET method V-910
 image transfers IV-260
 limitations IV-257
 opening browser for URLs V-45
 path specification IV-258–IV-259
 PUT method V-910
 transfer types IV-260
 transferring files III-398
 troubleshooting IV-260
 uploading directories IV-259
 uploading files IV-259
 URLRequest operation V-910
 FTPCreateDirectory operation V-226
 FTPDelete operation V-228
 FTPDownload operation V-229
 FTPUpload operation V-232
 full data folder paths (see data folders)
 FuncFit operation V-234
 FuncFitMD operation V-237
 FUNCREF keyword IV-98–IV-99, V-238
 example IV-99
 FuncRefInfo function V-239
 Function Execution Error dialog III-368, IV-102
 function keys in user menus IV-128
 Function keyword V-239, V-870
 function references IV-98–IV-99
 example IV-99
 FUNCREF keyword V-238
 FunctionInfo function V-240
 FunctionList function V-244
 FunctionPath function V-246
 functions IV-10, V-619
 (see also macros, minimization, operations,
 procedures, user functions)
 bits
 setting IV-12
 by category V-7–V-12
 complex V-7
 conversion V-7
 date and time V-7
 definition I-4
 DoPrompt statements V-146
 exists function V-180
 exponential V-7
 external IV-195
 FindRoots operation V-213
 FunctionList function V-244
 hook functions IV-264–IV-275, IV-317
 named window hooks IV-276
 SetIgorHook operation V-724
 SetWindow operation V-739
 static IV-265
 subwindows IV-277
 unnamed window hooks IV-286
 user-defined hook functions V-724
 window hooks V-739
 local variable keywords V-13
 MultiThread keyword V-562
 numbers V-7
 numeric types IV-10
 overriding V-619
 parameters IV-10
 plotting III-272–III-274
 example III-272
 using dependencies III-273
 printing result of IV-11
 roots of III-290–III-295, V-213
 nonlinear, 1D III-291
 nonlinear, 2D III-293
 cautions III-295
 polynomials III-290
 rounding V-7
 rtFunctionErrors pragma IV-51
 runtime stack information V-271
 special V-8
 Static keyword V-775
 statistics V-10
 subtype V-55, V-646, V-732
 syntax guide V-15
 ThreadSafe keyword V-894
 trigonometric V-7
 Fusion style III-447
 fuzzy entropy III-308
 fuzzy means III-308

G

GalleryGlobal keyword
 in independent modules IV-230
 gamma function V-247
 gammaEuler function V-247
 gammaNoise function V-247
 gammInc function V-247
 gammln function V-248
 gammmp function V-248
 gammq function V-249
 gaps in graphs II-233
 gauss (Gaussian) curve fit
 1D V-107
 2D V-108
 Gauss function V-249
 gauss transform
 discrete V-183

Gauss-Jordan method
 MatrixInverse operation V-476
 Gauss-Markov linear model
 MatrixInverse operation V-476
 Gauss1D function V-249
 Gauss2d function V-250
 gauss3D filter V-316
 Gaussian filtering III-262
 gaussian quadrature V-388
 GBLoadWave operation II-146, V-250
 GCD (see greatest common divisor)
 gcd function V-253
 GDI III-445, V-739
 GDI+ III-445, V-739
 Gear method V-394
 general binary files
 GBLoadWave operation V-250
 loading II-146
 general numeric format
 in tables II-190
 general perspective projection V-663
 general text files II-128–II-131
 blocks II-128
 column labels II-131
 commas II-128
 decimal character II-130
 example II-128
 features of II-118
 headers II-128
 labels II-128–II-129
 loading matrices II-130
 loading process II-129
 missing values II-130
 saving waves II-158
 saving waves as V-692
 skipping lines II-130
 spaces II-128
 tabs II-128
 trouble-shooting II-131
 tweaks II-130
 versus delimited text II-129
 X scaling II-130
 Generate Commands dialog III-29
 Generate Notebook Commands dialog III-29
 geometry
 related operations V-4
 GeoTIFF II-150, II-159
 GET method IV-262
 URLRequest operation V-910
 GetAxis operation V-254
 GetBrowserLine function V-254
 GetBrowserSelection function V-254
 GetCamera operation V-254
 GetDataFolder function V-255
 GetDataFolderDFR function V-255
 GetDefaultFont function V-255

GetDefaultFontSize function V-256
 GetDefaultFontStyle function V-256
 GetDimLabel function V-257
 GetEnvironmentVariable function V-257
 GetErrMessage function V-257
 GetFileInfo operation V-259
 GetFormula function V-261
 GetGizmo operation V-261
 GetIndependentModuleName function V-261
 independent modules IV-229
 pop-up menus IV-228
 GetIndexedObjName function V-261
 GetIndexedObjNameDFR function V-262
 GetKeyState function V-263
 GetLastUserInfo operation V-264
 GetMarquee operation V-266–V-268
 GetMouse operation V-269
 GetRTErrMsg function V-270
 GetRTError function V-270
 GetRTLoc function V-270
 GetRTLocInfo function V-271
 GetRTStackInfo function V-271
 GetScrapText operation V-272
 GetSelection operation V-272–V-273
 example III-28
 GetUserData function V-273
 GetWavesDataFolder function V-273–V-274
 GetWindow operation V-274
 GIF files
 file info V-316
 GIS
 GeoTIFF II-150, II-159
 GIS Utilities package II-150
 GISLoadWave II-150
 IgorGIS package II-150
 shapefiles II-150, II-159
 Gizmo II-86, II-320–II-385
 2D waves II-320
 3D bar plots II-370
 3D scatter plot
 data format II-364
 3D scatter plot tour II-322, II-326
 3D scatter plots II-368
 3D waves II-321
 alpha II-341, II-346
 ambient light II-345
 annotations II-358, II-384
 AppendToGizmo operation V-31
 attribute list II-330–II-331
 attributes II-332
 global II-333
 internal II-333
 autoscaling II-335
 Axes Properties dialog II-363
 axis coordinate system II-335
 axis cue II-329

axis cue objects II-361
axis labels II-383
axis objects II-362
box axes II-362
box objects II-353
Calculate Normals II-345
clipping II-335, II-382
color material II-342
color scale bars II-384
color specification II-341
color tables II-344
color waves II-343
colorscales II-358
ColorTab2Wave II-342
compatibility II-382
coordinate system II-334
coordinate transformation II-349
crystals II-370
custom axes II-363
cylinder objects II-355
data conversion V-370
data objects II-366
Default Output Resolution Factor II-376
diffuse light II-345
directional lights II-346
disk objects II-356
Display Advanced Options Menus II-377
display list II-330-II-331
display volume II-334
display window II-328
distance sorting II-345
drawing objects II-349
Enable Transparency Blend II-342, II-346
Export Graphics dialog II-377
ExportGizmo operation II-377, V-182
exporting II-377, V-182, V-704
frustum projection II-337
GetGizmo operation V-261
GizmoInfo function V-279
GL_constants II-383
group objects II-377
guided tour of II-321
home orientation II-338
hook functions II-384
image plot
 data format II-365
image plots II-371
info window II-330
isosurface II-346
isosurface plot
 data format II-366
isosurface plots II-376
Light Properties dialog II-346
lights II-346, II-381
line objects II-349
LookAt projection II-338
main transformation II-349
matrix of X values II-320
matrix4x4 objects II-381
ModifyGizmo operation V-520
NaNs II-366
NewGizmo operation V-569
normals II-345
object list II-330-II-331
objects II-331
opacity II-341
OpenGL II-321, II-382
orthographic projection II-335-II-336
parametric surface plot
 data format II-365
path plot
 data format II-364
path plots II-367
Path Properties dialog II-367
perspective projection II-336
pie wedge objects II-360
positional lights II-347
printing II-376
projections II-335
quad objects II-351
quadric objects II-379
quaternion II-340
recreation macros II-383
reflection II-345
related operations V-2
RemoveFromGizmo operation V-673
RGBA II-341
ribbon plot
 data format II-364
ribbon plots II-373
Rotate to Match II-330
rotation II-338
SavePICT operation II-377
scatter plot
 (see 3D scatter plot)
Scatter Properties dialog II-369
shading II-346
shininess II-343, II-345, II-384
Specify Color II-333
specular light II-345
sphere objects II-353
string objects II-357, II-383
subwindows II-381
subwindows in layouts II-407
surface plot
 data format II-364
surface plot tour II-324, II-326
surface plots II-372
Sync to Gizmo II-330
tetrahedron objects II-358
textboxes II-384
texture objects II-379

- tick mark labels II-383
- tool palette II-328
 - arrow tool II-328
 - aspect ratio tool II-328
 - axis tool II-328
 - hand tool II-328
 - home tool II-329
 - rotation tool II-329
 - stop tool II-329
- translation II-338
- translucency II-345
- transparency II-341, II-345, II-382
- triangle objects II-350
- triplet axes II-363
- triplet waves II-320
- troubleshooting II-381
- Use Global Attributes II-333
- viewing volume II-334
- viewport projection II-337
- Voronoi interpolation II-326
- voxelgram plots II-375
- VRAM II-321, II-376–II-377
- windows II-327
- GizmoInfo function V-279
- GizmoPlot subtype IV-194
 - keyword V-279
- GL_constants II-383
- GLM
 - MatrixInverse operation V-476
- global procedure files III-350, III-353, IV-23
 - Igor Pro User Files folder III-353
- global variables II-96, IV-56
 - (see also variables:global)
 - created by Igor operations IV-106
 - direct reference IV-106
 - for packages IV-234
 - in user functions IV-64
 - using structures instead IV-95
- gnoise function V-279
- gnomonic projection V-663
- Go button in debugger IV-201
- GPIB
 - data acquisition IV-291
- gradient fills III-441
- gradient plots II-225, V-523
- Graph Macros submenu II-43, II-262
- Graph menu II-213
- Graph Now button in Curve Fitting dialog III-166
- graph size problems II-222
- Graph subtype IV-193
 - keyword V-280
- graphics
 - alpha III-440
 - color blending III-440
 - features of II-118
 - fill patterns III-441
- gradient fills III-441
- translucency III-440
- graphics formats III-90, III-96
 - exporting III-92, III-98
- graphics technology III-445, V-739
 - alpha III-445
 - Core Graphics III-446
 - enhanced metafiles III-445
 - GDI III-445
 - GDI+ III-445
 - Quartz III-446
 - Retina III-446
 - SVG III-446
 - transparency III-445
- GraphMarquee subtype IV-193, V-267
 - keyword V-280
- GraphNormal operation V-280
- graphs II-212–II-266
 - (see also annotations, axes, contour plots, controls, cursors, drawing tools, image plots, info box, labels, traces, Waterfall plots, waves)
- 3D II-86
 - absolute width and height II-221
 - AddDropLine macro III-73
 - adding new axes II-216
 - annotation position III-41–III-43, III-47–III-48
 - annotations III-35–III-53
 - (see also annotations)
 - appending waves to II-216, II-260–II-261
 - example I-25
 - AppendToGraph operation V-31
 - arrow markers II-225, V-523
 - aspect ratio II-221
 - auto ticks II-236
 - auto width and height II-221
 - autoscaling and offsets II-232
 - autoscaling modes II-217, II-219, II-259
 - axes II-214, II-235–II-248, II-253–II-265, V-534
 - (see also axes, axis labels)
 - AxisValFromPixel function V-38
 - colors II-236, V-541
 - GetAxis operation V-254
 - PixelFromAxisVal function V-631
 - SetAxis operation V-713
 - background color III-393, V-541
 - bar charts (see category plots)
 - bars II-225
 - bars to next II-226, II-271
 - blank II-214
 - calibrator bars III-68
 - category plot options I-33
 - category plots (see category plots)
 - CheckDisplayed operation V-56
 - close graph (examples) I-28
 - color scale bars V-61

-
- ColorScale operation V-61
 - comma as decimal separator II-220
 - complex traces II-232
 - computed manual ticks II-236
 - contour plots (see contour plots)
 - control bar V-73
 - color V-541
 - default control appearance V-126
 - default font V-128
 - ControlNameList function V-78
 - controls III-392
 - drawing limitations III-394
 - creating (see graphs:making a new graph)
 - crossing axes II-236
 - cursors II-218, II-248–II-250
 - colors II-249
 - horizontal coordinate V-293
 - moving cursor calls function IV-317
 - vertical coordinate V-923
 - z value from contour trace V-967
 - dash patterns for traces V-714
 - dashed lines II-225
 - data acquisition II-259–II-260
 - date/time axes II-235, II-244–II-246
 - custom date formats II-245
 - default font II-220, V-126
 - display modes II-222
 - Display operation V-140–V-142
 - drawing (see drawing tools)
 - drawing coordinate systems III-67–III-68
 - drawing layers III-68
 - dynamic updating II-212
 - editing waves by drawing (example) I-23–I-24, I-31
 - error bars II-233–II-234
 - (see also error bars)
 - error shading II-234, V-174
 - ErrorBars operation V-174–V-176
 - expand II-218
 - expansion II-264
 - expansion onscreen V-520
 - exporting II-252, V-704
 - (see also exporting:graphics)
 - FFT and IFFT side effects III-242
 - fill between traces II-227
 - fill to next II-226
 - fill type II-225
 - fixed size II-221
 - fling mode II-219
 - font II-220, II-236
 - free axis II-215
 - creating V-409, V-568
 - killing V-409
 - modifying V-518
 - free axis (example) I-39
 - gaps II-217, II-233
 - gradient plots II-225, V-523
 - grids II-238–II-239
 - color II-238
 - colors V-541
 - styles II-238
 - illustrations II-238
 - grouping
 - add to next II-226
 - draw to next II-226
 - keep with next II-226
 - next trace defined II-226
 - pop-up II-226
 - stack on next II-227
 - trace order affects II-228
 - histogram bars II-225
 - image plots (see image plots)
 - in notebooks III-18
 - info panel II-248–II-250
 - HideInfo operation V-295
 - ShowInfo operation V-742
 - KillFreeAxis operation V-409
 - labels (see axis labels, tick mark labels)
 - layers (see graphs:drawing layers)
 - legend position III-41–III-43
 - legends (see legends, annotations)
 - line size II-225
 - line style II-225, II-260
 - linking in notebooks III-18
 - list of V-947, V-949
 - live II-259–II-260
 - log axes II-243–II-244
 - log or linear axes II-235
 - magnification II-264
 - magnification on screen V-520
 - making a new category graph
 - example I-32
 - making a new graph II-40, II-213, II-260–II-261, V-140–V-142
 - example I-16
 - manual scaling mode II-218–II-219
 - manual ticks II-240–II-243
 - margin adjust (examples) I-39, I-41
 - margins II-220
 - markers II-220, II-223, II-229
 - as f(z) II-228
 - numeric codes II-230
 - stroke color II-224
 - table of II-230
 - marquee for scaling II-218
 - masking traces V-526
 - example V-533
 - mirror axis II-235–II-236
 - Modify Graph dialog II-220–II-222
 - ModifyContour operation V-509–V-515
 - ModifyFreeAxis operation V-518
 - ModifyGraph operation V-520–V-542

-
- ModifyImage operation V-542–V-545
 modifying annotations III-36
 modifying styles II-222–II-234
 modifying traces appearance II-222–II-234,
 V-522
 movies IV-231
 multiple axes (example) I-39, II-253–II-254
 names II-213, II-261
 names and titles II-40
 NaNs and INFs in graphs II-217
 New Graph dialog II-213, II-261
 NewFreeAxis operation V-409, V-568
 next trace defined II-226
 of complex waves II-232
 oscilloscope displays II-259–II-260
 page setups II-251, II-260
 panning II-218
 fling mode II-219
 per unit width and height modes II-221
 pixel coordinates V-38, V-631
 PixelFromAxisVal function V-631
 plan width and height modes II-221
 plot area II-215, II-221, V-276
 affected by annotations III-42
 polar graph macros III-69
 pop-up menu for scaling II-218
 position II-260
 positioning traces II-218
 preferences II-260–II-261, II-275, II-293, II-315
 Print Preview II-251
 printing II-251–II-252, II-260, V-655–V-656
 quick append II-260, V-32
 recreating from macro II-261–II-262
 recreation macros V-950
 related functions V-10
 related operations V-1
 relation to layouts I-3
 relation to waves I-3
 removing
 contour plots V-672
 image plot V-675
 traces II-216
 waves V-673
 ReorderImages operation V-678
 reordering traces II-228
 ReorderTraces operation V-678
 ReplaceWave operation V-681
 replacing traces II-216
 reverse plotting II-219, V-713
 saving II-252
 SaveGraphCopy operation V-699
 with waves II-252, V-699
 saving as macro II-261–II-262
 scaling II-217–II-220
 screen dumps V-706
 setting axis range II-219–II-220
 shortcuts II-265–II-266, III-396
 shrink II-218
 size II-260, V-276
 Slider operation V-745
 split axes II-259
 Split Axis procedure file II-259
 stacked plots II-220, II-253–II-255, V-534
 examples II-236, II-253
 staggered plots (examples) II-255
 sticks and markers to next II-226
 sticks to next II-226
 stroke color II-224
 style macros II-262–II-264
 subwindows III-78
 subwindows in layouts II-407
 surface plots II-86
 swap X & Y axes II-220
 tag position III-47–III-48
 tags (see tags, annotations)
 target window II-213
 ternary II-246
 textbox position III-41–III-43
 textboxes (see textboxes, annotations)
 tick mark control II-236–II-237
 ticks (see axes, tick marks, tick mark labels)
 title II-213–II-214
 titles
 (see also window titles, annotations)
 trace color II-228
 trace names II-216
 TraceInfo function V-902
 TraceNameList function V-903
 TraceNameToWaveRef function V-904
 traces (see traces)
 user ticks from waves II-236
 vector plots II-225, V-523
 volumetric II-86
 wave list V-277
 wave names by index V-931
 waveform data II-214
 WaveName function V-931
 waves in V-932
 width II-221, II-260
 window color V-541
 window names V-907
 window recreation macro II-261
 wintype function V-951
 wireframe plots II-86
 X wave from trace V-966
 XY data II-214, V-965–V-966
 zero line II-239
 zooming II-218
 zooming, panning (examples) I-37
 GraphStyle subtype IV-193
 keyword V-280
 GraphWaveDraw operation III-71, V-280

GraphWaveEdit operation III-71, V-281
 GraphWaveNormal operation III-71
 gray-level co-occurrence matrix V-319
 grayscale
 TIFF files II-139
 grayscale conversions
 convert2gray V-361
 greater than IV-5
 greatest common divisor V-253
 greedy
 regular expressions IV-176
 Greek letters III-436
 grep (see regular expressions)
 Grep operation IV-165, V-282
 text encodings V-284
 GrepList function V-289
 GrepList operation IV-165
 GrepString function IV-165, V-289
 grids
 for controls V-900
 for drawing III-66, V-900
 ToolsGrid operation V-900
 grids in graphs II-238–II-239
 (see also graphs:grids)
 colors II-238
 drawing level V-534
 styles II-238
 GridStyle subtype IV-193
 keyword V-289
 group objects
 Gizmo II-377
 GroupBox controls III-369, III-379
 drawing order of V-127
 GroupBox operation V-289
 guesses in curve fitting III-163
 graphing III-166
 guided tour of Gizmo II-321
 guided tour of Igor I-13
 GuideInfo function V-291
 GuideNameList function V-292
 GW Instruments data acquisition package IV-291

H

Haar wavelet transform V-118, V-166
 Hamming window function V-162, V-193, V-946
 for images V-379
 hand tool
 Gizmo II-328
 Hanning operation V-292
 Hanning window function III-246, V-162, V-194, V-292, V-946
 for images V-379
 Haralick's texture parameters V-319
 harmonic analysis V-161
 Hartley Transform V-362

Hartley transform III-317
 Hash function V-292
 hcsr function V-293
 HEAD method
 URLRequest operation V-910
 headers
 in delimited text files II-125
 in general text files II-128
 in notebooks III-7, III-19
 in procedure windows III-359
 in text files II-117
 programming in notebooks III-26
 URLRequest operation V-911
 help II-2–II-5
 (see also Igor Tips, context-sensitive help, Igor Help Browser, Igor help system)
 checking links IV-243
 closing help windows II-3
 compiling help files IV-242
 creating help files IV-241
 creating links IV-242
 DisplayHelpTopic operation V-142
 FAQ II-5
 from command window II-12
 FTP links in IV-243
 help windows II-3
 hiding help windows II-3
 Igor Help Browser II-2
 in simple input dialog IV-133
 in simple input dialogs IV-136
 killing help windows II-3
 kinds of help II-2
 magnification II-47
 overview I-8, II-2
 programmatic display of topics V-142
 related topics IV-242
 shortcuts II-5
 subtopics IV-242
 syntax of help file IV-242
 technical support II-4
 templates
 for a function III-351
 for an operation III-351
 tool tips II-3
 topics IV-242
 URLs IV-243
 Web links in IV-243
 zooming II-47
 help files
 (see also help)
 CloseHelp operation V-59
 compiling IV-242
 creating IV-241
 Igor Help File Template IV-241–IV-242
 Igor Help Files folder II-2, II-31
 links

- checking IV-243
- creating IV-242
- finding IV-243
- magnification II-47
 - setting default II-47
- More Help Files folder II-2
- OpenHelp operation V-609
- syntax IV-242
- URL links IV-243
- Web links IV-243
- zooming II-47
 - setting default II-47
- help windows II-3
 - (see also help)
 - executing commands from II-3, III-4
- hermite function V-293
- hermite functions V-293–V-294
- hermiteGauss function V-294
- Hermitian transposition
 - MatrixOp operation III-137
- hex dump
 - in tables II-195
- hexadecimal literals IV-11
- hexadecimal numbers
 - in tables II-180, II-190, II-192
 - representation of II-192
- HFS paths V-622
- hidden procedure files III-355
 - changes in Igor functionality III-356
 - creating III-356
- hide
 - pragma keyword V-294
- hide events
 - window hooks IV-284
- Hide Info II-248
- hide keyword V-294
- hide pragma IV-50
- Hide Tools III-61
- hideable IV-119
- HideIgorMenus operation V-294
- HideInfo operation V-295
- HideProcedures operation V-295
- HideTools operation V-296
- hiding
 - help windows II-3
 - HideProcedures operation V-295
 - notebooks III-5, V-588
 - procedure windows III-353
 - traces II-232
 - vs killing windows II-41
 - windows II-41
- high resolution
 - displays III-446
 - in panels III-405
- high-DPI III-446
- Hilbert transform III-249
- HilbertTransform operation V-296
- Hill equation curve fit V-108
- Histogram
 - Freedman-Daiconis method III-121
- histogram III-120–III-126
 - accumulating III-123
 - adaptive histogram equalization III-307
 - bin range III-120–III-123
 - bin width III-120–III-123
 - destination wave III-122
 - example I-55, III-123
 - histogram equalization III-307
 - Igor 1.2 compatibility III-123
 - image analysis V-322–V-323
 - integrating III-126
 - of images III-325
 - histogram clusters III-308
- Histogram dialog III-123
- Histogram operation III-120–III-126, V-297–V-301
- histograms
 - JointHistogram operation V-405
- history archive II-10
- history area II-8–II-13
 - CaptureHistory function V-48
 - CaptureHistoryStart function V-48
 - colored II-10
 - copying from II-10
 - extracting text programmatically V-48
 - history archive II-10
 - history carbon copy II-10
 - limiting size of II-10
 - magnification II-12, II-47
 - printing to V-652–V-653
 - saving II-10
 - searching II-11
 - selecting text II-10
 - text encodings III-420
 - zooming II-47
- history carbon copy II-10
- holding coefficients in curve fitting
 - example III-158
- home folder II-22–II-23, II-26
 - for packed experiments II-17
 - for unpacked experiments II-17
- home orientation
 - Gizmo II-338
- home symbolic path II-22
- home tool
 - Gizmo II-329
- hook functions
 - Gizmo II-384
 - independent modules IV-226
 - keyboard events IV-281
 - named window hooks IV-276
 - regular modules IV-223
 - subwindows IV-277

unnamed window hooks IV-286
 hook functions (see functions:hook functions)
 HorizCrossing free axis II-214–II-215
 horizontal dimension in tables II-197
 horizontal index row II-195
 Hough transform III-317, V-364
 HSL conversions
 hsl2rgb V-364
 rgb2hsl V-366
 HTML
 cascading style sheets III-22
 character encoding III-23
 Native III-23
 Shift-JIS III-23
 UTF-2 III-23
 UTF-8 III-23
 embedding in notebooks III-23
 examples III-23
 graphics in notebooks III-23
 JPEG III-23
 picture frames III-23
 PNG III-23
 HTML 4.01 specification III-22
 notebook character formatting III-22
 notebook paragraph formatting III-22
 notebooks III-21
 saving notebooks III-21
 specifications III-22
 standards III-22
 HTTP IV-261–IV-263
 DELETE method V-910
 downloading files IV-261
 downloading web pages IV-261
 FetchURL function V-189
 GET method IV-262, V-910
 HEAD method V-910
 limitations IV-261
 POST method IV-261, V-910
 proxy servers IV-261
 PUT method V-910
 queries IV-262
 SSL IV-261
 troubleshooting IV-263
 URLRequest operation V-910
 HTTP POST method
 URLRequest operation V-915
 HTTPS
 URLRequest operation V-910
 Hurwitz zeta function V-967
 hybridmedian filter V-316
 hyperbolic functions
 arbitrary precision V-25
 cosine V-93
 cotangent V-94
 sine V-744
 tangent V-887
 hyperG0F1 function V-301
 hyperG1F1 function V-301
 hyperG2F1 function V-301
 hypergeometric function V-301
 confluent V-301
 generalized V-302
 hyperGNoise function V-302
 hyperGPFQ function V-302

I

i
 suffix in tables II-176
 i function V-303
 i123 conversions
 rgb2i123 V-367
 .ibw extension II-136
 ICA operation V-303
 identifiability
 curve fitting III-197
 if-else-endif V-305
 conditional operator IV-6
 extraneous text after IV-105
 in user functions IV-37
 if-elseif-endif V-305
 in user functions IV-38
 if-endif V-305
 in user functions IV-38
 IFFT
 wave references IV-69
 IFFT operation V-305–V-306
 IFFTs
 (see also FFTs)
 effect on graphs III-242
 number of points restrictions III-240
 speed III-243
 wave type restrictions III-240
 X scaling and units changed III-240
 .ifn file extension
 notebooks III-3
 Igor
 symbolic path II-22
 updating II-4
 upgrading II-4
 Igor and IgorRecent
 color tables V-67
 Igor Batch File
 (see also batch files)
 Igor binary data
 exporting from tables II-187
 Igor Binary files II-135–II-137
 .bwav extension II-136
 copy to home II-23
 features of II-118
 file extensions II-136
 .ibw extension II-136

in experiments II-18
 KillWaves operation II-66
 LoadData operation II-137
 names II-136
 references to II-23
 saving II-159
 sharing versus copying II-23
Igor Crash Reports.txt IV-318
Igor extensions III-450–III-451, IV-195
 (see also external operations)
 activating III-450
 creating IV-195
 definition I-5
 definition of I-5
 development systems IV-195
 external functions (see external functions)
 external operations (see external operations)
IGOR32 II-31
IGOR64 II-31
 third party XOPs III-450
 WaveMetrics XOPs III-450
Igor Extensions folder I-6, II-31
Igor External Operations Toolkit (see XOP Toolkit)
Igor Help Browser I-8, II-2
 (see also help)
Igor Help File Template IV-241–IV-242
Igor help files
 compiling IV-242
 creating IV-241
 FAQ II-5
Igor Help File Template IV-241–IV-242
 links
 checking IV-243
 creating IV-242
 finding IV-243
 More Help Files folder II-2
 syntax IV-242
 URL links IV-243
 Web links IV-243
Igor Help Files folder II-2, II-31
Igor help system
 (see also help, Igor Help Browser)
 Igor Help Files folder II-2
 overview I-8, II-2
IGOR keyword in Igor Text files II-132
Igor mailing list II-4
Igor objects (see objects)
Igor Pro 6 User Files (see Igor Pro User Files)
Igor Pro 7.ini file III-454
Igor Pro Folder II-30
 include statement IV-155
Igor Pro User Files
 activating extensions III-450
Igor Pro User Files folder II-31, III-450
 example I-64
 global procedure files III-353
 packages IV-232
 shared procedure files III-354
Igor Procedures IV-23
Igor Procedures folder II-32, III-353
Igor program name
 under Windows III-398
Igor Text files II-131–II-135
 BEGIN keyword II-132
 blocks II-132
 carriage return II-135
 commands II-133
 creating V-693
 data type II-132
 data type flags II-132
 dates II-132
 End keyword II-132
 escape codes II-135
 examples II-131–II-132
 features of II-118
 format II-132
 IGOR keyword II-132
 linefeed II-135
 missing values II-132
 multidimensional waves II-132–II-134
 NaNs II-132
 not thread-safe II-133
 saving multidimensional waves II-159
 saving waves II-158
 text waves II-135
 times II-132
 WAVES keyword II-132
 X keyword II-133
 X scaling II-133
Igor Tips
 for controls III-387
 shortcut II-5
Igor tips I-8
Igor version V-307
 localization V-308
Igor XOP Toolkit IV-195
Igor-object pictures III-18
 igor-object pictures
 platform compatibility III-19
IGOR32 III-451
 Igor extensions II-31
 reading huge waves II-35
IGOR64 III-451
 Igor extensions II-31
 saving huge waves II-35
Igor64 I-2
IgorBeforeNewHook hook function IV-273
IgorBeforeQuitHook function IV-273
IgorExchange II-4
IgorGIS package II-150, II-159
IgorInfo function V-307
IgorMenuHook function IV-273

| | |
|--|---|
| IgorQuitHook hook function IV-274 | rgb2xyz V-367 |
| IgorStartOrNewHook hook function IV-275 | xyz2rgb V-371 |
| example IV-275 | color transforms III-305–III-306 |
| IgorUserFiles | columns |
| symbolic path II-22 | extracting V-363 |
| IgorVersion | flipping V-362 |
| example IV-101 | setting values from a wave V-366 |
| pragma keyword V-308 | summing V-370 |
| IgorVersion function V-308 | summing all V-369 |
| IgorVersion keyword V-308 | comparing images V-341 |
| IIR filters V-200–V-206 | compressing images V-361 |
| coefficients, designing V-205 | convolution filters III-318 |
| ilim function V-309 | gauss III-318 |
| imag | median III-318 |
| suffix in tables II-176 | sharpen III-318 |
| imag function V-309 | convolutions III-313 |
| example II-74 | correlation V-358 |
| image analysis III-305–III-335 | correlations III-315 |
| (see also matrices) | decompressing images V-361 |
| 2D kernels III-318 | dilation III-321, V-338 |
| 3D morphology V-337 | dot product V-371 |
| adaptive histogram equalization III-307, | edge detection III-318–III-321 |
| V-322–V-323 | edge detectors V-314 |
| alpha blending V-313 | erosion III-321, V-338 |
| average 3D filter V-316 | extracting color info III-306 |
| averaging V-360 | extracting ROIs V-367 |
| B-spline surfaces V-361 | feature extraction V-369 |
| back projection V-361 | FFT III-312–III-315 |
| background subtraction III-332, V-346 | calculating derivatives III-314 |
| Bartlet window V-379 | calculating integrals III-314 |
| Bartlett window V-379 | calculating sums III-314 |
| beams | cautions when using III-312 |
| definition V-363 | convolutions III-313 |
| extracting V-363 | correlations III-315 |
| bilinear interpolation V-327–V-328 | high pass filtering III-313 |
| binary dilation V-338 | low pass filtering III-313 |
| binary erosion V-338 | spatial frequency filtering III-313 |
| Blackman window V-379 | windowing III-315 |
| blending images V-313 | filling V-351 |
| Catmull-Clark surfaces V-361 | filling from 1D wave V-362 |
| close V-338 | filtering V-316, V-378, V-474 |
| closing III-322 | find lakes V-362 |
| cmap conversions | finding flat areas V-362 |
| cmap2rgb V-361 | focus V-317 |
| CMYK conversions | fuzzy classification V-363 |
| CMYK2RGB V-361 | gaussian 3D filter V-316 |
| co-occurrence matrix V-319 | grayscale conversions |
| color III-332 | convert2gray V-361 |
| color space conversion III-305–III-306 | rgb2gray V-366 |
| cmap2rgb V-361 | grayscale transforms III-305–III-308 |
| CMYK2RGB V-361 | Hamming window V-379 |
| convert2gray V-361 | Hanning window V-379 |
| hsl2rgb V-364 | Hartley transform III-317, V-362 |
| rgb2gray V-366 | histogram equalization III-307, V-322–V-323 |
| rgb2hsl V-366 | histograms III-325, V-322–V-323 |
| rgb2i123 V-367 | Hough transform III-317, V-364 |

- line detection III-317
- HSL conversions
 - hsl2rgb V-364
 - rgb2hsl V-366
- HSL segmentation III-327, V-364
- hue segmentation III-306
- hybridmedian filter V-316
- i123 conversions
 - rgb2i123 V-367
- image statistics III-324
- ImageAnalyzeParticles operation V-309
- ImageBlend operation V-313
- ImageBoundaryToMask operation V-313
- ImageEdgeDetection operation V-314
- ImageFocus operation V-317
- ImageGenerateROIMask operation V-318
- ImageGLCM operation V-319
- ImageHistModification operation V-322
- ImageHistogram operation V-323
- ImageInterpolate operation V-326
- ImageLineProfile operation III-325, V-333
- ImageMorphology operation V-337
- ImageRegistration operation V-341
- ImageRemoveBackground operation V-346
- ImageRestore operation V-347
- ImageRotate operation V-348
- ImageSeedFill operation V-351
- ImageSkeleton3D operation V-356
- ImageSnake operation V-354
- ImageStats operation V-356
- ImageThreshold operation V-358
- ImageTransform operation III-334, V-360
- ImageUnwrapPhase operation V-376
- ImageWindow operation V-378
- indexing V-365
- inserting images V-364
- interpolation III-312, V-326
- k-means clustering V-412
- Kaiser window V-379
- Kriging V-327
- line detection III-317
- line profile V-333
- masking V-318, V-368
- mathematical transforms III-311–III-317
- maximum rank 3D filter V-316
- median 3D filter V-316
- minimum rank 3D filter V-316
- morphological operations III-321–III-324
 - binary dilation V-338
 - binary erosion V-338
 - close V-338
 - closing III-322
 - dilation III-321, V-338
 - erosion III-321, V-338
- ImageMorphology operation V-337
- open V-338
- opening III-322
- top hat III-323, V-338
- watershed III-324, V-338
- multidimensional morphology V-337
- multiplane images V-363, V-369
- offsetting V-365
- open V-338
- opening III-322
- operations V-4
- padding V-366
 - example V-375
- particle analysis III-328, V-309
- particles
 - classification III-328
 - morphology V-337
- path profile V-333
- pixels
 - inverting V-365
 - matching V-365
- planes
 - extracting V-363, V-369
 - example V-375
 - flipping V-362
 - inserting V-365
 - matching V-365
 - removing V-367
 - scaling V-368
 - summing V-370
 - summing all V-370
- point finding 3D filter V-316
- profiles III-325
- projection slice V-366
- rectification V-329
- references III-335
- reflectance V-369
- region of interest III-331–III-332
 - boundary to ROI mask III-331
 - creating ROI wave III-331
 - creation V-318
 - marquee procedures III-332
 - marquee2mask procedures III-332
 - ROI masking III-331
- registration III-311, V-329, V-341
- resizing V-366
- restoring V-347
- RGB conversions
 - cmap2rgb V-361
 - CMYK2RGB V-361
 - hsl2rgb V-364
 - rgb2gray V-366
 - rgb2hsl V-366
 - rgb2i123 V-367
 - rgb2xyz V-367
 - xyz2rgb V-371
- ROI masking V-313
- ROIs III-332, V-367

| | |
|---|--|
| rotating image columns V-368 | denoising III-316 |
| rotating image rows V-367 | image compression III-315 |
| rotation III-310, V-348 | windowing III-315, V-378 |
| rows | example V-380 |
| extracting V-363 | X projection V-370 |
| flipping V-362 | XYZ conversions |
| setting values from a wave V-366 | rgb2xyz V-367 |
| summing V-370 | xyz2rgb V-371 |
| summing all V-369 | Y projection V-371 |
| sampling III-312 | Z projection V-371 |
| scaling V-368 | image loading |
| seed fill III-330 | EXIF metadata V-337 |
| segmentation III-327 | image plot |
| selectColor V-368 | data format II-365 |
| shading V-369 | image plots II-297–II-316 |
| shifting V-365 | (see also image analysis) |
| shrinkRect V-369 | _calculated_X and Y II-300, II-302 |
| spatial transforms III-310 | alpha II-312–II-313 |
| stacking images V-369 | appearance preferences II-315 |
| statistics V-356 | Append Image Plot dialog II-316 |
| subimage selection III-332 | AppendImage operation V-27 |
| subscene extraction V-369 | axes |
| surface extraction V-362 | GetAxis operation V-254 |
| swap diagonal quadrants V-370 | SetAxis operation V-713 |
| textures V-364 | axis preferences II-316 |
| threshold III-308–III-310, V-358 | color |
| adaptive III-308 | 24-bit II-299, II-313 |
| bimodal III-308 | ColorTab2Wave operation V-67 |
| examples III-309 | custom II-313 |
| fuzzy entropy III-308 | direct II-299, II-313 |
| fuzzy means III-308 | false II-299 |
| histogram clusters III-308 | indexed II-299, II-312–II-313 |
| iterated III-308 | negative II-305 |
| Otsu's method III-308 | reversing II-305 |
| top hat V-338 | RGB II-299, II-313 |
| transforms V-360 | color index wave II-312–II-313 |
| adaptive histogram equalization III-307 | color scale bars II-314, III-35, III-48–III-51, V-61 |
| color III-305–III-306 | (see also color scale bars) |
| explicit lookup tables III-306 | color table waves II-311 |
| grayscale III-306–III-308 | color tables II-306–II-312 |
| histogram equalization III-307 | ColorScale operation V-61 |
| hue segmentation III-306 | combining with contour plots II-280 |
| RGB to HSL III-306 | creating II-299–II-300, V-142 |
| to grayscale III-305 | Cursor operation V-103 |
| to RGB III-305 | cursors V-103, V-629, V-667 |
| value III-306–III-308 | moving cursor calls function IV-317 |
| unwrapping phase III-327 | dithering V-544 |
| value transforms III-306–III-308 | evenly-spaced data II-302 |
| vol2surf V-370 | example II-313 |
| Voronoi interpolation V-328 | filtering V-316, V-474 |
| voronoi tesselation V-370 | flipping II-304–II-305 |
| warping V-329 | Gizmo II-371 |
| watershed V-338 | image instance names II-314 |
| wave operations III-311 | Image Range Adjustment II-306 |
| efficiency III-311 | ImageFilter operation V-316 |
| wavelet transforms III-315–III-316 | ImageFromXYZ operation V-317 |

- ImageInfo operation V-324
ImageNameList function V-340
ImageNameToWaveRef function V-341
images
 color effects II-308
 contrast effects II-308
 contrast enhancement II-306
 overlays II-306
interpolation V-544
inverting V-713
legends II-314, III-35, III-48–III-51
 (see also color scale bars)
linear colors II-312
log colors II-300, II-312
logarithmic V-544
MatrixFilter operation V-474
missing data II-299
Modify Image Appearance dialog II-300–II-301
ModifyImage operation V-542–V-545
modifying II-300
names II-314
NaNs II-299
New Image Plot dialog II-316
NewImage operation V-569
opacity II-312–II-313
orientation II-304–II-305
pcsr function V-629
pixel size II-301, II-305
pixels II-299, II-301
preferences II-315–II-316
programming notes II-313, II-315
qcsr function V-667
rectangle edges II-301
related operations V-1
ReplaceWave operation V-681
reversing II-304–II-305
RGB waves II-312–II-313
RGBA waves II-312–II-313
Set Axis Range Dialog II-305
shortcuts II-316
smoothing V-544
translucency II-312–II-313
transparency II-312–II-313
transparent data II-299
unevenly-spaced II-302
with non-gridded data II-304
with XY centers II-302
X and Y coordinates II-301
X and Y waves II-302
image processing
 contrast enhancement II-306
image processing (see image analysis)
Image Range Adjustment II-306
ImageAnalyzeParticles operation V-309
ImageBlend operation V-313
ImageBoundaryToMask operation V-313
ImageEdgeDetection operation V-314
ImageFileInfo operation V-316
ImageFilter operation V-316
ImageFocus operation V-317
ImageFromXYZ operation V-317
ImageGenerateROIMask operation V-318
ImageGLCM operation V-319
ImageHistModification operation V-322
ImageHistogram operation V-323
ImageInfo operation V-324
ImageInterpolate operation V-326
ImageLineProfile operation V-333
ImageLoad operation V-334
ImageMorphology operation V-337
ImageNameList function V-340
ImageNameToWaveRef function IV-187, V-341
ImageRegistration operation V-341
ImageRemoveBackground operation V-346
ImageRestore operation V-347
ImageRotate operation V-348
images
 (see also image analysis, image plots)
 average deviation V-358
 average value V-358
 averaging V-360
 background subtraction V-346
 beams
 extracting V-363
 color scale bars II-314, III-35, III-48–III-51, V-61
 (see also color scale bars)
 ColorScale operation V-61
 columns
 extracting V-363
 flipping V-362
 setting values from a wave V-366
 summing V-370
 summing all V-369
 compressing V-361
 decompressing V-361
 deconvolution V-347
 dispersion V-358
 exporting
 BMP files V-348
 DIB files V-704
 EMF files V-704
 EPS files V-704
 ImageSave operation V-348
 JPEG files V-348, V-704
 PhotoShop files V-348
 PICT files V-348, V-704
 HiRes V-704
 PNG files V-348, V-704
 PostScript PICT files V-704
 QuickTime files V-348
 raw PNG files V-351
 SavePICT operation V-704

- SGI files V-348
- Targa files V-348
- TIFF files V-348, V-351
- WMF files V-704
- features of II-118
- filling from 1D wave V-362
- ImageFileInfo operation V-316
- ImageLoad operation V-334
- importing V-334
- indexing V-365
- inserting V-364
- kurtosis V-358
- legends II-314, III-35, III-48–III-51
 - (see also color scale bars)
- Load Image Dialog II-138
- loading II-138
 - JPEG files V-334
 - PNG files V-334
 - Sun Raster files V-334
 - TIFF files V-334
 - TIFF stacks II-139
- loading BMPs II-138
- loading JPEGs II-138
- loading PNGs II-138
- loading Sun Raster files II-139
- loading TIFFs II-138
- masking V-368
- maximum column location V-358
- maximum row location V-358
- maximum value V-358
- minimum column location V-358
- minimum row location V-358
- minimum value V-358
- multiplane images V-363, V-369
- NewImage operation V-569
- number of points in ROI V-358
- offsetting V-365
- padding V-366
 - example V-375
- pixels
 - inverting V-365
- planes
 - extracting V-363
 - flipping V-362
 - inserting V-365
 - removing V-367
 - summing V-370
 - summing all V-370
- reflectance V-369
- removing V-675
- ReorderImages operation V-678
- resizing V-366
- restoring V-347
- RMS value V-358
- rotating image columns V-368
- rotating image rows V-367
- rotation V-348
- rows
 - extracting V-363
 - flipping V-362
 - setting values from a wave V-366
 - summing V-370
 - summing all V-369
- saving waves as II-159
- selectColor V-368
- shading V-369
- shifting V-365
- skewness V-358
- smoothing V-454
- stacking V-369
- standard deviation V-358
- textures V-364
- variance V-358
- voronoi tesselation V-370
- ImageSave operation V-348
- ImageSeedFill operation V-351
- ImageSkeleton3D operation V-356
- ImageSnake operation V-354
- ImageStats operation V-356
- ImageThreshold operation V-358
- ImageTransform operation V-360
- ImageUnwrapPhase operation V-376
- ImageWindow operation V-378
- imaginary component function V-309
- implicit functions
 - curve fitting III-212–III-214
- implicit functions:curve fitting(see curve fitting:implicit functions V-7)
- importing
 - BMPs III-448
 - data in tables II-174, II-183
 - EMFs III-448
 - FBinRead operation V-187
 - FReadLine operation V-223
 - from databases II-160
 - from Igor experiment file V-437–V-440
 - GBLoadWave operation II-146, V-250
 - graphics V-334
 - Load Image Dialog II-138
 - with drawing objects III-69
 - ImageLoad operation V-334
 - images II-138, V-334
 - BMPs II-138
 - JPEGs II-138
 - Load Image Dialog II-138
 - PNGs II-138
 - Sun Raster files II-139
 - TIFF stacks II-139
 - TIFFs II-138
 - JCAMPLoadWave operation V-403
 - JPEGs III-448
 - limitations on graphics III-448

MLLoadWave operation II-144
 notebooks III-20
 numeric variables V-187
 PadString function V-620
 pasted picture resizing III-69
 PICTs III-448–III-449
 PNGs III-448
 string variables V-187, V-223
 TIFFs III-448
 UnPadString function V-908
 waves II-117–II-156, V-187, V-443
 (see also loading waves)
 waves in a folder (example) II-155
 XLLoadWave operation II-140, V-962
importing images
 PNG versus raw PNG II-138
in line
 in notebooks III-9
include statements III-354, IV-23, IV-155
 include keyword V-17
 independent modules IV-226
 IndependentModule pragma IV-226
 menu control IV-156
 optional IV-156
 version control IV-155
incomplete gamma function V-248–V-249
increment in wave assignment II-71
increment operator IV-5, IV-40
Indent Left IV-25
Indent Right IV-25
indentation
 in notebooks III-7–III-8
 in procedure windows III-359
 of procedures IV-24
independent component analysis V-303
independent modules IV-224
 containing regular modules IV-228
 control action procedures IV-226
 debugger IV-225
 dependencies IV-229
 example IV-225
Execute operation IV-229
 hook functions IV-226
 include statements IV-226
 IndependentModuleList function V-380
 limitations IV-226
 pictures IV-230
 pop-up menus IV-227
 procedure windows IV-225
 ProcGlobal keyword IV-224
 qualified names IV-224–IV-225
 static functions IV-224–IV-225
 user-defined menus IV-227
 WinList function V-947
independent variables
 curve fitting III-164
 IndependentModule keyword V-380
 IndependentModule pragma IV-51, IV-224
 (see also independent modules)
 GetIndependentModuleName function V-261
 include statements IV-226
index sort III-127–III-128
index values
 (see also X values)
 CopyScales operation V-90
 in tables II-176, II-195
 index columns in tables II-176
 multidimensional waves V-139
 pasting in tables II-184
 viewing in tables II-170
IndexedDir function V-380
IndexedFile function V-383
 dot-underscore files V-383
 example II-155
 sorting file lists V-383
indexing
 dimension labels II-75
 multidimensional waves II-84, II-87–II-89
 strings IV-15
 text waves IV-16
 using dimension labels II-85
 waves II-71
 (see also point numbers, wave assignments, X values)
IndexSort operation III-127–III-128, V-384
 applications III-127
IndexToScale function V-384
indicator display (see controls:Value Displays)
inequality IV-5
INF
 in wave assignments II-71
Inf function V-385
 infinities (see INFs)
 infinity function V-385
Info (File Information dialog) III-25
info box
 (see also cursors)
info pane
 Data Browser II-107
info panel
 HideInfo operation V-295
 in graphs II-248–II-250
 ShowInfo operation V-742
info window
 Gizmo II-330
INFs II-76
 detecting V-603
 in curve fitting III-202–III-203
 in delimited text files II-120
 in graphs II-217
 in tables II-182
 in WaveStats operation III-119

number of V-935
 removing from waves V-940
 initial guesses in curve fitting III-154, V-111
 initialization commands II-25
 inline parameters
 in user functions IV-33
 inline wave references IV-67
 destination waves IV-80
 input devices
 cross-platform issues III-402
 input/output queues
 multitasking
 example IV-312
 Insert File III-13, III-357
 Insert Page Break III-19
 Insert Points dialog II-68
 insert-paste II-183
 inserting
 pictures in notebooks V-594
 inserting data II-184
 in tables II-179
 in waves II-68
 inserting pictures
 in notebooks III-13
 inserting text
 in procedure windows III-357
 insertion cell in tables II-171, II-174, II-179
 InsertPoints operation II-68, V-385
 instance names IV-19
 (see also wave instance names)
 contour instance in ModifyContour V-509
 Instrutech data acquisition package IV-291
 int declaration
 local variables in user functions IV-33
 variables in user functions IV-33
 int keyword V-385
 int64 declaration
 local variables in user functions IV-33
 variables in user functions IV-33
 int64 keyword V-385
 integer data II-77
 in Igor Text files II-133
 numeric format
 in tables II-190
 integers
 16-bit II-61
 32-bit II-61
 64-bit II-61
 8-bit II-61
 expressions in user functions IV-36, IV-104
 in wave assignments IV-8
 numeric format
 in tables II-190
 variable in user functions IV-33, V-385, V-907
 Integrate operation V-386
 integrate1D function V-388
 Integrate2D operation V-389
 IntegrateODE operation III-274, V-392–V-397
 integrating histogram III-126
 integration III-115
 area function V-34
 area under curve III-115
 areaXY function V-35
 faverage function V-186
 faverageXY function V-186
 gaussian quadrature V-388
 Integrate operation V-386
 integrate1D function V-388
 Integrate2D operation V-389
 multidimensional III-115
 of user functions III-288
 of XY data III-115
 Romberg V-388
 trapezoidal V-34–V-35, V-186, V-386, V-388
 waveform data III-115
 XY area procedures III-117
 interior annotations III-41
 Internet
 FetchURL function V-189
 FTP IV-257
 FTP transfer V-232
 FTP transfers V-229
 HTTP IV-261
 opening preferred browser V-45
 internet
 (see also FTP, World Wide Web)
 interp function V-397
 example II-73, III-105
 Interp2D function V-398
 Interp3D function V-398
 Interp3DPath operation V-398
 Interpolate2 operation III-110, V-399
 dialog III-112
 example III-106
 removing NaNs III-109
 Interpolate3D function V-401
 interpolation III-109
 (see also decimation)
 2D
 ContourZ function V-72
 Interp2D function V-398
 3D
 Interp3D function V-398
 Interpolate3D function V-401
 bilinear V-327
 cubic spline III-110
 dialog III-112
 example II-73, III-104, III-106, III-110
 image analysis V-327
 in image plots V-544
 in wave assignments II-72, II-76
 Interpolate2 operation III-110, V-399

inverse (see level detection)
 linear III-110
 methods III-109
 not in multidimensional waves II-87
 of multidimensional data V-398
 of XY data III-104, V-397
 of XYZ data V-398, V-768
 Resample operation V-682
 smoothing spline III-110
 smoothing spline algorithm III-113
 smoothing spline parameters III-113
 spherical V-768
 invalid text
 in tables II-194
 inverse cosine V-19
 Inverse Fast Fourier Transforms (see IFFTs)
 inverse hyperbolic functions
 cosine V-19
 sine V-35
 tangent V-36
 inverse interpolation (see level detection)
 inverse of a matrix V-475–V-476
 inverse of a wave V-939
 inverse sine function V-35
 inverse tangent V-36
 inverse tangent function V-36
 inverse trig functions
 inverse cosine V-19, V-938
 inverse sine V-35, V-938
 inverse tangent V-36, V-939
 inverseErf function V-402
 inverseErfc function V-402
 invisible procedure files III-355
 changes in Igor functionality III-356
 creating III-356
 isosurface
 transparency II-346
 isosurface plot
 data format II-366
 isosurface plots
 Gizmo II-376
 issues
 dimensions III-404
 ItemsInList function V-403
 iterate-loop
 loop index V-303, V-403
 loop limit V-309, V-405
 iterated thresholding III-308

J

j function V-403
 JacobiCn function V-405
 JacobiSn function V-405
 JCAMP-DX files II-148
 JCAMPLoadWave operation II-148, V-403

jlim function V-405
 JointHistogram operation V-405
 weighting wave V-406
 JPEG files
 EXIF metadata V-337
 importing V-334
 JPEGs
 exporting V-348
 file info V-316
 HTML graphics III-23
 importing III-448
 loading II-138
 saving V-704
 Julian dates
 dateToJulian function V-121
 JulianToDate function V-407
 JulianToDate function V-407
 justification of text
 in annotations III-38
 in notebooks III-7–III-8

K

k-means clustering V-412
 K0, K1, ... (see system variables)
 Kaiser Bessel window function V-162, V-194, V-379, V-946
 Kaiser window function
 for images V-379
 keyboard
 cross-platform issues III-402
 events in hook functions IV-281
 shortcuts in user menus IV-125, IV-127, V-263
 keyword-value packed strings II-77, IV-162
 keywords V-13
 extraction
 by index number V-865
 FindListItem function V-211
 ItemsInList function V-403
 NumberByKey function V-602
 RemoveByKey function V-671
 RemoveFromList function V-674
 RemoveListItem function V-676
 ReplaceNumberByKey function V-679
 ReplaceStringByKey function V-680
 StringByKey function V-864
 StringFromList function V-865
 WhichListItem function V-943
 flow control V-13
 function local variable keywords V-13
 insertion
 AddListItem function V-20
 object references V-13
 other programming keywords V-13
 procedure declarations V-13
 procedure subtypes V-13

| | |
|--|--|
| syntax guide V-15 | kwControlBarLeft V-77 |
| kill | kwControlBarRight V-77 |
| defined I-24 | kwControlBarTop V-77 |
| kill events | kwFrame |
| window hooks IV-283 | DoWindow operation V-149 |
| Kill Paths (see Kill Symbolic Paths) | kwFrameInner |
| Kill Symbolic Paths dialog II-22 | GetWindow operation V-274 |
| Kill Waves dialog II-66 | kwFrameOuter |
| KillBackground operation IV-302, V-408 | GetWindow operation V-274 |
| KillControl operation V-408 | kwSelectedControl V-77 |
| KillDataFolder operation V-409 | kwTopWin |
| example IV-160 | DoWindow operation V-149 |
| KillFIFO operation V-409 | GetWindow operation V-274 |
| KillFreeAxis operation V-409 | Notebook operation V-584 |
| killing | NotebookAction operation V-600 |
| background task V-408 | PrintNotebook operation V-657 |
| controls III-387, V-408 | SaveNotebook operation V-701 |
| data folders II-101, V-409 | SetWindow operation V-739 |
| defined I-24 | SpecialCharacterInfo operation V-762 |
| FIFO buffers V-409 | SpecialCharacterList operation V-763 |
| graphs II-261 | |
| help windows II-3 | |
| notebooks III-5 | |
| numeric variables II-109, V-411 | |
| page layouts II-390 | |
| pictures III-449, V-410 | |
| procedure windows III-353 | |
| string variables II-109, V-411 | |
| symbolic paths II-22, V-410 | |
| tables II-176 | |
| vs hiding windows II-41 | |
| waves II-65–II-66, II-109, V-411 | |
| all of them II-66 | |
| from tables II-178 | |
| windows II-41, V-148 | |
| KillPath operation V-410 | |
| KillPICTs operation V-410 | |
| KillStrings operation II-97, V-411 | |
| KillVariables operation II-96, V-411 | |
| KillWaves operation II-65, V-411 | |
| examples II-66 | |
| Igor Binary files II-66 | |
| KillWindow operation V-411 | |
| Kirsch edge detector V-314 | |
| KMeans operation V-412 | |
| Kolmogorov-Smirnov V-817 | |
| Korean | |
| text encodings III-412 | |
| Kriging V-327 | |
| kurtosis of wave V-358, V-936 | |
| 2D V-358 | |
| kwBackgroundColor V-77 | |
| kwCmdHist | |
| GetWindow operation V-274 | |
| kwControlBar V-77 | |
| kwControlBarBottom V-77 | |
| | L |
| | 1 |
| | suffix in tables II-176 |
| | Label operation V-414 |
| | Label Options tab II-239–II-240 |
| | labels |
| | (see also annotations, axis labels, legends, tags, textboxes, tick mark labels, row labels, column labels, dimension labels) |
| | in delimited text files II-122 |
| | in general text files II-128–II-129 |
| | in graphs II-224 |
| | laguerre function V-414–V-415 |
| | LaguerreA function V-415 |
| | Lambert equal area projection V-663 |
| | LambertW function V-415 |
| | LAPACK matrix routines |
| | errors III-131 |
| | MatrixEigenV operation V-470 |
| | MatrixLinearSolve operation V-477 |
| | MatrixLSS operation V-479 |
| | MatrixSchur operation V-500 |
| | MatrixSVD operation V-501 |
| | numeric support III-131 |
| | references III-131 |
| | V_flag III-131 |
| | layers |
| | (see also drawing tools:layers) |
| | drawing layers III-68–III-69 |
| | in control panels III-68 |
| | in graphs III-68 |
| | in multidimensional waves II-84, II-87 |
| | in page layouts II-389, II-392–II-393 |
| | in tables II-196 |

indexing V-967
 z function V-967
 maximum location V-936
 minimum location V-936
 names III-68
 numbers V-668
 r function V-668
 Overlay drawing layer III-69
 ProgAxes drawing layer III-68
 ProgAxes layer III-68
 ProgBack drawing layer III-68
 ProgBack layer III-68
 in page layouts II-392–II-393
 ProgFront drawing layer III-69
 ProgFront layer III-68
 in page layouts II-392–II-393
 UserAxes drawing layer III-68
 UserAxes layer III-68
 UserBack drawing layer III-68
 UserBack layer III-68
 in page layouts II-392–II-393
 UserFront drawing layer III-69
 UserFront layer III-68
 in page layouts II-392–II-393
 Layout Macros submenu II-43
 Layout operation V-416
 Layout subtype IV-194
 keyword V-418
 LayoutInfo function V-418
 LayoutMarquee subtype IV-194, V-267
 keyword V-420
 LayoutPageAction operation V-420
 layouts (see page layouts)
 LayoutSlideShow operation V-421
 LayoutStyle subtype IV-194
 keyword V-423
 LCM (see least common multiple)
 leaks
 free waves IV-87
 least common multiple V-253
 least squares (see curve fitting, smoothing)
 left-shift operator IV-5, IV-40
 leftx function V-423
 use DimOffset instead V-139
 Legend operation V-423–V-424
 legend symbols (see wave symbols)
 legendreA function V-424
 legends III-43–III-44
 (see also annotations, color scale bars,
 textboxes, tags)
 automatically updated III-43–III-44
 color as f(z) II-230
 color scale bars III-35, III-48–III-51
 customize at point III-44
 default III-43
 definition III-35
 exterior III-41
 affects graph plot area III-42
 font size III-44
 in page layouts II-396, II-406
 interior III-41
 making a legend (example) I-17
 markers III-44
 modifying III-36
 offset III-42
 position III-41–III-43
 standard legend III-43
 symbols in annotations III-57
 wave symbols III-38, III-43–III-44
 length limit II-8, IV-2
 less than IV-5
 level detection III-256–III-259
 EdgeStats operation III-258, V-167–V-168
 FindLevel operation III-257, V-209–V-210
 FindLevels operation III-257, V-210–V-211
 FindPeak operation V-212–V-213
 PulseStats operation III-259, V-665–V-666
 risetime measurements III-258–III-259
 XY data III-258
 LF (see linefeed)
 liberal names
 accessing waves and variables IV-62
 data folders II-102
 dimension labels II-86
 in user functions IV-62
 parsing by Igor IV-157
 programming with IV-157–IV-158
 quoting with data folders IV-158
 rules III-444, IV-2
 CleanupName function V-58
 Light Properties dialog II-346
 lights
 Gizmo II-346
 troubleshooting II-381
 limit command history II-10
 limit function V-425
 Line Colors dialog II-282, II-284–II-285
 line continuation character IV-2
 line continuation characters IV-2
 line fit III-156, V-107
 through origin III-158
 line objects
 Gizmo II-349
 line size in graphs II-225
 line styles II-225, II-260, III-440
 in pop-up menu controls V-649
 SetDashPattern operation V-714
 line terminator II-120
 linear colors
 in image plots II-312
 linear convolution III-254
 linear interpolation III-110

LinearFeedbackShiftRegister operation V-425
 linefeed
 in data files II-120
 in delimited text files II-117, II-125
 in Igor Text files II-135
 in tables II-193
 linefeed characters
 cross-platform issues III-402
 escape code for IV-13
 in strings IV-13
 saving text waves II-160
 lines (see drawing tools, markers, tags)
 LINESTYLEPOP V-649
 linking
 graphs in notebooks III-18
 links
 checking in help files IV-243
 creating in help files IV-242
 finding in help files IV-243
 ListBox controls III-369, III-379
 ListBox operation V-428
 formatted text III-53
 ListBoxControl subtype IV-194
 keyword V-436
 ListMatch function V-436
 lists
 adding items V-20
 AddListItem function V-20
 AnnotationList function V-25
 appending items V-679–V-680
 AxisList function V-37
 ContourNameList function V-71
 counting items V-403
 CountObjects operation V-94
 CountObjectsDFR operation V-94
 CTabList function V-100
 DataFolderDir function V-119
 deleting items V-671, V-674, V-676
 FindListItem function V-211
 GetIndexedObjName function V-261
 GetIndexedObjNameDFR function V-262
 GetRTStackInfo function V-271
 ImageNameList function V-340
 IndexedFile function V-383
 ItemsInList function V-403
 ListBox controls III-369, III-379
 ListMatch function V-436
 ListToTextWave function V-436
 ListToWaveRefWave function V-437
 NumberByKey function V-602
 of controls V-78, V-517
 of windows V-949
 PathList function V-626
 PICTList function V-630
 processing lists IV-161
 processing lists of waves IV-187–IV-190
 related functions V-11
 RemoveByKey function V-671
 RemoveFromList function V-674
 RemoveListItem function V-676
 ReplaceNumberByKey function V-679
 ReplaceString function V-680
 ReplaceStringByKey function V-680
 replacing items V-679–V-680
 selected column names V-272
 selected layout objects V-272
 sscanf operation V-771
 StringByKey function V-864
 StringFromList function V-865
 StringList function V-866
 stringmatch function V-866
 TraceFromPixel function V-901
 TraceNameList function V-903
 VariableList function V-922
 WaveList function V-927
 WaveRefIndexed function V-932
 WaveRefIndexedDFR function V-932
 WaveRefWaveToList function V-933
 waves in graph V-277
 WhichListItem function V-943
 WinList function V-947
 ListToTextWave function V-436
 ListToWaveRefWave function IV-187, V-437
 literal numbers
 hexadecimal literals IV-11
 literal strings
 text encodings III-430
 live display of waves II-259–II-260
 In function V-437
 Load Data Tweaks dialog
 auto II-130
 delimited text files II-126
 general text files II-130
 Load Delimited Text dialog II-119, II-124
 loading 2D waves II-124
 Load General Text dialog II-119, II-129
 Load Igor Binary dialog II-119, II-136
 Load Igor Text dialog II-119
 Load Image Dialog II-138
 Load Row Data procedure II-139
 Load Waves dialog
 copy to home II-136
 creating tables II-170
 delimited text files II-123
 fixed field text files II-127
 general text files II-129
 Igor Binary II-136
 Igor Text II-133
 Load Waves submenu II-119
 LoadData operation II-136–II-137, V-437–V-440
 loading experiments II-24
 error handling II-25

loading waves II-117–II-156
 automation II-151
 BMPs II-138
 choosing names II-124, II-130
 creating tables II-170
 delimited text files II-120–II-127
 drag and drop II-34, IV-264
 example II-151, II-154–II-155
 FBinRead operation V-187
 fixed field text files II-127
 FORTRAN files II-127
 from row-oriented files II-139
 general text files II-128–II-131
 GIS files II-150
 Igor Binary files II-135–II-137
 Igor Text files II-131–II-135
 images II-138
 JCAMP-DX files II-148
 JPEG files V-334
 JPEGs II-138
 number of loaded waves V-253, V-404, V-454,
 V-508, V-964
 PNG files V-334
 PNGs II-138
 programming II-151
 S_fileName string II-151
 S_path II-151
 S_waveNames string II-151
 spectroscopic data II-148
 Sun Raster files II-139, V-334
 TIFF files V-334
 TIFF stacks II-139
 TIFFs II-138
 V_flag variable II-151
 variables II-151
 LoadPackagePreferences operation V-440
 LoadPICT operation V-441–V-443
 LoadWave operation II-135, V-443–V-454
 backslashes V-450
 Choose Text Encoding dialog V-453
 copy to home II-23
 escape codes V-450
 example II-151
 text encodings II-120, III-424, V-445, V-453
 local functions
 Static keyword V-775
 local variables II-97, IV-56
 automatic creation IV-56
 complex keyword V-68
 double keyword V-146
 in macros IV-111
 in user functions IV-34
 initialization
 in macros IV-111
 in user functions IV-34
 int keyword V-385
 int64 keyword V-385
 keywords V-13
 name conflicts
 in macros IV-111
 in user functions IV-34
 uint64 keyword V-907
 lock icon
 in procedure files III-351
 locking
 notebooks III-6
 procedure files III-351
 Loess operation V-454
 loess smoothing III-266
 log axes II-235, II-243–II-244
 (see also axes)
 loglin checkbox II-243
 LogLin mode II-243
 minor tick labels II-244
 tick mark labels II-248
 unexpected behavior II-243
 log colors
 for traces II-228
 for traces in graphs V-525
 in contour plots II-286, V-513
 in image plots II-300, II-312, V-544
 log function V-460
 log normal curve fit V-108
 log₁₀ V-460
 log_e V-437
 logical operators IV-5, IV-39
 AND IV-6, IV-39
 NOT IV-39
 OR IV-6, IV-39
 side effects IV-6
 LogLin axes II-243
 loglin checkbox II-243
 logNormalNoise function V-460, V-462
 LogRatio function III-145
 LombPeriodogram operation V-460
 long date
 in notebooks III-12
 Look for File button II-25
 Look for Folder button II-27
 LookAt projection
 Gizmo II-338
 loops IV-42
 break statements IV-44
 continue statements IV-45
 for loops IV-43
 in macros IV-112
 in user functions IV-42
 nested IV-43
 lor (Lorentzian) curve fit V-107
 lower-case string conversion V-462
 LowerStr function V-462
 LOWESS smoothing III-266, V-454

LU decomposition V-480–V-481
 Lucy-Richardson deconvolution V-347

M

M_3DParticleInfo V-313
 format V-313
 M_3DVertexList V-905
 M_4DTranspose V-370
 M_A V-478–V-479, V-500
 M_Abs V-938
 M_Acos V-938
 M_Affine V-327
 M_alphaBlend V-313
 M_ANOVA1 V-776
 M_ANOVA2NRResults V-777–V-778
 M_ANOVA2Results V-779
 M_ANOVA2RMResults V-779
 M_Asin V-938
 M_Atan V-939
 M_AveImage V-360
 M_AverageRGBImage V-360
 M_B V-478–V-479
 M_BackProjection V-361
 M_Boxy V-370
 M_C V-628–V-629
 M_CCBScalar V-361
 M_CCBSplines V-361
 M_CConjugate V-939
 M_Chunk V-363
 M_clustersCM V-222
 M_CMYK2RGB V-361
 M_CochranTestResults V-792
 M_ColorIndex V-366
 M_colors V-67
 M_Combinations V-843
 M_ControlCorrTestResults V-826
 M_Convolution V-468
 M_Corr V-469
 M_Cos V-939
 M_Covar III-185, III-196, V-106, V-111, V-469
 M_CrystalToRect V-939
 M_CWT V-116
 M_D V-628–V-629
 M_Detrend V-161
 M_DistanceMap V-362
 M_DPSS V-150
 M_DunnettMCElevations V-821
 M_DunnettTestResults V-796
 M_DWT V-166
 M_eigenVectors V-471
 M_ExtractedSurface V-362, V-375
 M_FFT V-190
 M_FGT V-183
 M_FitConstraint III-201, V-105, V-111
 M_flipped V-939

M_FriedmanRanks V-800
 M_FriedmanTestResults V-800
 M_FuzzySegments V-374
 M_GLCM V-319
 M_GradImage V-354
 M_Hartley V-362
 M_Hilbert V-296
 M_Hough V-364
 M_HSL2RGB V-364
 M_Hull V-85
 M_I123 V-367
 M_ICAComponents V-303
 M_ICAUnMix V-303
 M_Image2Gray V-361
 M_ImageEdges V-314
 M_ImageHistEq V-322
 M_ImageLineProfile V-333
 M_ImageMorph V-337
 M_ImagePlane V-363
 multitasking example IV-304, IV-306
 M_ImageThresh V-358–V-359
 M_IndexImage V-366
 M_InsertedWave V-365
 M_InterClusterDistance V-222
 M_InterpolatedImage V-326, V-328
 M_Inverse V-475–V-476, V-939
 M_Inverted V-365
 M_JointHistogram V-405
 M_KMClasses V-412–V-413
 M_L_eigenVectors V-472
 M_LakeFill V-362
 M_leftEigenVectors V-473
 M_LineProfileStdV V-333
 M_Lower V-480–V-481
 M_LUFactors V-480
 M_Magnitude V-939
 M_MagSqr V-939
 M_matchPlanes V-365
 M_matrixW V-303
 M_max V-939
 M_min V-939
 M_Moments V-310
 M_MovieChunk V-633
 M_MovieFrame V-633
 M_NNResults V-565
 M_NPCCResults V-831
 M_NPMCDHWResults V-832
 M_NPMConResults V-832
 M_NPMCSNKResults V-832
 M_NPMCTukeyResults V-833
 M_OffsetImage V-365
 M_PaddedImage V-366
 M_paddedImage V-373
 M_Particle V-311–V-312
 M_ParticleArea V-311–V-312
 M_ParticleMarker V-309, V-311

M_ParticlePerimeter V-311–V-312
M_PCA V-303
M_Phase V-939
M_PhaseLUT V-376
M_PixelatedImage V-328
M_product V-482
M_ProjectionSlice V-366
M_Pt V-480–V-481
M_R V-628–V-629
M_R_eigenVectors V-472
M_RawCanny V-315
M_rawMoments V-312
M_Reconstructed V-347
M_ReducedWave V-367
M_RegMaskOut V-345
M_RegOut V-345
M_RemovedBackground V-346
M_Resampled V-841
M_RGB2Gray V-366
M_RGB2HSL V-366
M_RGB2XYZ V-367
M_RGBOut V-361
M_rightEigenVectors V-473
M_ROIMask V-313–V-314, V-319
M_RotatedImage V-348
M_ScaledPlanes V-368
M_ScatterMesh V-327
M_ScheffeTestResults V-844
M_SeedFill V-351
M_SelectColor V-368
M_ShadedImage V-369
M_Shrunk V-369
M_shrunkBox V-369
M_Sin V-940
M_Skeleton V-356
M_SphericalTriangulation V-768
M_sqrt V-940
M_Stack V-369
M_StackDot V-371
M_StatsQuantilesSamples V-842
M_StdvImage V-360
M_SumDimension V-873
M_SumPlanes V-370
M_SV V-479
M_TDLinearSolution V-478
M_TetraPath V-905
M_TukeyCorrTestResults V-827
M_TukeyMCElevations V-821
M_TukeyMCslopes V-821
M_TukeyTestResults V-852
M_U V-501
M_UnwrappedPhase V-376
M_Upper V-480–V-481
M_V V-500–V-501
M_VolumeTranspose V-370
M_VoronoiEdges V-331, V-370
M_VT V-501
M_WaveStats V-842, V-934–V-935
 format V-937
M_WaveStatsSamples V-842
M_Weights1 V-566
M_Weights2 V-566
M_Wigner V-944
M_WindowedImage V-378
M_x V-475, V-480, V-501
M_xProjection V-370
M_XYZ2RGB V-371
M_yProjection V-371
M_zProjection V-371, V-373
MA V-479
Macintosh
 creator code for Igor III-399
 date system II-180, II-191
 dot-underscore files V-383
 file permissions II-28
 memory management III-451
 system extensions (see system extensions, Macintosh)
 system requirements III-451
 system version info V-308
Macintosh System Requirements III-451
MacLab data acquisition package IV-291
Macro Execute Error dialog
 during experiment load II-25
Macro keyword IV-110, V-463
macro submenus in Windows menu II-43
MacroList function V-463
MacRoman text encoding III-410–III-411, III-430
macros IV-108–IV-116
 (see also procedures, user functions)
\$ operator IV-113
aborting IV-115
based on history (example) I-61
body code IV-111
calling from a user function IV-191
compared to functions IV-108
conditional statements IV-112
default values V-603, V-871
DelayUpdate operation V-132
deleting II-43
DoUpdate operation IV-115, V-147
DoXOPIdle operation V-150
errors IV-114
exists function V-180
flow control IV-112
initialization of local variables IV-111
local variable declaration IV-111
locating a window macro II-43
loops IV-112
MacroList function V-463
menus (see menu definitions, menus)
menus showing IV-112

-
- missing parameter dialog IV-113
 - names IV-110
 - parameter lists IV-111
 - parameters III-142, IV-10
 - PauseUpdate operation IV-115, V-627
 - procedure type IV-110
 - ProcedureText function V-662
 - Prompt statements IV-113, V-664
 - recreation macros V-147
 - ResumeUpdate operation IV-115, V-688
 - retrieve code
 - ProcedureText function V-662
 - return statements IV-112
 - runtime stack information V-271
 - S_{_} variables IV-115
 - scope of variables II-95, II-97, IV-111, IV-115
 - Silent operation IV-114, V-743
 - Sleep operation V-744
 - Slow operation IV-114, V-748
 - style macros II-43, II-262–II-264, V-149
 - subtype II-42–II-43, IV-110, V-55, V-646, V-732
 - syntax IV-110–IV-112
 - updates IV-115
 - V_{_} variables IV-115
 - variables
 - scope II-95, II-97, IV-111, IV-115
 - wave parameters IV-113
 - window recreation II-42–II-43, II-261
 - magnification
 - (see also zooming)
 - command window II-12
 - history area II-12
 - in command line II-47
 - in dialogs
 - text areas II-47
 - in help II-47
 - in help files II-47
 - in history area II-47
 - in notebooks II-47
 - in page layouts II-390
 - in procedure windows II-47
 - setting default II-47
 - magnitude III-243–III-244, V-939
 - magnitude squared V-939
 - of complex number V-464
 - magsqr function V-464
 - example II-74
 - mailing list II-4
 - main transformation
 - Gizmo II-349
 - major ticks
 - in user tick waves II-243
 - Make operation V-464
 - automatic creation of Wave IV-66
 - examples II-63
 - in user functions IV-66
 - overwriting caveats II-63
 - Make Waves dialog II-62
 - MakeIndex operation III-127–III-128, V-465
 - applications III-127
 - example III-128
 - making waves II-60, II-62, II-84, V-464
 - MandelbrotPoint function V-466
 - map projections
 - Project operation V-663
 - MarcumQ function V-467
 - margins
 - in graphs II-220
 - in notebooks III-7
 - sizes in page layouts II-391
 - MARKERPOP V-649
 - markers
 - as f(z) II-228
 - centering in annotations III-44
 - in annotations III-55
 - in graphs II-220, II-223, II-229
 - in pop-up menu controls V-649
 - numeric codes II-230
 - size in annotations III-44
 - table of II-230
 - width in annotations III-44
 - MarkPerfTestTime operation V-467
 - marquee menus IV-129
 - as input for procedures IV-151
 - marquee2mask procedures III-332
 - marquees
 - in graphs II-218, V-266–V-268, V-727
 - in page layouts I-43, II-392, II-395, V-266–V-268, V-727
 - tiling in page layouts II-400
 - Marr–Hildreth edge detector V-315
 - mask wave in curve fitting III-172, III-175
 - matching characters III-360
 - Matlab dynamic libraries II-144
 - Matlab files
 - loading II-144, V-506
 - matrices
 - (see also image analysis, LAPACK matrix routines, multidimensional waves)
 - addition III-131
 - analysis
 - condition V-467
 - continuous wavelet transform V-116
 - convolution V-468
 - CWT operation V-116
 - determinant V-470
 - discrete wavelet transform V-166
 - DWT operation V-166
 - eigenvalues V-470
 - eigenvectors V-470
 - FFT V-190–V-195
 - Gauss-Jordan V-475

-
- IFFT V-305–V-306
 - least squares V-477–V-479
 - linear equations V-477–V-479
 - LU decomposition V-480–V-481
 - back substitution V-480
 - multiply V-482
 - rank V-500
 - related operations V-3–V-4, V-7
 - Schur factorization V-500
 - solving V-500
 - SV decomposition V-501
 - back substitution V-501
 - trace V-503
 - transpose V-503
 - Bartlet window V-379
 - Bartlett window V-379
 - Blackman window V-379
 - built from waveforms II-88
 - columns
 - extracting V-363
 - flipping V-362
 - summing V-370
 - summing all V-369
 - combining V-68
 - Concatenate operation V-68
 - condition V-467
 - converting to waveform II-89
 - correlation V-469
 - covariance V-469
 - dot product V-470
 - efficient execution III-132, V-483
 - exporting
 - BMP files V-348
 - JPEG files V-348
 - PhotoShop files V-348
 - PICT files V-348
 - PNG files V-348
 - QuickTime files V-348
 - raw PNG files V-351
 - SGI files V-348
 - Targa files V-348
 - TIFF files V-348, V-351
 - Extract operation V-182
 - extracting a column II-89
 - extracting a row II-89
 - FFT of II-90
 - filling from 1D wave V-362
 - from XYZ data V-317
 - Hamming window V-379
 - Hanning window V-379
 - Hartley transform V-362
 - Hough transform V-364
 - image filtering V-316, V-474
 - in Igor Text files II-132–II-134
 - indexing V-365
 - interpolation V-72, V-398
 - inverse of V-475–V-476
 - Kaiser window V-379
 - LAPACK routines III-131
 - loading
 - from delimited text files II-124
 - from general text files II-130
 - loading from Excel file II-143
 - making from 1D waves in tables II-201
 - MatrixGLM operation V-476
 - MatrixOp operation III-132, V-483
 - maximum
 - chunk location V-936
 - column location V-936
 - layer location V-936
 - row location V-936
 - minimum
 - chunk location V-936
 - column location V-936
 - layer location V-936
 - row location V-936
 - multiplication III-131
 - by scalar III-131
 - offsetting V-365
 - padding V-366
 - example V-375
 - plane extraction V-369
 - planes
 - summing all V-370
 - printing V-652
 - redimensioning II-90
 - reshaping 1D to 2D V-671
 - resizing V-366
 - Reverse operation V-688
 - rotating
 - columns V-368
 - rows V-367
 - rows
 - extracting V-363
 - flipping V-362
 - summing V-370
 - summing all V-369
 - saving
 - as delimited text II-158
 - shifting V-365
 - smoothing V-454
 - speeding up III-132, V-483
 - splitting V-770
 - SplitWave operation V-770
 - summing
 - sum V-370
 - swap diagonal quadrants V-370
 - terminology II-84
 - windowing V-378
 - matrix data
 - as image (see image analysis, image plots)
 - contouring (see contour plots)

converting from XYZ data II-280
 matrix multiplication V-482
 MatrixOp operation III-136–III-137
 matrix of Z values
 Gizmo II-320
 matrix4x4 objects II-381
 MatrixCondition function V-467
 MatrixConvolve operation V-468
 matrixCorr function V-469
 matrixDet function V-470
 matrixDot function V-470
 MatrixEigenV operation V-470
 MatrixFilter operation V-474
 MatrixGaussJ operation V-475
 MatrixGLM operation V-476
 MatrixInverse operation V-476
 MatrixLinearSolve operation V-477
 MatrixLinearSolveTD operation V-478
 MatrixLLS operation V-479
 MatrixLUBkSub operation V-480
 MatrixLUD operation V-480
 MatrixLUDTD operation V-481
 MatrixMultiply operation V-482
 MatrixOp
 Cholesky decomposition V-486
 cross-covariance V-487
 MatrixOp operation V-483
 data types III-138
 dot product III-136
 examples III-139
 functions by category III-140
 Hermitian transposition III-137
 matrix multiplication III-136–III-137
 matrix transposition III-137
 multithreading III-139
 operators III-136
 optimization III-139
 using III-132–III-142
 wave dimensions III-136
 MatrixSchur operation V-500
 MatrixSolve operation V-500
 MatrixSVBkSub operation V-501
 MatrixSVD operation V-501
 matrixTrace function V-500, V-503
 MatrixTranspose operation V-503
 max function V-503
 max3D filter V-316
 MaxBytesReadingWave II-35
 maximization (see minimization)
 maximized windows V-276
 MDI frame IV-270
 maximum among several waves
 WavesMax user-defined function III-145
 maximum location in wave V-358, V-936
 maximum of two numbers V-503
 maximum of wave V-939

MBCS III-412
 formatted text notebooks III-421
 MD4 hash algorithm V-292
 MD5 hash algorithm V-292
 MDI frame window IV-269
 mean function III-115, V-503
 subranges III-117
 mean of wave segments
 FindSegmentMeans user-defined function
 III-146
 mean of waveform data III-115
 measurements
 EdgeStats operation V-167–V-168
 PulseStats operation V-665–V-666
 Median function III-126
 median function V-504
 median smoothing III-265
 median3D filter V-316
 memory
 deallocating IV-194, V-925
 fragmentation III-451
 free V-307
 management III-451
 virtual III-451
 menu bar names II-40
 menu definitions IV-118–IV-130
 (character IV-125–IV-126
 ! character IV-126
 & character IV-126
 - character IV-125–IV-126
 / character IV-125–IV-126
 ; character IV-126
 accelerators IV-126
 BuildMenu operation IV-121
 contextualmenu IV-119
 creating a new menu IV-120
 creating submenus IV-119
 disabling items IV-125–IV-126, V-726
 DoIgorMenu operation V-145
 dynamic IV-119
 dynamic menu items IV-120
 extending built-in menus IV-120
 function keys IV-128
 GetKeyState function V-263
 hideable IV-119
 independent modules IV-227
 keyboard shortcuts IV-125, IV-127, V-263
 marking items IV-126
 marquee menus IV-129
 menus and multiple procedure files IV-123
 multiple menu items IV-122
 operation queue IV-263
 optional menu items IV-122
 rebuilding from procedure V-45
 regular modules IV-224
 separating items IV-126

- SetIgorMenuMode operation V-726
 special characters IV-125–IV-127, IV-133
 enabling and disabling IV-127
 Windows IV-126–IV-127
 specialized menu items IV-123
 examples IV-124
 syntax IV-118
 trace menus IV-129
 Windows IV-126–IV-127
 Menu keyword IV-118, V-505
 menus
 activating V-145
 consolidating items into a submenu IV-123
 disabling items V-726
 GetKeyState function V-263
 hiding V-294
 include statements IV-156
 information about V-264
 invoking V-145
 packages III-355
 pop-up menu controls III-369, III-379–III-381
 programming V-145, V-264, V-294, V-741
 relation to commands I-7
 relation to dialogs I-7
 showing V-741
 showing macros IV-112
 why the menu bar changes II-40
 Mercator projection V-663
 Transverse V-663
 merging experiments II-19
 Mersenne Twister V-171, V-279, V-728
 meta characters (see menu definitions:special characters)
 metafiles III-96
 meteorological wind barbs V-523
 Metropolis algorithm V-617
 MexHat wavelet transform V-118
 microphone
 recording from IV-291
 Microsoft Visual C++ IV-195
 MIME-TSV files IV-266–IV-267, IV-271
 min function V-505
 min3D filter V-316
 minidump files IV-318
 minimization III-295–III-300
 1D functions III-295
 1D nonlinear functions III-296, V-616
 bracketing extrema III-297
 Brent's method V-616
 caveats III-299
 dogleg method V-614, V-617
 finite differences V-616
 finite differences method V-614
 function format V-616
 line search method V-614, V-617
 More-Hebdon method V-614, V-617
 multidimensional functions III-295
 multidimensional nonlinear functions III-298, V-616
 quasi-Newton method V-616
 references III-301, V-619
 secant (BFGS) method V-614, V-616
 stopping tolerances III-299
 tolerances III-299, V-617
 setting V-615
 univariate
 stopping criterion V-616
 univariate functions III-296, V-616
 user-defined functions
 1D III-296
 multidimensional III-298
 minimized windows
 MDI frame IV-270
 minimum location in wave V-358, V-936
 minimum of two numbers V-505
 minimum of wave V-939
 minor ticks
 in user tick waves II-243
 mirror axis in graphs II-235–II-236
 Misc pop-up menu in page layouts II-396
 Miscellaneous Settings dialog III-443
 Default Data Precision II-174
 Loaded Igor Binary Data II-23
 Repeat Wave Style Prefs in Graphs II-260
 Save and Restore Recent Colors III-440
 waves II-63
 Missing Folder dialog II-27
 missing folders II-26
 missing parameter dialog IV-113
 equivalent for user functions IV-132
 missing parameters
 in functions V-146
 in macros V-664
 missing values II-76
 in analysis III-107
 in delimited text files II-120, II-123, II-126
 in general text files II-129–II-130
 in graphs II-217, II-233
 in Igor Text files II-132
 NaNs II-182
 removing by interpolation III-108
 working around III-108
 Missing Wave File dialog II-25, II-27
 MLLoadWave
 Matlab dynamic libraries II-144
 MLLoadWave operation II-144, V-506
 mod function V-508
 modal and modeless user interface IV-132

modal Data Browser II-111
 modDate function V-508
 modeless dialogs IV-146
 Modify Annotation dialog III-36
 Dynamic pop-up menu III-39
 for page layouts II-405
 Insert: group III-36
 Special pop-up menu III-37
 Modify Axis dialog II-235–II-240
 Auto/Man Ticks tab II-236–II-237
 Axis Label tab II-246
 Axis Range tab II-219–II-220
 autoscaling modes II-219
 Quick Set buttons II-219
 Axis tab II-235–II-236
 date/time items II-245
 draw between II-236
 global controls II-235
 Label Options tab II-239–II-240
 live update II-247
 log axes II-243
 tick marks II-244
 manual ticks II-240
 computed manual ticks II-240
 date/time axes II-246
 user ticks from waves II-242
 mirror axes II-235
 multiple axis selection II-235
 Tick Options tab II-239
 Ticks and Grids tab II-237–II-239
 Modify Columns dialog II-188
 Modify Contour Appearance dialog II-281–II-283
 Label Tweaks II-291
 Modify Draw Environment dialog III-65
 (see also drawing tools, SetDrawEnv operation)
 Modify Graph dialog II-220–II-222, III-37
 Modify Image Appearance dialog II-300–II-301
 Modify Objects dialog II-400
 Modify operation V-509
 Modify Polygon dialog III-65
 Modify Trace Appearance dialog II-104,
 II-222–II-234
 customize at point II-234
 Set as f(z) II-228
 ModifyBrowser operation V-509
 modal Data Browser II-111
 ModifyCamera operation V-509
 ModifyContour operation V-509–V-515
 ModifyControl operation V-515
 ModifyControlList operation V-517
 ModifyFreeAxis operation V-518
 ModifyGizmo operation V-520
 ModifyGraph operation V-520–V-542
 axes appearance V-534
 colors V-541
 general graph window settings V-520
 live keyword II-259
 traces
 customize at point V-532
 traces appearance V-522
 ModifyImage operation V-542–V-545
 ModifyLayout operation V-545–V-547
 ModifyPanel operation V-547
 ModifyTable operation V-548–V-552
 multidimensional waves II-197
 ModifyWaterfall operation II-255, V-552
 ModuleName keyword IV-50, V-553
 ModuleName pragma IV-50, IV-222
 (see also regular modules)
 modules (see regular modules)
 modulus functions
 mod V-508
 undone III-269, V-909
 monitors
 dimensions, platform-related III-404
 number, depth, and size V-307
 resolution V-710
 More Extensions folder I-6
 More Help Files folder II-2
 More Levels dialog II-282
 Morlet wavelet transform V-118
 complex V-118
 morphological operations
 3D V-337
 multidimensional V-337
 mouse
 cross-platform issues III-402
 GetMouse operation V-269
 mouse wheel
 rotation in Gizmo II-338
 move
 data folders V-553
 numeric variables V-559
 string variables V-558
 waves V-560
 windows V-560
 with Data Browser II-107
 Move Backward II-394
 Move Forward II-394
 MoveDataFolder operation V-553
 converting free data folder IV-91
 MoveFile operation V-553
 MoveFolder operation V-555
 warning V-555
 MoveString operation V-558
 MoveSubwindow operation V-558
 MoveVariable operation V-559
 MoveWave
 free waves IV-88
 MoveWave operation V-560
 MoveWindow operation V-560

-
- movies IV-230
 - AddMovieAudio operation V-21
 - AddMovieFrame operation V-21
 - AVI IV-231
 - CloseMovie V-59
 - codecs V-572
 - creatiing IV-231
 - extracting frames IV-231
 - from pictures IV-231
 - NewMovie operation V-571
 - of graphs IV-231
 - playing IV-231
 - PlayMovie operation V-632
 - PlayMovieAction operation V-633
 - QuickTime IV-231
 - related operations V-5
 - window not appearing V-632
 - moving
 - a window on-screen II-45
 - all windows on-screen II-45
 - moving average III-264, V-748
 - moving cursor calls function IV-317
 - multibyte character system (see MBCS)
 - multidimensional data
 - (see also matrices)
 - copy/paste in tables II-199–II-203
 - multidimensional waves II-84–II-91
 - 3D copy and paste II-203
 - analysis II-86
 - average 3D filter V-316
 - averaging V-360
 - beams
 - extracting V-363
 - built from matrices II-88
 - chunk indexing in assignments V-876
 - chunk numbers in assignments V-691
 - chunks II-84, II-87
 - maximum location V-936
 - minimum location V-936
 - columns
 - extracting V-363
 - flipping V-362
 - indexing in assignments V-966
 - maximum location V-936
 - minimum location V-936
 - names II-195
 - numbers in assignments V-667
 - setting values from a wave V-366
 - styles in tables II-172
 - summing V-370
 - summing all V-369
 - concatenating V-68
 - create-paste in tables II-202
 - creating II-84–II-85, V-464
 - in tables II-169
 - cutting columns in tables II-202
 - deleting points II-84
 - DimDelta function V-139
 - dimensions
 - how many? V-926
 - labels II-85–II-86, V-207, V-257, V-715
 - names II-84
 - numbers II-84
 - DimOffset function V-139
 - DimSize function V-139
 - duplicating II-85
 - editing in tables II-195–II-203
 - extracting
 - matrix II-88
 - matrix from a 3D wave II-203
 - row slice II-89
 - FFT of II-90
 - filling from 1D wave V-362
 - format in text file V-693
 - FuncFitMD operation V-237
 - gaussian 3D filter V-316
 - GetDimLabel function V-257
 - graphing (see image plots, contour plots)
 - Hartley transform V-362
 - Hough transform V-364
 - hybridmedian filter V-316
 - in Igor Text files II-132–II-134
 - index columns in tables II-177
 - index values V-139
 - indexing II-87–II-89, V-365
 - initial values II-84
 - insert-paste in tables II-200–II-201
 - inserting images V-364
 - inserting points II-84
 - interpolation V-72, V-398, V-401
 - interpolation, not II-87
 - labels II-85–II-86
 - example II-75
 - FindDimLabel function V-207
 - GetDimLabel function V-257
 - in delimited text files II-122
 - in tables II-196
 - length limit II-86, II-179
 - naming conventions II-86
 - SetDimLabel function V-715
 - viewing in tables II-170
 - wave indexing II-75
- layers II-84, II-87
 - indexing in assignments V-967
 - maximum location V-936
 - minimum location V-936
 - numbers in assignments V-668
- matrix to matrix conversion II-90
- maximum rank 3D filter V-316
- median 3D filter V-316
- minimum rank 3D filter V-316
- number of points V-139

| | |
|---|--|
| padding | multitasking IV-308–IV-316 |
| example V-375 | curve fitting III-218 |
| pixels | data folders IV-309 |
| inverting V-365 | examples IV-310–IV-316 |
| planes | free data folders example IV-304 |
| extracting V-363, V-369 | free waves example IV-306 |
| example V-375 | MatrixOp operation III-139 |
| flipping V-362 | MultiThread keyword V-562 |
| inserting V-365 | Multithread keyword IV-303–IV-307 |
| matching V-365 | MultiThreadControl operation V-563 |
| removing V-367 | network operations IV-255 |
| scaling V-368 | preemptive IV-97, IV-308–IV-316 |
| summing V-370 | processor count V-894 |
| summing all V-370 | queues IV-309 |
| point finding 3D filter V-316 | return value V-894 |
| polynomial function V-637 | starting threads V-895 |
| projection slice V-366 | structures example IV-307 |
| redimensioning II-84–II-85, II-89–II-90 | TBB IV-302 |
| replace-paste in tables II-200 | thread groups |
| rows | creating V-892 |
| extracting V-363 | data folders V-892 |
| flipping V-362 | posting data to V-893 |
| maximum location V-936 | releasing V-893 |
| minimum location V-936 | stopping V-893 |
| setting values from a wave V-366 | ThreadGroupCreate function V-892 |
| summing V-370 | ThreadGroupGetDF function V-892 |
| summing all V-369 | ThreadGroupGetDFR function V-892 |
| saving | ThreadGroupPutDF operation V-893 |
| as delimited text II-158 | ThreadGroupRelease function V-893 |
| as Igor Text II-159 | ThreadGroupWait function V-894 |
| in text files II-160 | ThreadReturnValue function V-894 |
| shrinkBox V-369 | ThreadSafe keyword V-894 |
| spherical interpolation V-768 | ThreadStart function V-894 |
| splitting V-770 | ThreadStart operation V-895 |
| stacking V-369 | user functions IV-97, IV-308–IV-316 |
| storing into a subrange II-89 | MultiThread |
| storing matrix as 3D layer II-88 | Mandelbrot demo V-466 |
| styles in tables II-189 | MultiThread keyword V-562 |
| subset of II-85 | Multithread keyword IV-303–IV-307 |
| surface extraction V-362 | free data folders example IV-304 |
| swap diagonal quadrants V-370 | free waves example IV-306 |
| terminology II-84 | structures example IV-307 |
| transpose 4D wave V-370 | MultiThreadControl operation V-563 |
| transpose volume V-370 | multithreading |
| treating as 1D II-90 | curve fitting III-218 |
| vol2surf V-370 | multithreading (see multitasking) |
| voronoi tessellation V-370 | multivariate functions |
| wave assignments II-88–II-89 | curve fitting III-174, III-228, V-237 |
| WaveDims function V-926 | Gauss2D V-250 |
| waveform to matrix conversion II-89 | mushroom cloud icon (it's a tree, really) III-65 |
| X projection V-370 | |
| Y projection V-371 | |
| Z projection V-371 | |
| multiplication IV-5 | N |
| quaternion II-341 | |
| multiprocessor support (see multitasking) | n V-405 |
| | name spaces III-444 |

NameOfWave function V-564
 example IV-189
 names III-443–III-445
 (see also window names, column names,
 column labels)
 \$ operator IV-17, IV-57
 allowed characters III-443–III-444, IV-2
 annotations III-40, III-53, V-25
 case insensitive III-443
 CheckName function V-57
 CleanupName function V-58
 column names II-176
 ContourNameList function V-71
 ControlNameList function V-78
 creating in tables II-174, II-183
 CTabList function V-100
 data folders II-101
 dimension labels II-86
 FontList function V-219
 FunctionList function V-244
 graphs II-213, II-261
 ImageNameList function V-340
 in graphs IV-19
 ContourNameToWaveRef function V-72
 ImageNameToWaveRef function V-341
 in Igor Binary files II-136
 in page layouts II-390, IV-19
 instance names IV-19, V-522
 layers III-68
 length III-443
 liberal rules III-444, IV-2
 loading
 delimited text II-124
 general text II-130
 local variables
 in macros IV-111
 in user functions IV-34
 macro names IV-110
 MacroList function V-463
 name spaces III-444
 notebooks III-25
 objects II-399
 OperationList function V-613
 parsing by Igor IV-157
 paths
 IndexedDir function V-380
 pictures III-448–III-449
 programming with liberal names
 IV-157–IV-158
 quoting III-444
 related functions V-11
 Rename Objects dialog III-444
 Rename operation II-67, V-676
 RenameDataFolder operation V-677
 RenamePath operation V-677
 RenamePICT operation V-677
 RenameWindow operation V-677
 renaming with Data Browser II-107
 rulers III-11
 standard rules III-443
 suffixes in tables II-176, II-189
 table names II-175
 trace names V-522
 UniqueName function V-907
 uniqueness III-444
 user function names IV-31
 using \$string IV-57
 using \$stringName IV-17
 variables II-94
 waves II-58, II-60
 in tags III-39
 window names II-40
 namespaces
 independent modules IV-224, IV-228
 regular modules IV-222
 NaN (Not a Number) function V-564
 NaNs II-76
 as missing values II-182
 comparison with IV-5
 detecting V-603
 entering in tables II-182
 in analysis III-107
 in curve fitting III-202–III-203
 in delimited text files II-120
 in error waves II-233
 in general text files II-129
 in Gizmo II-366
 in graphs II-217, II-233
 in Igor Text files II-132
 in tables II-182
 in WaveStats operation III-119
 not an integer II-76
 number of V-935
 removing
 by interpolation III-109
 by median smoothing III-109
 from waves V-940
 removing from waves III-108
 replacing in waves III-108
 working around III-108
 National Instruments data acquisition package
 IV-291
 natural logarithm function V-437
 navigation bar
 in procedure windows III-351
 NCSA
 HDF files II-140
 negation IV-5
 negation operator IV-6
 nested loops IV-43
 network
 UNC paths III-401

Unix paths III-402
 networking
 aborting operations IV-255
 multitasking IV-255
 neural networks
 NeuralNetworkRun operation V-564
 NeuralNetworkTrain operation V-565
 NeuralNetworkRun operation V-564
 NeuralNetworkTrain operation V-565
 neurons
 ImageSkeleton3D operation V-356
 new (see creating)
 New Fit Function dialog III-163
 New Free Axis dialog II-214
 New Graph dialog II-213, II-261
 New Graph dialog graphs
 New Graph dialog II-214
 New Notebook dialog III-4
 New Page Layout dialog II-389
 New Path (see New Symbolic Path, newPath)
 New Symbolic Path
 example II-21
 New Symbolic Path dialog II-21
 New Table dialog II-169–II-170
 New window II-40
 NewDataFolder operation V-567
 NewFIFO operation V-567
 NewFIFOChan operation V-567
 NewFreeAxis operation V-409, V-568
 NewFreeDataFolder function V-569
 NewGizmo operation V-569
 NewImage operation V-569
 NewLayout operation V-570
 newline
 in regular expressions IV-173
 NewMovie operation IV-231, V-571
 NewNotebook operation V-573
 example III-26
 text encodings V-574
 NewPanel operation V-575
 newPath
 platform-related issues III-399
 newPath operation V-579
 example II-21, II-155
 in experiment files II-26
 NewtCamera operation V-566
 NewWaterfall operation II-255, V-580
 Nicolet WFT files II-119
 NIDAQ Tools IV-291
 NIGPIB2 XOP IV-291
 noise functions
 enoise V-171
 gnoise V-279
 LinearFeedbackShiftRegister operation V-425
 SetRandomSeed operation V-728
 nonlinear least squares curve fitting III-153

norm function V-581
 normal ruler in notebooks III-9, III-11
 Normal+ ruler III-12
 normalization
 of waves II-72
 Unicode V-581
 normalized Gaussian function V-249
 NormalizeUnicode function V-581
 normals
 Gizmo II-345
 NOT
 logical operator IV-39
 Not a Number (see NaNs)
 Not a Number function V-564
 note function V-583
 Note operation V-583
 Notebook operation V-583–V-599
 accessing contents V-598
 byte order marks V-586
 document property parameters V-585
 example III-26–III-27
 miscellaneous parameters V-587
 paragraph property parameters V-588
 pictures III-26
 selection parameters V-591
 setting contents V-599
 text property parameters V-594
 writeProtect V-586
 writing
 graphics parameters V-594
 special character parameters V-597–V-598
 text parameters V-599
 notebook operation
 autoSave V-587
 NotebookAction operation V-599
 Notebooks
 recreating subwindows V-599
 notebooks III-3–III-31
 accessing contents V-598
 actions III-14–III-17, V-599, V-762–V-763
 commands III-16–III-17
 editing III-16
 help text III-15
 helper procedures III-17
 NotebookAction operation V-599
 pictures III-15
 SpecialCharacterInfo function V-762
 SpecialCharacterList function V-763
 styles III-15
 adopting II-23, V-585
 adopting programmatically V-21
 aligning pictures III-9
 as subwindows III-86
 as worksheets III-4
 auto-save V-587
 automation III-25–III-30

background color III-7
 byte order marks V-586
 changeableByCommandOnly III-10
 character properties III-9
 creating derived rulers III-12
 creating new rulers III-11
 dates III-12, III-20
 default tab width III-7
 document info icon III-6
 document properties III-7, V-585
 embedding HTML code III-23
 examples III-23
 HTMLCode ruler III-23
 executing commands from III-4
 experiments III-4, III-25
 exporting III-20–III-21
 external text editor II-49
 File Information dialog III-25
 file names III-25, V-575
 finding
 pictures V-591
 rulers III-12
 text III-24, V-591
 fonts III-9
 sizes (see notebooks:text sizes, ruler text sizes)
 styles (see notebooks:text styles, ruler text styles)
 footers III-7, III-19
 programming III-26, V-586
 formatted III-3
 generating commands III-29
 graphs III-18
 headers III-7, III-19
 programming III-26, V-586
 hiding III-5, V-588
 HTML III-21
 cascading style sheets III-22
 character formatting III-22
 graphics III-23
 JPEG III-23
 picture frames III-23
 PNG III-23
 HTML 4.01 specification III-22
 paragraph formatting III-22
 .ifn file extension III-3
 Igor object pictures III-18, III-28
 importing III-20
 in line III-9
 indentation III-7–III-8
 Insert Page Break III-19
 inserting pictures III-13, V-594
 justification of text III-7–III-8
 killing III-5
 linking graphs III-18
 list of V-947, V-949
 locking III-6
 magnification II-47
 making a new notebook II-40
 margins III-7
 names II-40, III-25, V-575
 NewNotebook operation V-573
 normal ruler III-9, III-11
 Notebook operation V-583–V-599
 NotebookAction operation V-599
 opening III-4
 as RTF III-21
 OpenNotebook operation V-610
 page breaks III-19
 page layouts III-18
 page numbers III-12, III-20
 page setups III-30
 paragraph properties III-7, V-588
 picture compatibility III-19
 pictures III-12, III-18–III-19, V-594
 type of III-407
 updating III-28, V-587, V-598
 plain III-3
 styles III-8
 tabs III-8
 platform-related issues III-406
 preferences III-30
 printing III-20, V-657
 programming III-25–III-30
 examples III-26
 read-only property III-10
 recreation macros III-86
 redefining rulers III-11
 references to II-22, III-4
 removing rulers III-12
 replacing text III-24
 retrieving text III-28
 RTF III-20
 Ruler pop-up menu III-11
 rulers III-6–III-8, III-11–III-12, V-588
 (see also rulers)
 fonts III-7, III-11
 names III-11
 text color III-7, III-11
 text sizes III-7, III-11
 text styles III-7, III-11
 SaveNotebook operation V-701
 saving
 as HTML III-21
 as RTF III-21
 saving pictures III-13, V-597
 scaling pictures III-14
 selections V-272, V-591
 shortcuts III-31
 showing III-5
 spacing III-7–III-8
 special character names III-13

-
- special characters III-12, V-587, V-597–V-598
 SpecialCharacterInfo function V-762
 SpecialCharacterList function V-763
 subscripts III-9
 superscripts III-9
 tab characters III-7–III-8
 tables III-18
 template files III-30
 text
 - color III-9
 - formats III-9
 - inserting V-599
 - properties V-594
 - retrieving III-28
 - sizes III-9
 - styles III-9
 text color III-9
 TEXT files III-3
 text formats III-9
 text size III-9
 text style III-9
 times III-12, III-20
 titles II-40, V-575
 transferring rulers III-12
 .txt file extension III-3
 unlocking III-6
 updating
 - pictures III-18
 - special characters III-14, V-587, V-598
 vertical offsets III-9
 window names V-907
 window titles III-12, III-20, III-25
 wintype function V-951
 WMT0 files III-3
 write-protect V-586
 write-protect icon III-6
 write-protect property III-10
 zooming II-47
 notes
 - in windows V-276
 - waves (see wave notes)
 - windows (see windows:notes)
 null
 - in strings IV-15
 num2char function V-601
 num2istr function V-601
 num2str function II-68, V-602
 number functions V-7
 (see also special numbers)
 number-to-string conversion IV-245, V-601–V-602, V-771
 NumberByKey function IV-162, V-602
 numeric expressions
 - continuation characters IV-35, IV-104
 - hexadecimal literals IV-11
 numeric formats
 - commas in tables II-190
 - dates in tables II-180, II-191
 - hexadecimal in tables II-192
 - in delimited text files II-124
 - in tables II-189
 - octal in tables II-192
 - pasting in tables II-184
 - precision in tables II-180
 - printf operation (see printf operation)
 - times in tables II-191
 numeric precision II-96
 - APMath operation V-25
 - arbitrary V-25
 - changing II-67
 - copying from table II-187
 - default for waves II-62
 - expression evaluation IV-36
 - in functions IV-31
 - in Igor Text files II-132
 - in tables II-174, II-180, II-190
 - integer expressions in user functions IV-36, IV-104
 - of calculations IV-8
 - of waves II-61, II-63, V-670, V-926, V-941
 - Redimension operation V-670
 - saving waves II-158
 numeric readout (see controls:Value Displays, Set Variables)
 numeric types IV-8
 - changing II-67
 - coercion in user functions IV-102
 - of functions IV-10
 - of waves V-926, V-941
 numeric variables II-96
 - complex II-96, V-921
 - copying II-107
 - default values V-603
 - deleting II-96
 - dependency assignments IV-215
 - global II-96, III-370–III-371, III-381–III-382, V-921
 - in operation flags V-15
 - initializing II-96, V-921
 - killing II-96, II-109
 - KillVariables operation V-411
 - MoveVariable operation V-559
 - moving to data folder II-107
 - names
 - CheckName function V-57
 - numeric type II-96
 - precision II-96
 - renaming II-107, III-444, V-676
 - Set Variable controls III-370, III-381
 - Slider controls III-371, III-382
 - UniqueName function V-907

-
- ValDisplay operation V-916–V-920
 - Variable declaration II-96, V-921
 - VariableList function V-922
 - numpnts function V-602
 - use DimSize for multidimensional waves V-139
 - numtype function V-603
 - NumVarOrDefault function V-603
 - example IV-135
 - saving parameters IV-135
 - NVAR keyword IV-60, V-603
 - /Z flag IV-62
 - automatic creation IV-65
 - automatic creation with rtGlobals IV-65
 - checking in debugger IV-199
 - example IV-64
 - failures IV-61
 - NVAR_Exists function V-604
 - use with \$ IV-57
 - use with data folders IV-64, IV-235
 - NVAR_Exists IV-61, V-604
- O**
- object list
 - Gizmo II-330–II-331
 - object references
 - FUNCREF keyword V-238
 - NVAR keyword V-603
 - STRUCT keyword V-868
 - SVAR keyword V-875
 - Wave keyword V-924
 - Object Status dialog IV-214
 - objects
 - broken objects IV-217
 - exists function V-180
 - Gizmo II-331
 - how objects relate I-3
 - in experiments II-17
 - in page layouts II-398, V-417
 - properties II-409
 - indexing in style macros IV-19
 - name spaces III-444
 - names III-443–III-445, V-417
 - instance names IV-19
 - overview I-2
 - pictures (see pictures)
 - pictures in notebooks III-18
 - updating III-28
 - Rename Objects dialog III-444
 - unique names III-444
 - octal numbers
 - in tables II-180, II-190, II-192
 - representation of II-192
 - ODBC II-160
 - ODR (see curve fitting;ODR)
 - ODRPACK95 III-207
- offscreen drawing objects III-66, III-68
 - offsetting traces in graphs II-231–II-232
 - log axes II-232
 - multipliers II-232
 - preventing II-231
 - tags III-39
 - undoing II-231
 - online help (see help)
 - only guess in curve fitting III-163
 - opacity
 - color table waves II-312
 - image plots II-312–II-313
 - in Gizmo II-341
 - in graph traces II-228
 - Open Experiment dialog II-18
 - Open File dialog IV-137, V-605
 - multi-selection V-606
 - Open File submenu II-40
 - Open operation IV-183, IV-185, V-604–V-609
 - appending V-605
 - file reference numbers V-604
 - open for appending IV-185
 - open for reading IV-185
 - paths V-604
 - reading V-605
 - symbolic paths V-605
 - writing V-605
 - OpenGL II-321
 - changes to II-382
 - GL_ constants II-383
 - OpenHelp operation V-609
 - opening
 - data files II-117
 - experiments II-18
 - files II-40, IV-185
 - notebooks III-4
 - procedure files III-352
 - RTF as notebooks III-21
 - OpenNotebook operation V-610
 - text encodings V-611
 - OpenProc operation V-612
 - text encodings V-612
 - operands IV-8
 - operation queue IV-263
 - Execute/P operation V-177
 - OperationList function V-613
 - operations IV-9
 - (see also functions)
 - bits
 - setting IV-12
 - by category V-1–V-6
 - definition I-4
 - destination waves IV-79
 - exists function V-180
 - external IV-195
 - flags

| | |
|---|---|
| expressions require parentheses V-15 in user functions IV-102 listing V-613 on functions III-272 <ul style="list-style-type: none"> differential equations III-274 minimization III-295 root finding III-290 OperationList function V-613 syntax IV-9 syntax guide V-15 trace names IV-82 operators IV-5 <ul style="list-style-type: none"> ! IV-5, IV-39 != IV-5 \$ IV-5 %^ IV-5 & IV-5, IV-39 && IV-5, IV-39 * IV-5 + IV-5 - IV-5 / IV-5 ^ IV-5 < IV-5 << IV-39 <= IV-5 = IV-5 <ul style="list-style-type: none"> and roundoff error IV-7 > IV-5 >= IV-5 >> IV-39 ? : IV-5 ~ IV-5, IV-39 IV-5, IV-39 IV-5, IV-39 addition IV-5 associativity IV-6 bitwise <ul style="list-style-type: none"> << IV-39 >> IV-39 AND IV-5–IV-6, IV-39 complement IV-39 OR IV-5–IV-6, IV-39 XOR IV-5–IV-6 comparison IV-7 complement IV-5–IV-6 conditional II-74, IV-5–IV-6 decrement IV-5, IV-40 division IV-5 equality IV-5 exponentiation IV-5–IV-6 greater than IV-5 greater than or equal IV-5 increment IV-5, IV-40 inequality IV-5 left shift IV-5, IV-40 | less than IV-5 less than or equal IV-5 logical <ul style="list-style-type: none"> AND IV-5–IV-6, IV-39 NOT IV-5, IV-39 OR IV-5–IV-6 MatrixOp operation III-136 multiplication IV-5 negation IV-5–IV-6 obsolete IV-8, IV-105 post-decrement IV-5, IV-40 post-increment IV-5, IV-40 pre-decrement IV-5, IV-40 pre-increment IV-5, IV-40 precedence IV-5, IV-7, IV-39 right shift IV-5, IV-40 strings <ul style="list-style-type: none"> substitution IV-5 subtraction IV-5 optimization (see minimization) Optimize operation V-613–V-619 optional include statements IV-156 optional parameters IV-33 <ul style="list-style-type: none"> determining usage V-621 example IV-55 options <ul style="list-style-type: none"> in operations IV-9, IV-11 OR <ul style="list-style-type: none"> bitwise operator IV-5–IV-6, IV-39 logical operator IV-5–IV-6, IV-39 Orthogonal Distance Regression (see curve fitting:ODR) orthographic projection V-663 Gizmo II-335–II-336 Otsu's method III-308 outliers <ul style="list-style-type: none"> RemoveOutliers user-defined function III-144 ovals (see drawing tools) Overlay drawing layer III-69 Override Experiment III-416 <ul style="list-style-type: none"> plain text files III-417–III-418 wave text encodings III-423 Override keyword V-619 <ul style="list-style-type: none"> user functions IV-98 overriding functions <ul style="list-style-type: none"> Override keyword V-619 |
| | P p function V-620 <ul style="list-style-type: none"> in multidimensional waves II-84–II-85, II-88 in wave assignments II-69 p2rect function V-620 packages III-355, IV-232–IV-234 <ul style="list-style-type: none"> lightweight IV-234 LoadPackagePreferences operation V-440 |

managing globals IV-234
 naming IV-237
 opening V-579
 path to folder V-764
 preferences IV-237–IV-241
 loading IV-237, V-440
 saving IV-237, V-703
 in binary files IV-237
 in experiments IV-240
 private data IV-234
 SavePackagePreferences operation V-703
 WaveMetrics IV-232
 Packages data folder IV-159, IV-234
 packages menu (see packages)
 packed experiments II-17
 adopting files II-23
 adopting files programmatically V-21
 LoadData operation II-137
 packed strings
 adding items V-20
 AddListItem function V-20
 appending items V-679–V-680
 counting items V-403
 deleting items V-671, V-674, V-676
 FindListItem function V-211
 ItemsInList function V-403
 NumberByKey function V-602
 RemoveByKey function V-671
 RemoveFromList function V-674
 RemoveListItem function V-676
 ReplaceNumberByKey function V-679
 ReplaceStringByKey function V-680
 replacing items V-679–V-680
 StringByKey function V-864
 StringFromList function V-865
 WhichListItem function V-943
 PadString function V-620
 page breaks
 in notebooks III-19
 page layouts II-389–II-410
 \$ and object names V-417
 active page II-391
 adding pages II-391
 adjusting objects II-394
 aligning
 graph axes II-401
 objects II-394
 anchors for annotations II-405
 annotation tool III-36
 annotations II-396, II-404–II-406, III-35–III-53
 (see also annotations)
 position III-42
 Appending
 objects II-399
 pictures II-407
 Appending into marquee (example) I-43

AppendLayoutObject operation V-28
 AppendToLayout operation V-32
 arranging objects II-400
 arrow tool II-394
 auto-sizing objects II-394
 background color II-390
 changing drawing layers II-393
 closing II-390
 color scale bars V-61
 ColorScale operation V-61
 compatibility with Igor6 II-391
 constrain during drag II-394
 copying objects II-395, II-403
 creating II-389
 creating from functions V-570
 Crop to Page Contents II-408
 cutting objects II-395
 default font II-406, V-126
 DelayUpdate II-396, II-400
 deleting pages II-391
 drawing (see drawing tools)
 drawing icon II-392
 drawing layers III-68
 drawing tools II-393
 dummy objects II-400
 dynamic updating II-389
 exporting II-408, V-704
 (see also exporting)
 exporting section II-395
 fidelity II-399
 frames II-396
 in notebooks III-18
 info V-418
 killing II-390
 layers II-389, II-392–II-393
 ProgBack layer II-392–II-393
 ProgFront layer II-392–II-393
 UserBack layer II-392–II-393
 UserFront layer II-392–II-393
 layout icon II-392
 Layout operation V-416
 LayoutInfo function V-418
 LayoutPageAction operation V-420
 LayoutSlideShow operation V-421
 legend position III-42
 legends II-396, II-406, V-424
 (see also legends, annotations)
 list of V-947, V-949
 magnification II-390
 making a new layout II-40
 example I-20
 margins II-391
 margins of V-421
 marquees II-395
 Misc pop-up menu II-396
 modifying annotations III-36

modifying objects II-400
ModifyLayout operation V-545–V-547
names II-399, V-417
 instance names IV-19
names and titles II-40
NewLayout operation V-570
objects II-398
 properties II-409
page setups II-391
page size II-392
page sizes II-391
page sorter II-391
pages
 LayoutPageAction operation V-420
pasting color scale annotations II-404
pasting objects II-395, II-404
pasting pictures II-404
positioning annotations II-405
preferences II-408
printing II-391–II-392, V-657
ProgBack drawing layer II-392–II-393
ProgFront drawing layer II-392–II-393
recreating II-390
recreation macros V-950
related operations V-2
relation to graphs I-3
relation to tables I-3
RemoveLayoutObjects operation V-675
removing objects from II-399, V-674–V-675
resizing objects II-394
selected pages II-391
selecting multiple objects II-394
selecting objects II-394
selections V-272
size of V-420
slideshows V-421
Stack operation V-774
stacking graphs II-401
stacking objects II-395, II-400, V-774
style macros II-409
subwindows III-85
textbox position III-42
textboxes II-396
 (see also *textboxes, annotations*)
thumbnails II-391
Tile operation V-895–V-896
tiling objects II-395, II-400, V-895–V-896
tool palette II-394–II-396
tools II-392
UserBack drawing layer II-392–II-393
UserFront drawing layer II-392–II-393
window names II-390, V-907
window titles II-390
wintype function V-951
zooming II-390

page numbers
 in notebooks III-12, III-20
Page Setup dialog
 graphs II-251, II-260
page setups
 in graphs II-251, II-260
 in notebooks III-30
 in page layouts II-391
 in tables II-204
 logical paper size V-276
 logical print table size V-276
 platform-related issues III-400
 preference in tables II-205
 settings V-658
page sorter
 in page layouts II-391
pages
 in page layouts II-391
 sizes in page layouts II-391
palette color
 TIFF files II-139
Panel subtype IV-194
 keyword V-620
PanelResolution function V-620
PanelResolution keyword III-405
panels III-394–III-396
 aborts IV-148
 as modeless dialog IV-146
 background color III-394, V-547
 ControlNameList function V-78
 default control appearance V-126
 default font V-128
 drawing (see *drawing tools*)
 drawing layers III-68
 floating III-395, V-575, V-577
 from user function IV-146
 list boxes V-428
 list of V-947, V-949
 making a new panel II-40
 ModifyPanel operation V-547
 names and titles II-40
 NewPanel operation V-575
 PauseForUser operation IV-143
 preferences III-395
 progress windows IV-144
 recreation macros V-950
 resolution of III-405
 screen dumps V-706
 shortcuts III-396
 Slider operation V-745
 subwindows III-78
 window names V-907
 wintype function V-951
panning graphs II-218
 examples I-37
 fling mode II-219

paragraph properties
 in notebooks III-7

parallel processing (see multitasking)

parameter lists
 in macros IV-111
 in user functions IV-32
 inline in user functions IV-33
 optional IV-33, IV-55, V-621

parameters
 (see also curve fitting:coefficients)

bits
 setting IV-12

complex IV-32

complex in user functions IV-104

curve fitting III-153

declaration
 in macros IV-111
 in user functions IV-32

double in user functions IV-104

expressions IV-11

for functions IV-10

for macros IV-10

in commands IV-2, IV-11–IV-20

inline in user functions IV-33

int in user functions IV-33

int64 in user functions IV-33

optional IV-33, IV-55, V-621

ParamIsDefault function V-621

pass-by-reference IV-53–IV-54

pass-by-value IV-53

saving for reuse IV-135

string IV-32

string substitution IV-17–IV-18

uint64 in user functions IV-33

waves in macros IV-113

parametric (see XY)

parametric surface plot
 data format II-365

ParamIsDefault function V-621

ParseFilePath function V-621

ParseOperationTemplate operation V-624

parsing
 liberal names IV-157

particle analysis
 images V-309

Parzen window function V-162, V-194, V-946

pass-by-reference IV-53–IV-54
 waves IV-55

pass-by-value IV-53

passwords
 in URLs IV-252–IV-253
 security IV-254
 URLRequest operation V-911

pasting
 data in tables II-174
 in page layouts II-395, II-404

 in tables II-183

path plot
 data format II-364

path plots
 Gizmo II-367

Path Properties dialog
 Gizmo II-367

Path Status dialog II-22

PathInfo operation V-625

PathList function V-626

paths
 (see symbolic paths, data folders)
 cross-platform path separators III-401
 desktop V-764
 documents V-764
 extracting V-621
 HFS V-622
 length limit under Windows III-400
 manipulating V-621
 Open operation V-604
 packages V-764
 ParseFilePath function V-621
 path separators III-404
 platform-related issues III-399
 Posix V-622
 preferences V-764
 SpecialDirPath function V-764
 temporary V-764
 to functions V-246
 UNC V-622
 UNC paths III-401
 UniqueName function V-907
 UNIX V-622
 Unix paths III-402
 user files V-764

PATTERNPOP V-649

patterns III-441

Paul wavelet transform V-118

pause Igor
 Sleep operation V-744

PauseForUser
 control panel example IV-143
 cursor example IV-140, IV-142

PauseForUser operation IV-140, V-626
 examples IV-140

PauseUpdate operation IV-115, V-627

PCA (see principle component analysis)

PCA operation V-627

pcsr function V-629

PDFs
 blurry images III-91, III-97
 embedding fonts III-93
 exporting graphics III-90, III-97
 missing PostScript fonts III-93
 Symbol font III-438
 transparency III-90, III-96–III-97

| | |
|--|--|
| peaks | |
| detection | |
| FindPeak operation III-259–III-261, V-212–V-213 | |
| Multi-peak Fit experiment III-259 | |
| Technical Notes III-259 | |
| pencil icon | |
| (see also write-protect icon) | |
| in notebooks III-6 | |
| in procedure windows III-351 | |
| percent encoding IV-253 | |
| URLRequest operation V-915 | |
| percent-encoding | |
| URL function V-910 | |
| URLDecode function V-909 | |
| percentiles | |
| smoothing III-265, V-748 | |
| performance testing IV-317, V-467 | |
| GetRTLLocation V-270 | |
| GetRTLocInfo V-271 | |
| periodic functions | |
| cos V-92 | |
| cot V-93 | |
| csc V-97 | |
| csch V-97 | |
| fresnelCos V-224 | |
| fresnelCS V-225 | |
| fresnelSin V-225 | |
| sawtooth V-709 | |
| sec V-710 | |
| sech V-710 | |
| sin V-743 | |
| sinc V-744 | |
| tan V-886 | |
| periodograms III-248 | |
| calculation V-161 | |
| permissions (see file permissions) | |
| perspective projection | |
| Gizmo II-336 | |
| phase III-243–III-244, V-939 | |
| continuous III-269 | |
| unwrapping III-243, III-327, V-376 | |
| ImageUnwrapPhase operation V-376 | |
| Unwrap operation V-909 | |
| PhotoShop files | |
| exporting V-348 | |
| file info V-316 | |
| Pi function V-630 | |
| PICTInfo function V-630 | |
| PICTList function V-630 | |
| PICTs | |
| DrawPICT operation V-155 | |
| exporting V-348 | |
| exporting file III-92, III-99, V-704 | |
| file info V-316 | |
| importing III-448–III-449 | |
| in page layouts II-407 | |
| LoadPICT operation V-441–V-443 | |
| saving V-704 | |
| HiRes V-704 | |
| PostScript V-704 | |
| picture formats III-399, III-448 | |
| picture gallery III-449 | |
| SavePICT operation V-705 | |
| Picture keyword V-631 | |
| pictures III-448–III-450 | |
| (see also Proc Pictures) | |
| aligning in notebooks III-9 | |
| cross-platform | |
| in notebooks III-406–III-407 | |
| deleting (killing) III-449 | |
| DrawPICT operation V-155 | |
| exporting tables II-205 | |
| finding in notebooks V-591 | |
| gray boxes III-399, III-449 | |
| Igor object pictures III-18 | |
| importing III-448–III-449 | |
| in annotations III-54 | |
| in independent modules IV-230 | |
| in notebooks III-12, III-18–III-19, V-587, V-591, V-594, V-597–V-598 | |
| in page layouts II-404, II-407 | |
| inserting in notebooks III-13, V-594 | |
| KillPICTs operation V-410 | |
| LoadPICT operation V-441–V-443 | |
| movies from IV-231 | |
| names III-448–III-449 | |
| CheckName function V-57 | |
| naming rules III-443 | |
| Notebook operation III-26 | |
| PICTInfo function V-630 | |
| PICTList function V-630 | |
| picture formats III-399, III-448 | |
| platform compatibility III-19 | |
| PNG (see PNGs) | |
| related functions V-12 | |
| renaming III-444, V-677 | |
| SavePICT operation V-704–V-705 | |
| saving from notebooks III-13, V-597 | |
| scaling in notebooks III-14 | |
| UniqueName function V-907 | |
| unnamed III-450 | |
| updating Igor object pictures III-28 | |
| updating in notebooks III-28 | |
| Pictures dialog III-449 | |
| pie wedge objects | |
| Gizmo II-360 | |
| pitfalls | |
| constrained curvefitting III-202 | |
| PixelFromAxisVal function V-631 | |
| pixels | |
| AxisValFromPixel function V-38 | |

image plots II-299, II-301
 in panels III-405
 inverting V-365
 logical screen dimensions III-404
 matching V-365
`PixelFromAxisVal` function V-631
`Place Picture` III-449
 plain notebooks (see notebooks:plain)
 plain text
 external text editor II-49
 plain text files
 byte order marks III-420
`Override Experiment` III-417–III-418
 text encoding conversion errors III-419
 text encodings III-417
 UTF-8 III-420
 planes
 extracting V-363, V-369
 matching V-365
 scaling V-368
 summing V-370
 summing all V-370
 platform-related issues III-398–III-407
 (see also cross-platform issues)
 backslash in file paths III-401
 procedures III-404
 experiment files III-398
 file compatibility III-398–III-399
 file extensions III-398
 file names III-400
 file paths in procedures III-404
 file system III-400
 folder names III-400
 Macintosh file type III-398
 notebook pictures III-19
 notebooks III-406
 page setup compatibility III-400
 path separators III-401
 Paths III-399
 picture compatibility III-399
 pictures in notebooks III-406–III-407
 PNG graphic format III-400
 symbolic path III-399
 text encodings III-402
 transferring files III-398–III-399
 UNC paths III-401
 Unix paths III-402
 window position III-405
 Windows file extensions
 (see also Windows OS:file extensions)
 Windows-specific III-398
`PlayMovie` operation IV-231, V-632
`PlayMovie` without QuickTime installed V-632
`PlayMovieAction` operation IV-231, V-633
`PlaySnd` operation IV-230, V-634
`PlaySound` operation IV-230, V-635

plot area in graphs II-215, III-41
 affected by annotations III-42
 plot pane
 Data Browser II-108
 plot symbols (see wave symbols)
 plots (see graphs)
 PNGs III-91
 Convert to PNG III-407
 converting to III-19, III-400
 creating III-407
 cross-platform compatibility III-400
 exporting III-400, V-348
 file info V-316
 HTML graphics III-23
 importing III-448, V-334
 in notebooks III-19
 loading II-138
 on Clipboard III-91–III-92
 PNG versus raw PNG II-138
 raw PNG files V-351
 resolution III-407
 saving V-704
`pnt2x` function V-636
 point column in tables II-187
 hiding V-552
 multidimensional waves II-196
 point number-to-x value conversion V-636
 point numbers II-58
 `BinarySearch` function V-42
 `BinarySearchInterp` function V-42
 fractional point numbers II-72
 increment II-71
 indexing II-69, II-71
 `p` function V-620
 `pnt2x` function V-636
 relation to X values II-58
 `x2pnt` function V-961
 point scaling II-59
 setting V-729
 Point structure IV-95, V-636
`point3D` filter V-316
`PointF` structure V-637
 points
 versus pixels III-404
 versus pixels in panels III-405
`Poisson window` function V-162, V-194, V-946
`poissonNoise` function V-637
 polar graph macros III-69
 polar-to-rectangular conversion V-620
 poly curve fit function
 1D V-107
 2D V-108
`poly` function V-637
`poly_XOffset` III-182, V-107
`Poly2D` curve fit function
 example III-176

| | |
|--|--|
| poly2D function V-637 | retrieving all windows II-45 |
| PolygonArea function V-638 | retrieving windows II-45 |
| polygons (see drawing tools:polygon) | window III-405 |
| polynomials | positional lights |
| 2D series function V-637 | Gizmo II-347 |
| chebyshev function V-52 | Posix paths V-622 |
| chebyshevU function V-53 | PossiblyQuoteList function IV-158 |
| curve fitting III-182, III-234–III-236 | PossiblyQuoteName function V-650 |
| two-dimensional III-184, V-346 | example IV-157 |
| FindRoots V-216 | POST method IV-261 |
| FindRoots operation V-213 | URLRequest operation V-910, V-915 |
| hermite function V-293 | poster-sized graphs II-252 |
| hermiteGauss function V-294 | PostScript |
| laguerre function V-414–V-415 | (see also EPS) |
| LaguerreA function V-415 | exporting |
| legendreA function V-424 | Macintosh OS X III-94 |
| roots of III-290 | Windows OS III-100 |
| series function V-637 | exporting file III-92, III-99 |
| x offset III-182, V-107 | fonts |
| ZernikeR function V-968 | embedding III-93, III-99 |
| pop-up menu controls | exporting |
| colors V-649 | Macintosh OS X III-93–III-94 |
| fill patterns V-649 | Windows OS III-99–III-100 |
| line styles V-649 | language level III-91, III-97 |
| marker styles V-649 | power law curve fit V-108 |
| menu items III-380 | power spectra III-248 |
| mode III-379 | power spectral density III-248 |
| programming III-379–III-381 | MultiTaperPSD operation V-561 |
| update problems V-79 | PPC (see program-to-program communication) |
| updating III-380 | pragmas IV-48 |
| using III-369 | hide III-355, IV-50 |
| value keyword III-380 | hide keyword V-294 |
| pop-up menus | IgorVersion keyword V-308 |
| CTabList function V-100 | IndependentModule IV-51, IV-224 |
| example of creating IV-149 | IndependentModule keyword V-380 |
| in macro dialogs V-664 | ModuleName IV-50, IV-222 |
| in simple input dialogs IV-133 | ModuleName keyword IV-50, V-553 |
| independent modules IV-227 | pragma keyword V-17 |
| special characters IV-125–IV-127, IV-133 | rtFunctionErrors IV-51 |
| Windows IV-126–IV-127 | rtGlobals IV-48, IV-60 |
| TraceNameList function IV-133 | (see also rtGlobals) |
| WaveList function IV-133 | rtGlobals keyword V-690 |
| popup keyword V-638 | TextEncoding pragma IV-51 |
| in Prompt statements IV-133 | version IV-50 |
| PopupContextMenu | version keyword V-923 |
| example IV-149 | pre-decrement operator IV-5, IV-40 |
| popupcontextualmenu V-639 | pre-increment operator IV-5, IV-40 |
| PopupContextMenu operation V-639 | precedence |
| PopupMenu operation III-379–III-381, V-644 | in conditional statements IV-39 |
| value keyword III-380, V-646 | of operators IV-5, IV-7 |
| PopupMenuControl subtype IV-194, V-646 | precision (see numeric precision) |
| keyword V-650 | precomposed characters |
| Portable Network Graphics (see PNGs) | Unicode V-582 |
| position | predefined symbols IV-101 |
| managing windows II-44 | prediction bands |
| moving windows to preferred II-44 | for curve fitting III-196 |

preemptive multitasking (see multitasking)
preferences III-454–III-455
(see also Miscellaneous Settings dialog)
auto-trace destination waves III-169
capturing III-454–III-455
category plots II-275
column styles II-205
command window II-12
contour plots II-293–II-294
Curve Fitting dialog III-174
dashed lines III-440
Data Browser II-111
directory III-454
graphs II-260–II-261, II-275, II-293, II-315
Igor Pro 7.ini file III-454
image plots II-315–II-316
in page layouts II-408
in procedure windows III-360
in procedures IV-192, V-651
load waves (example) II-153
notebooks III-30
packages IV-237–IV-241
 loading IV-237, V-440
 saving IV-237, V-703
 in binary files IV-237
 in experiments IV-240
path to folder V-764
Preferences operation IV-192, V-651
tables II-205
using III-454
vs style macros II-262–II-263
wave styles II-260
XY Plots II-260
Preferences operation IV-192, V-651
 example IV-193
Prewitt compass gradient filters V-315
PrimeFactors operation V-651
principle component analysis V-627
Print operation V-652
 structure elements V-652
Print Preview
 for graphs II-251
printers
 listing available V-658
printf operation IV-244–IV-246, V-653–V-655
 conversion specifications IV-245, V-653–V-655
 engineering units V-655
 WaveMetrics extension V-655
PrintGraphs operation V-655–V-656
printing
 (see also HP printers, LaserWriter)
 Gizmo II-376
 graphs II-251–II-252, II-260
 notebooks III-20
 page layouts II-391–II-392
 page setup (see Page Setup dialog)

poster-sized graphs II-252
Print dialog (see Print dialog)
PrintSettings operation V-658
procedure windows III-358
related operations V-6
resolution (see resolution)
selection from table II-204
settings V-658
structure elements V-652
tables II-204, V-661
text operations (see text operations)
 to history area V-652–V-653
PrintLayout operation V-657
PrintNotebook operation V-657
 example III-27
PrintSettings operation V-658
PrintTable operation V-661
private
 static functions IV-96
privileges (see file permissions)
problems II-4
Proc keyword IV-110, V-661
Proc Pictures IV-53
 creating IV-53
 global IV-53, V-663
 ProcGlobal keyword IV-53, V-663
 using in commands IV-53
procedure declarations
 End keyword V-171
 EndMacro keyword V-171
 Function keyword V-239, V-870
 Macro keyword V-463
 Picture keyword V-631
 Proc keyword V-661
 Window keyword V-945
procedure files III-350
 adopting II-23, III-357
 adopting all II-24
 adopting programmatically V-21
 auxiliary III-350, III-352
 creating III-351–III-352
 cross-platform issues III-404
 easy access III-355
 external text editor II-49
 global III-350, III-353
 hidden III-355
 changes in Igor functionality III-356
 creating III-356
 hiding IV-50
 Igor Pro User Files folder III-353–III-354
 in experiments II-18, III-350, III-352, III-354,
 III-357
 include statements III-354
 inserting text III-357
 invisible III-355
 changes in Igor functionality III-356

-
- creating III-356
 - lock icon III-351
 - locking III-351
 - opening III-352
 - packages III-355
 - read-only III-351
 - references to II-22
 - rtGlobals automatic in new III-352
 - shared III-350, III-352, III-354
 - TextEncoding pragma IV-51
 - unlocking III-351
 - UTF-8 IV-52
 - version control IV-155
 - versions IV-50
 - procedure subtypes
 - ButtonControl keyword V-48
 - CameraWindow keyword V-48
 - CheckBoxControl keyword V-56
 - CursorStyle keyword V-105
 - FitFunc keyword V-219
 - GizmoPlot keyword V-279
 - Graph keyword V-280
 - GraphMarquee keyword V-280
 - GraphStyle keyword V-280
 - GridStyle keyword V-289
 - Layout keyword V-418
 - LayoutMarquee keyword V-420
 - LayoutStyle keyword V-423
 - ListBoxControl keyword V-436
 - Panel keyword V-620
 - PopupMenuControl keyword V-650
 - SetVariableControl keyword V-49, V-733
 - SliderControl keyword V-748
 - TabControl keyword V-879
 - Table keyword V-879
 - TableStyle keyword V-879
 - procedure windows III-350–III-363
 - built-in III-350
 - CloseProc operation V-59
 - closing III-353
 - closing programmatically V-59
 - color III-359
 - executing commands from III-4
 - experiment recreation macros II-25
 - finding text III-358
 - fonts III-359
 - footers III-359
 - headers III-359
 - hiding III-353
 - HideProcedures operation V-295
 - include statements IV-155
 - indentation III-359
 - independent modules IV-225
 - initialization commands II-25
 - killing III-353
 - magnification II-47
 - making a new procedure window II-40
 - names and titles II-40
 - new window (example) I-61
 - OpenProc operation V-612
 - preferences III-360
 - printing III-358
 - procedures navigation bar III-351
 - replacing text III-358
 - rtGlobals statements IV-60
 - showing III-352
 - DisplayProcedure operation V-143
 - syntax coloring III-359
 - templates III-351
 - text sizes III-359
 - text styles III-359
 - write-protect icon III-351
 - zooming II-47
- procedures
- (see also macros, user functions)
 - aborting IV-45, IV-47, IV-103, V-18–V-19, V-907
 - auto-compiling III-358, IV-24
 - bitwise and logical operators IV-39
 - case statements IV-41
 - Constant keyword V-69
 - Strconstant keyword V-863
 - comparisons IV-38
 - compiling III-351, IV-24
 - creating III-351
 - cross-platform issues
 - file extensions III-404
 - file types III-404
 - debugger IV-198–IV-211
 - debugging
 - (see also debugger)
 - using print statements IV-198
 - enabling preferences IV-192
 - experiment initialization commands IV-193
 - experiment recreation II-24
 - file path separators III-404
 - finding III-351, III-358
 - for controls (see controls:action procedures)
 - global IV-23
 - Igor Procedures IV-23
 - include statements IV-155
 - indentation IV-24
 - IndependentModule keyword V-380
 - local variable declaration IV-34
 - logical operators IV-6
 - loops IV-42
 - MacroList function V-463
 - menu definitions IV-118–IV-130, V-45
 - ModuleName keyword IV-50, V-553
 - names IV-31
 - operation queue IV-263
 - organizing IV-22–IV-23
 - overview I-5

parameter declarations IV-32
 parameter lists IV-32
 parameters IV-10
 pause for user IV-140
 PauseForUser operation V-626
 ProcedureText function V-662
 processing lists of waves IV-187–IV-190
 programming with liberal names
 IV-157–IV-158
 retrieve code
 ProcedureText function V-662
 saving parameters for reuse IV-135
 scanning IV-24
 subtypes IV-32, IV-193–IV-194
 switch statements IV-41
 Constant keyword V-69
 Strconstant keyword V-863
 User Procedures IV-23
 using cursors IV-150
 using marquee menus IV-151
 using polygons for input IV-151
 utility procedures IV-23
 WaveMetrics Procedures IV-23
 writing utility procedures IV-156
 procedures navigation bar III-351
 ProcedureText function V-662
 ProcGlobal keyword IV-53, V-663
 independent modules IV-224
 pop-up menus IV-228
 regular modules IV-222
 profiling IV-317
 GetRTLocation V-270
 GetRTLocInfo V-271
 ProgAxes drawing layer III-68
 (see also drawing tools:layers)
 ProgBack drawing layer III-68
 in page layouts II-392–II-393
 ProgFront drawing layer III-68–III-69
 in page layouts II-392–II-393
 program name
 under Windows III-398
 programming
 (see also macros, procedures, user functions)
 analysis procedures III-142–III-148
 annotations III-52
 AppleScript execution V-177
 closing files IV-184
 commands IV-2–IV-20
 conditional compilation IV-100
 controls III-372–III-394
 DDEExecute function V-122
 DDEInitiate function V-122
 DDEPokeString function V-123
 DDEPokeWave function V-123
 DDERequestString function V-124
 DDERequestWave function V-124
 DDEStatus function V-124
 DDETerminate function V-125
 debugging IV-198–IV-212
 displaying help topics V-142
 drawing tools III-69–III-73
 examples III-143–III-148
 Execute operation V-176
 Execute/P operation V-177
 ExecuteScriptText operation V-177
 files IV-183
 (see also files, text operations)
 finding files IV-184
 functions
 user-defined IV-30–IV-106
 generating notebook commands III-29
 GetRTStackInfo function V-271
 interaction IV-132–IV-151
 keywords
 #define V-16
 #if-#elif-#endif V-16
 #endif V-16
 #endif-#endif V-17
 #ifndef-#endif V-17
 #include V-17
 #pragma V-17
 #undef V-18
 Constant V-69
 DoPrompt V-146
 hide V-294
 IgorVersion V-308
 IndependentModule V-380
 Menu V-505
 ModuleName IV-50, V-553
 Override V-619
 popup V-638
 ProcGlobal V-663
 Prompt V-664
 root V-690
 rtGlobals V-690
 Static V-775
 Strconstant V-863
 Submenu V-872
 TextEncoding V-890
 version V-923
 loading files in folder (example) II-155
 loading waves II-151
 examples II-151, II-154
 macros IV-108–IV-116
 menus IV-118–IV-130
 notebooks III-25–III-30
 examples III-26
 opening files IV-184
 overview I-7, IV-22–IV-25
 predefined symbols IV-101
 related functions V-11
 related operations V-4

retrieving text from notebooks III-28
 runtime stack information V-271
 SetIgorOption operation V-727
 syntax coloring III-359
 techniques IV-155–IV-196
 text encodings III-429
 Unicode III-429
 updating in notebooks III-28
 user interaction IV-132–IV-151
 user-defined functions IV-30–IV-106
 UTF-8 III-429
 waves as parameters III-142
 writing to text files IV-185
 programming keywords
 (see also keywords)
 progress windows IV-144
 Project operation V-663
 projections
 Gizmo II-335
 Project operation V-663
 Prompt statements V-664
 help for IV-136
 in macros IV-113
 in user functions IV-132
 location of IV-135
 pop-up menus IV-133
 proportional weighting
 curve fitting III-173
 prototype functions IV-98
 Provide Wave Names II-124, II-130
 proxy servers IV-261
 URLRequest operation V-913
 Pseudo-Coifman wavelet transform V-166
 pseudorandom numbers
 LinearFeedbackShiftRegister operation V-425
 pseudorandom sequences
 LinearFeedbackShiftRegister operation V-425
 public functions (see static functions)
 pulse measurements
 EdgeStats operation III-258
 FindLevel operation V-209–V-210
 FindLevels operation V-210–V-211
 FindPeak operation V-212–V-213
 PulseStats operation III-259
 pulse statistics
 EdgeStats operation V-167
 PulseStats operation V-665
 PulseStats operation V-665–V-666
 NaN results V-666
 PUT method
 URLRequest operation V-910
 PutScrapText operation V-666

Q
 q function V-667
 in multidimensional waves II-84–II-85, II-88
 qcsr function V-667
 Qt
 graphics technology III-445
 SVG III-446
 quad objects
 Gizmo II-351
 quadric objects
 Gizmo II-379
 qualified names IV-222
 independent modules IV-224–IV-225
 triple names IV-228–IV-229
 Quartz
 font embedding III-93
 graphics technology III-446
 quaternion
 Gizmo II-340
 multiplication II-341
 queues
 multitasking IV-309
 quick append II-260
 QuickTime IV-230
 file info V-316
 movies IV-231
 QuickTime files
 exporting V-348
 QuickTime movies
 NewMovie operation V-571
 related operations V-5
 quit Igor hook function IV-274
 Quit operation V-668
 Quit Scan button IV-114
 quotation marks
 for liberal names III-444
 in delimited text files II-126
 saving text waves II-160

R
 r function V-668
 in multidimensional waves II-84–II-85, II-88
 r2polar function V-668
 example II-74
 radio button controls
 programming III-376
 using III-369
 random functions
 enoise V-171
 gnoise V-279
 LinearFeedbackShiftRegister operation V-425
 Mersenne Twister V-171, V-279, V-728
 SetRandomSeed operation V-728
 ranges (see subranges)

ranges of interest
 curve fitting to III-170
 example III-170
 in Duplicate Waves dialog II-65
 using cursors in graphs II-248
ratio of integers V-668
RatioFromNumber operation V-668
raw PNG II-138
read-only
 notebooks III-10
ReadVariables operation V-670
real
 columns in tables II-176
 suffix in tables II-176
real component function V-670
real function V-670
 example II-74
real number type II-61
recalculation (see dependency assignment)
Recent Colors III-440
Recent Windows submenu II-41
recreating
 graphs II-261–II-262
 page layouts II-390
 tables II-176
recreation macros II-42–II-43, II-261, V-950
 deleting II-43
 DoWindow operation V-147
 Gizmo II-383
 notebook subwindows III-86
Rect structure IV-95, V-669
rectangles (see drawing tools, annotations,
 markers)
rectangular-to-polar conversion V-668
RectF structure V-669
rectification
 images V-329
Redefine Ruler from Selection III-12
redefining
 rulers III-11
Redimension operation II-67, II-89–II-90, V-670
Redimension Waves dialog II-67
 from tables II-201, II-203
redirects
 URLRequest operation V-912
references
 convolution V-87
 curve fitting III-236, V-114
 to files and folders II-22
 to global procedure files III-353
 to Igor Binary files II-23, II-136–II-137
 why it's bad II-137
 to notebooks III-4
 to procedure files III-352, III-354
reflection
 Gizmo II-345

region of interest III-331
 (see also image analysis)
creating V-318
creating ROI wave III-331
example V-319
masking V-313
objects V-318
statistics V-356
regression (see curve fitting, smoothing)
regular expressions IV-164–IV-183
 alternation IV-172
 assertions IV-179–IV-181
 lookahead IV-179
 lookbehind IV-180
 multiple IV-180
 atomic grouping IV-177
 back references IV-178
 backslashes IV-167–IV-170
 generic character types IV-169
 nonprinting characters IV-168
 simple assertions IV-170
 brackets IV-171
 character classes IV-167, IV-171
 characters
 circumflex IV-170
 dollar IV-170
 dot IV-171
 newline IV-173
 period IV-171
 vertical bar IV-172
 circumflex character IV-170
 comments IV-182
 dollar character IV-170
 dot character IV-171
 full stop IV-171
 greedy IV-176
 Grep operation IV-165, V-282
 GrepList function V-289
 GrepList operation IV-165
 GrepString function IV-165, V-289
 match option settings IV-173
 metacharacters IV-166
 newline IV-173
 period character IV-171
 possessive qualifiers IV-177
 POSIX character classes IV-171
 quantifiers IV-175
 recursive patterns IV-182
 references IV-183
 repetition IV-175
 SplitString function V-769
 SplitString operation IV-165
 subpatterns IV-175
 conditional IV-181
 named IV-175
 subroutines IV-183

vertical bar character IV-172
regular expressions)
Regular Modules
 ProcGlobal keyword IV-222
regular modules IV-222
 control action procedures IV-223
 hook functions IV-223
 qualified names IV-222
 user-defined menus IV-224
 within independent modules IV-228
related topics (see help:related topics)
relative data folder paths (see data folders)
remainder function V-508
Remove Columns dialog II-177
Remove from Graph dialog II-216
Remove Objects dialog II-399
Remove operation V-671
Remove Ruler dialog III-12
RemoveByKey function V-671
RemoveContour operation V-672
RemoveEnding function V-672
RemoveFromGizmo operation V-673
RemoveFromGraph operation V-673
RemoveFromLayout operation V-674
RemoveFromList function V-674
RemoveFromTable operation V-674
RemoveImage operation V-675
RemoveLayoutObjects operation V-675
RemoveListItem function V-676
RemoveNaNsXY function III-108
RemoveOutliers function III-144
RemovePath operation V-676
Rename Objects dialog II-67, III-444
Rename operation V-676
 renaming waves II-67
RenameDataFolder operation V-677
RenamePath operation V-677
RenamePICT operation V-677
RenameWindow operation V-677
renaming
 (see also names)
 waves in tables II-169, II-174
 with Data Browser II-107
ReorderImages operation V-678
reordering traces II-228
ReorderTraces operation V-678
repeat end effect method III-268
Replace Text dialog III-24
replace-paste II-183
ReplaceNumberByKey function V-679
ReplaceString function V-680
ReplaceStringByKey function V-680
ReplaceText operation V-681
ReplaceWave operation V-681
 examples II-106, II-216
replacing
 in notebooks III-24
 in tables II-186
 replace text shortcut III-24
 table values II-186
 text in multiple windows II-49
 text in procedure windows III-358
 text using find bar II-48
 traces in graph II-106
Resample operation V-682–V-688
reserved characters
 in URLs IV-253
residuals in curve fitting III-158, III-189
resolution
 of panels III-405
 screen III-446
restoring
 images V-347
ResumeUpdate operation IV-115, V-688
Retina
 graphics technology III-446
Retina displays III-446
Retry button IV-114
Return key
 in tables II-178
return keyword V-688
return statements
 in macros IV-112
 in user functions IV-35
reverse fast Fourier transforms (see IFFTs)
Reverse operation V-688
reverting
 experiments II-20
RGB conversions
 cmap2rgb V-361
 CMYK2RGB V-361
 hsl2rgb V-364
 rgb2gray V-366
 rgb2hsl V-366
 rgb2i123 V-367
 rgb2xyz V-367
 xyz2rgb V-371
RGB images
 exporting V-351
 TIFF files II-139
RGB waves II-312–II-313
 color tables II-312
RGBA
 in Gizmo II-341
RGBA images
 exporting V-351
 TIFF files II-139
RGBA waves II-312–II-313
 color tables II-312
RGBAColor structure V-689
RGBColor structure IV-95, V-689

ribbon plot
 data format II-364
 ribbon plots
 Gizmo II-373
 Rich Text Format (see RTF)
 Richardson-Lucy deconvolution V-347
 Riemann window function V-162, V-194, V-946
 Riemann zeta function V-967
 right-shift operator IV-5, IV-40
 rightx function V-689
 risetime measurements III-258–III-259
 Robert's row and column edge detector V-315
 ROI (see region of interest)
 Romberg integration V-388
 root data folder (see data folders:root)
 root keyword V-690
 roots
 finding III-290–III-295
 FindRoots operation V-213
 of nonlinear 1D functions III-291
 of nonlinear 2D functions III-293, III-295
 of polynomials III-290
 references III-301
 Rotate dialog III-268
 Rotate operation III-268, V-690
 X scaling change III-268
 Rotate to Match II-330
 rotated text III-62
 rotating
 annotations III-41
 drawn objects III-62
 rotation
 Gizmo II-330, II-338
 arrow keys II-338
 mouse wheel II-338
 rotation tool
 Gizmo II-329
 round function V-690
 rounded rectangles (see drawing tools)
 rounding
 integer wave calculations IV-8
 rounding functions V-7
 abs V-19
 cabs V-48
 ceil V-49
 floor V-219
 mod V-508
 round V-690
 sign V-743
 trunc V-906
 roundoff error IV-7
 and equality operator IV-7
 row column in tables
 hiding V-552
 row indices
 in tables II-195
 row labels
 in delimited text files II-124
 row numbers
 p function V-620
 row position waves
 in delimited text files II-125
 row-major order II-90, V-253
 rows
 extracting V-363
 flipping V-362
 in multidimensional waves II-84, II-87
 in waveform data II-57
 maximum location V-936
 minimum location V-936
 relation to X values II-58
 summing all V-369
 RRect radius drawing setting III-63
 RTF
 margins III-7
 notebooks III-20
 opening notebooks III-21
 saving notebooks III-21
 rtFunctionErrors pragma IV-51
 rtGlobals IV-48, IV-60
 automatic in new procedure files III-352, IV-60
 compatibility mode IV-105
 converting to rtGlobals=1 IV-106
 pragma keyword V-690
 rtGlobals=0 IV-106
 rtGlobals=1 IV-60–IV-62
 rtGlobals=2 IV-105
 strict wave reference mode IV-70
 rulers
 (see also notebooks:rulers)
 creating derived rulers III-12
 creating new rulers III-11
 finding where used III-12
 fonts in notebooks III-7, III-11
 HTMLCode III-23
 in notebooks III-6–III-8, III-11–III-12
 names III-11
 naming rules III-443
 redefining III-11
 removing III-12
 Ruler pop-up menu III-11
 text color in notebooks III-7, III-11
 text sizes in notebooks III-7, III-11
 text styles in notebooks III-7, III-11
 transferring III-12
 Runge–Kutta–Fehlberg method V-394
 runtime lookup of globals IV-60–IV-62
 converting from direct reference IV-106
 example IV-64
 failures IV-61
 runtime stack
 information about V-271

runtime vs compile time IV-58

S

s function V-691
 in multidimensional waves II-84–II-85, II-88
 S_variables
 in macros IV-115
 in user functions IV-56
 S_aliasPath V-260
 S_BrowserList II-111
 S_columnWidths V-75
 S_creator V-260
 S_CursorAInfo IV-317
 S_CursorBInfo IV-317
 S_dataFolder V-75, V-273
 S_Filename V-229
 S_fileName IV-137, V-88, V-90, V-96, V-226, V-253,
 V-336, V-404, V-454, V-508, V-555–V-556,
 V-595, V-597, V-606, V-760, V-914, V-964
 loading waves (example) II-151
 LoadWave operation II-151
 Open operation V-605–V-606, V-608
 S_fileType V-260
 SFileVersion V-260
 S_graphName V-265
 S_headers V-914
 S_Info III-204
 S_info V-101, V-196, V-226, V-442, V-457–V-458,
 V-635, V-725, V-760
 S_marqueeWin V-267
 S_name V-129, V-133, V-141, V-169, V-270,
 V-570–V-571, V-576, V-580, V-591, V-595,
 V-597
 S_path V-88, V-90, V-96, V-134–V-135, V-226, V-253,
 V-259, V-336, V-404, V-454, V-508,
 V-555–V-556, V-625, V-697, V-722, V-760,
 V-964
 LoadWave operation II-151
 S_recreation V-74, V-151
 S_selection V-273, V-640–V-642
 S_serverResponse V-914
 S_SoundInName V-758
 S_traceName V-265
 S_TraceOffsetInfo V-532
 S_UserData V-74
 S_Value V-704
 S_value V-38, V-74–V-75, V-77, V-177, V-265,
 V-275–V-277, V-283–V-284, V-649, V-658,
 V-769, V-964
 S_waveNames V-253, V-336, V-404, V-454, V-508,
 V-760, V-771, V-964
 loading waves (example) II-151
 LoadWave operation II-151
 S_worksheetName V-964
 Save and then kill button III-5
 save as template II-20
 Save Delimited Text dialog II-156, II-159
 Save EPS File dialog III-92, III-99
 for page layouts II-408
 Save Experiment dialog II-17
 Save File dialog IV-139, V-606
 Save Graphics
 pictures in notebooks III-13
 Save operation V-691
 Save PICT File dialog III-92, III-99
 for page layouts II-408
 save save II-28
 Save Waves submenu II-156
 SaveData operation V-695
 SaveExperiment operation V-698
 SaveGraphCopy operation V-699
 SaveNotebook operation V-701
 text encodings V-701
 SavePackagePreferences operation V-703
 SavePICT operation V-704
 PictGallery V-705
 Gizmo II-377
 SaveTableCopy operation V-707
 saving
 pictures from notebooks V-597
 saving data
 SaveData operation V-695
 saving experiments II-17–II-18, II-28
 errors II-28
 SaveExperiment operation V-698
 Spotlight II-28
 saving graphs
 save graph copy II-252
 SaveGraphCopy operation V-699
 with waves II-252, V-699
 saving notebooks
 as HTML III-21
 as RTF III-21
 SaveNotebook operation V-701
 saving pictures
 from notebooks III-13
 saving tables
 save table copy II-204
 SaveTableCopy operation V-707
 saving waves II-156–II-160
 64-bit capable wave record II-35
 appending II-158
 archiving V-695
 as image files II-159
 BigWaveLoadMode II-35
 carriage return II-160
 column labels II-158
 delimited text files II-156
 escape characters II-160
 FBinWrite operation V-188
 from Data Browser II-109

general text files II-158
 GIS files II-159
 graphics V-348
 Igor Binary files II-159
 Igor Text files II-158
 images V-348
 ImageSave operation V-348
 linefeed II-160
 MaxBytesReadingWave II-35
 multidimensional waves II-160, V-693
 numeric precision II-158
 quotation marks II-160
 row labels II-158
 Save operation V-691
 SaveData operation V-695
 saving huge waves II-35
 table formatting V-692
 tabs II-160
 text encodings II-160
 text waves II-160
 use table formatting II-158
 UseNewDiskHeaderBytes II-35
 UseNewDiskHeaderCompress II-35
 wfprintf operation V-942
 with graphs II-252, V-699
 Savitzky-Golay smoothing III-263, V-748
 sawtooth function V-709
 ScaleToIndex function V-709
 scaling (see dimension scaling)
 scaling pictures
 in notebooks III-14
 in page layouts II-394
 with drawing tools III-62
 scanning
 procedures IV-24
 scatter plot (see also 3D scatter plot)
 Scatter Properties dialog
 Gizmo II-369
 schemes
 in URLs IV-252
 URLRequest operation V-910
 scientific notation
 axis labels II-247
 prevention in graph labels II-248
 tick mark labels II-237
 forcing II-239
 scientific numeric format
 in tables II-190
 screen
 dimensions, platform-related III-404
 resolution III-446
 resolution of panels III-405
 screen dumps V-706
 screen preview
 for EPS III-91, III-97
 ScreenResolution function V-710
 scripts
 calling Igor from IV-251
 scroll wheel (see mouse wheel)
 scrolling graphs (examples) I-37
 Search Backwards III-24
 Search Selected Text Only III-24, III-358
 searching
 Igor files II-3
 searching (see finding V-10
 sec function V-710
 sech function V-710
 Secs2Date function V-710
 Secs2Time function V-711
 Secure Socket Layer IV-261
 security
 for passwords IV-254
 Select All
 in Modify Columns dialog II-188
 in tables II-178
 Select Control III-372
 Select Current Folder button II-27
 selected pages
 in page layouts II-391
 selecting
 cells in tables II-178, V-272
 controls III-372
 drawing objects III-62
 multiple controls III-372
 objects in page layouts V-272
 Select All in tables II-178
 text in notebooks V-272
 SelectNumber function V-712
 SelectString function V-712
 Send to Back II-394
 serial port
 data acquisition IV-291
 series III-104
 SumSeries operation V-873
 Set as f(z) dialog II-228
 Set Text Format dialog III-9
 Set Variable controls
 (see also SetVariable operation)
 programming III-381–III-382
 SetActiveSubwindow operation V-713
 SetAxis operation V-713
 SetBackground operation IV-217, IV-302, V-714
 SetDashPattern operation V-714
 SetDataFolder operation V-715
 SetDimLabel operation V-715
 SetDrawEnv operation III-70, V-716–V-719
 (see also Modify Draw Environment dialog)
 grouping with gstart and gstop III-70
 save III-70
 SetDrawLayer operation III-70, V-720
 SetEnvironmentVariable function V-720
 SetFileFolderInfo operation V-721

SetFormula operation IV-217–IV-218, V-723
SetIgorHook operation V-724
SetIgorMenuMode operation V-726
SetIgorOption operation V-727
 enable debugger for independent modules
 IV-225
 PanelResolution keyword III-405
 Procedure Window submenu IV-225
 syntax coloring III-359
SetMarquee operation V-727
SetProcessSleep operation V-727
SetRandomSeed operation V-728
SetScale operation V-728–V-729
 (see also X scaling, X units)
 dates V-729
 setting X scaling II-58
SetVariable operation III-381–III-382, V-729–V-733
 example IV-146
 formatted text III-53
SetVariableControl subtype IV-194, V-732
 keyword V-49, V-733
SetWaveLock operation V-733
SetWaveTextEncoding operation III-427, V-733
SetWindow operation V-739
SGI files
 exporting V-348
 file info V-316
SHA-224 hash algorithm V-292
SHA-256 hash algorithm V-292
SHA-384 hash algorithm V-292
SHA-512 hash algorithm V-292
shading
 Gizmo II-346
shading (see error shading)
shapefiles II-150, II-159
Shapiro-Wilk test V-845
shared procedure files III-350, III-354
 Igor Pro User Files folder III-354
sharing (see references:to Igor Binary files)
Shen–Castan edge detector V-315
Shift JIS text encoding III-410–III-411, III-430
 backslash characters III-434
 history area III-420
Shift-Escape
 aborting procedures IV-47
shininess
 Gizmo II-343, II-345, II-384
shoelace algorithm V-638
short date
 in notebooks III-12
shortcuts
 axes II-265–II-266
 command window II-13
 contour plots II-295–II-296
 controls III-396
 CreateAliasShortcut operation V-95
 creating V-95
 data browser II-113
 debugger IV-211
 drawing tools III-73
 graphs II-265–II-266, II-296, II-316, III-396
 help II-5
 Igor Tips II-5
 image plots II-316
 page layouts II-410
 panels III-396
 procedure windows III-362
 templates II-5, III-351
 traces II-265–II-266
 windows II-53
Show Axis Cue II-329
Show Default Text Encoding III-415
show events
 window hooks IV-284
Show Experiment Info III-415
Show Igor Pro User Files III-450
Show Info II-248
Show Multivariate Functions
 in Curve Fitting dialog III-174
Show Tools III-61
ShowIgorMenus operation V-741
ShowInfo operation V-742
showing
 notebooks III-5
 procedure windows III-352
 DisplayProcedure operation V-143
ShowTools operation V-742
shrinking graphs II-218
sigmoid curve fit V-108
sign function V-743
sign of a wave V-940
signal processing III-239–III-261
 continuous wavelet transform III-251, V-116
 convolution III-253
 Convolve operation V-85
 correlation III-255
 CWT operation V-116
 decimating III-129, V-682
 discrete wavelet transform III-252, V-166
 down-sampling V-682
 DPSS operation V-150, V-561
 DSP support procedures III-243
 DSPDetrend operation V-161
 DSPPeriodogram operation V-161
 DWT operation V-166
 FFT III-239
 FFT operation V-190
 FilterFIR operation V-197–V-200
 FilterIIR operation V-200–V-206
 Hanning operation V-292
 Hanning window III-246
 Hilbert transform III-249

-
- HilbertTransform operation V-296
 - IFFT operation V-305
 - IIR filters V-200–V-206
 - coefficients, designing V-205
 - ImageWindow operation V-378
 - interpolating V-682
 - LombPeriodogram operation V-460
 - lowpass filtering V-682
 - magnitude III-243
 - operations V-3
 - periodograms III-248, V-161, V-460
 - phase III-243
 - power spectra III-248
 - Resample operation V-682–V-688
 - Rotate operation V-690
 - SmoothCustom operation V-752
 - time frequency analysis III-249
 - trend removal V-161
 - Unwrap operation V-909
 - up-sampling V-682
 - Wigner transform III-250
 - WignerTransform operation V-944
 - windowing III-244, V-161
 - significant digits
 - (see also numeric precision)
 - in tables II-190
 - Silent operation IV-114, V-743
 - compatibility mode IV-105, V-743
 - simple input dialog IV-132
 - Help button IV-133
 - help for IV-136
 - pop-up menus IV-133
 - saving parameters for reuse IV-135
 - simulated annealing V-613, V-617
 - sin (sine) curve fit V-107
 - sin function V-743
 - sin of a wave V-940
 - sinc function V-744
 - single precision V-670
 - (see also numeric precision)
 - single-precision floating point II-61
 - single-stepping in debugger IV-201
 - singular value decomposition III-153, III-234, V-501
 - MatrixInverse operation V-476
 - singularities in curve fitting III-233
 - sinh function V-744
 - size
 - expanding windows to full II-45
 - managing windows II-44
 - moving windows to preferred II-44
 - skeleton
 - ImageSkeleton3D operation V-356
 - skewness of wave V-936
 - 2D V-358
 - Skip this block button II-130
 - Skip this Path button II-27
 - Skip this Wave button II-25
 - skipping lines
 - in delimited text files II-126
 - in general text files II-130
 - Sleep operation V-744
 - slices
 - in tables II-196
 - Slider controls III-371, III-382
 - Slider operation V-745
 - Slider operation V-745
 - SliderControl subtype IV-194
 - keyword V-748
 - slideshows
 - page layouts V-421
 - sliding average V-748
 - Slow operation IV-114, V-748
 - Smooth operation V-748–V-752
 - SmoothCustom operation III-267, V-752
 - smoothing III-261–III-268
 - (see also cubic spline)
 - binomial III-262, V-748
 - box III-264, V-748
 - convolution III-267
 - custom coefficients III-267, V-197, V-200
 - end effects III-268
 - FilterFIR operation V-197–V-200
 - FilterIIR operation V-200–V-206
 - gaussian III-262, V-748
 - in image plots V-544
 - Least Squares Polynomial III-263, V-748
 - locally-weighted regression V-454
 - loess III-266
 - Loess operation V-454
 - LOWESS III-266, V-454
 - median III-109, III-265
 - nonparametric regression V-454
 - percentile III-265
 - percentiles V-748
 - polynomial V-748
 - Savitzky-Golay III-263, V-748
 - Smooth operation V-748–V-752
 - SmoothCustom operation V-752
 - WavesAverage user-defined function III-146
 - smoothing spline interpolation III-110
 - algorithm III-113
 - parameters III-113
 - snapshots V-706
 - SndLoadSaveWave XOP II-150
 - SndSaveWave operation II-160
 - Sobel edge detector V-315
 - Sort operation III-126, V-753
 - SortColumns operation V-754
 - sorting III-126–III-128
 - description of III-126
 - file lists V-383
 - guided tour (example) I-50

index sort III-127–III-128
 index wave applications III-127
 IndexSort operation III-127–III-128, V-384
 MakeIndex operation III-127–III-128, V-465
 many waves III-128
 multiple keys III-127
 Reverse operation V-688
 simplest case III-126
 Sort operation III-126, V-753
 SortColumns operation V-754
 SortList function V-755
 text III-126

- case-sensitive III-126
- example III-127

 unsorting III-127
 XY data III-126
 SortList function V-755

- sorting file lists V-383

 sound

- WAVE files V-761

 SoundInRecord operation V-756
 SoundInSet operation V-757
 SoundInStartChart operation V-757
 SoundInStatus operation V-758
 SoundInStopChart operation V-758
 SoundLoadWave operation V-759
 sounds

- AddMovieAudio operation V-21
- AIFF files V-761
- Beep operation V-38
- input IV-230
- NewMovie operation V-571
- output IV-230
- PlaySnd operation V-634
- PlaySound operation V-635
- recording from microphone IV-291
- related operations V-5
- SndLoadWave XOP II-150
- SndSaveWave operation II-160
- SoundInRecord operation V-756
- SoundInSet operation V-757
- SoundInStartChart operation V-757
- SoundInStatus operation V-758
- SoundInStopChart operation V-758
- SoundLoadWave operation V-759
- SoundSaveWave operation II-159, V-761

 SoundSaveWave operation II-159, V-761
 source waves

- in wave assignment II-69
- subranges of II-71

 spaces

- as delimiters II-126
- in delimited text files II-126
- in fixed field text files II-126–II-127
- in general text files II-128
- in text data columns II-125

spacing

- in notebooks III-7–III-8

 sparse data

- converting to matrix II-280

 sparse matrices

- ImageFromXYZ operation V-317

 spatial frequency filtering III-313
 special characters

- in notebooks III-12, V-597–V-598
- in tables II-195

 special folders II-29
 special functions V-8

- airyA V-22
- airyAD V-23
- airyB V-23
- airyBD V-23
- besseli V-38
- besselj V-39
- besselk V-39
- bessely V-39
- bessI V-39
- beta V-41
- betai V-41
- binomial V-43
- binomialln V-43
- binomialNoise V-43
- chebyshev V-52
- chebyshevU V-53
- Ci V-93
- dawson V-122
- digamma V-138
- ei V-170
- erf V-173
- erfc V-173
- erfcw V-174
- expInt V-181
- expnoise V-182
- factorial V-183
- fresnelCos V-224
- fresnelCS V-225
- fresnelSin V-225
- gamma V-247
- gammaEuler V-247
- gammaNoise V-247
- gammlnC V-247
- gammln V-248
- gammp V-248
- gammq V-249
- hermite V-293
- hermiteGauss V-294
- hyperG0F1 V-301
- hyperG1F1 V-301
- hyperG2F1 V-301
- hyperGNoise V-302
- hyperGPQ V-302
- inverseErf V-402

-
- inverseErfc V-402
 - JacobiCn V-405
 - JacobiSn V-405
 - laguerre V-414–V-415
 - LaguerreA V-415
 - LambertW V-415
 - legendreA V-424
 - logNormalNoise V-460, V-462
 - poissonNoise V-637
 - sphericalBessJ V-766
 - sphericalBessJD V-766
 - sphericalBessY V-766
 - sphericalBessYD V-767
 - sphericalHarmonics V-767
 - sqrt function V-771
 - StatsVonMisesNoise V-856
 - wnoise V-960
 - ZernikeR V-968
 - special numbers
 - e V-167
 - Inf V-385
 - NaN V-564
 - Pi V-630
 - Special submenu III-14
 - SpecialCharacterInfo function V-762
 - SpecialCharacterList function V-763
 - SpecialDirPath function V-764
 - Specify Color
 - Gizmo II-333
 - spectral leakage
 - in FFTs III-246
 - specular light
 - Gizmo II-345
 - sphere objects
 - Gizmo II-353
 - spherical interpolation V-768
 - sphericalBessJ function V-766
 - sphericalBessJD function V-766
 - sphericalBessY function V-766
 - sphericalBessYD function V-767
 - sphericalHarmonics function V-767
 - SphericalInterpolate operation V-768
 - SphericalTriangulate operation V-768
 - spline (see cubic spline)
 - splines wavelet transform V-166
 - split axes (see axes:split axes)
 - SplitAxis Dialog II-259
 - SplitString operation IV-165, V-769
 - splitting
 - waves V-770
 - splitting up waves II-65
 - SplitWave operation V-770
 - Spotlight II-28
 - spreadsheets
 - (see also tables)
 - compared to tables II-169
 - sprintf operation IV-244–IV-246, V-771
 - conversion specifications IV-245
 - SQL II-160
 - sqrt function V-771
 - sqrt of a wave V-940
 - square root V-771, V-940
 - sscanf operation V-771
 - SSL IV-261
 - stack in debugger IV-202
 - Stack operation V-774
 - stacked bar charts (see category plots:stacked bar charts)
 - stacking
 - (see also aligning, graphs:stacked plots)
 - graphs in page layouts II-401
 - in page layouts II-395, II-400, V-774
 - windows II-44, V-775
 - StackWindows operation V-775
 - standard deviation
 - for a point in curve fitting III-153, III-172
 - of a wave V-358, V-930, V-936
 - of an image V-358
 - of parameters in curve fitting III-193
 - standard error of mean V-936
 - StartMSTimer function V-775
 - static
 - constants IV-48
 - functions V-775
 - user functions
 - ModuleName pragma IV-50
 - static functions IV-96, IV-222
 - independent modules IV-224–IV-225, IV-229
 - regular modules IV-222
 - Static keyword V-775
 - user functions IV-48, IV-96
 - stationery
 - experiment files II-20
 - notebook files III-30
 - statistics III-338–III-348
 - classification V-412
 - clustering V-412
 - complementary error function V-173–V-174
 - complex III-119
 - confidence intervals V-871
 - curve fitting III-193–III-197, V-871
 - error function V-173, V-402
 - functions V-10
 - binomialln V-43
 - binomialNoise V-43
 - enoise V-171
 - erf V-173
 - erfc V-173
 - erfcw V-174
 - expnoise V-182
 - faverage V-186
 - faverageXY V-186

| | |
|-----------------------------|------------------------------|
| gamma V-247 | StatsInvFriedmanCDF V-807 |
| gammaNoise V-247 | StatsInvGammaCDF V-808 |
| gammInc V-247 | StatsInvGeometricCDF V-808 |
| gammln V-248 | StatsInvKuiperCDF V-808 |
| gammp V-248 | StatsInvLogisticCDF V-809 |
| gammq V-249 | StatsInvLogNormalCDF V-809 |
| gnoise V-279 | StatsInvMaxwellCDF V-809 |
| hyperGNoise V-302 | StatsInvMooreCDF V-809 |
| inverseErf V-402 | StatsInvNBinomialCDF V-810 |
| inverseErfc V-402 | StatsInvNCChiCDF V-810 |
| logNormalNoise V-460, V-462 | StatsInvNCFCDF V-810 |
| max V-503 | StatsInvNormalCDF V-810 |
| mean V-503 | StatsInvParetoCDF V-810 |
| median V-504 | StatsInvPoissonCDF V-810 |
| min V-505 | StatsInvPowerCDF V-811 |
| norm V-581 | StatsInvQCDF V-811 |
| poissonNoise V-637 | StatsInvQpCDF V-811 |
| StatsBetaCDF V-780 | StatsInvRayleighCdf V-812 |
| StatsBetaPDF V-781 | StatsInvRectangularCDF V-812 |
| StatsBinomialCDF V-781 | StatsInvSpearmanCDF V-812 |
| StatsBinomialPDF V-781 | StatsInvStudentCDF V-812 |
| StatsCauchyCDF V-782 | StatsInvTopDownCDF V-812 |
| StatsCauchyPDF V-782 | StatsInvTriangularCDF V-813 |
| StatsChiCDF V-782 | StatsInvUSquaredCDF V-813 |
| StatsChiPDF V-782 | StatsInvVonMisesCDF V-814 |
| StatsCMSSDCDF V-791 | StatsInvWeibullCDF V-814 |
| StatsCorrelation V-794 | StatsKuiperCDF V-818 |
| StatsDExpCDF V-795 | StatsLogisticCDF V-824 |
| StatsDExpPdf V-795 | StatsLogisticPDF V-824–V-825 |
| StatsErlangCDF V-797 | StatsLogNormalCDF V-825 |
| StatsErlangPDF V-797 | StatsMaxwellCDF V-825 |
| StatsErrorPDF V-798 | StatsMaxwellPDF V-825 |
| StatsEValueCDF V-798 | StatsMedian V-826 |
| StatsEValuePDF V-798 | StatsMooreCDF V-826 |
| StatsExpCDF V-799 | StatsNBinomialCDF V-828 |
| StatsExpPDF V-799 | StatsNBinomialPDF V-828 |
| StatsFCDF V-799 | StatsNCChiCDF V-829 |
| StatsFPDF V-799 | StatsNCChiPDF V-829 |
| StatsFriedmanCDF V-800 | StatsNCFCDF V-829 |
| StatsGammaCDF V-802 | StatsNCFPDF V-829 |
| StatsGammaPDF V-802 | StatsNCTCDF V-830 |
| StatsGeometricCDF V-802 | StatsNCTPDF V-830 |
| StatsGeometricPDF V-802 | StatsNormalCDF V-830 |
| StatsGEVCDF V-803 | StatsNormalPDF V-831 |
| StatsGEVPDF V-804 | StatsParetoCDF V-834 |
| StatsHyperGCDF V-804 | StatsParetoPDF V-834 |
| StatsHyperGPDF V-805 | StatsPermute V-834 |
| StatsInvBetaCDF V-805 | StatsPoissonCDF V-835 |
| StatsInvBinomialCDF V-805 | StatsPoissonPDF V-835 |
| StatsInvCauchyCDF V-805 | StatsPowerCDF V-835 |
| StatsInvChiCDF V-806 | StatsPowerNoise V-836 |
| StatsInvCMSSDCDF V-806 | StatsPowerPDF V-836 |
| StatsInvDExpCdf V-806 | StatsQCDF V-836–V-837 |
| StatsInvEValueCDF V-807 | StatsRayleighCDF V-839 |
| StatsInvExpCDF V-807 | StatsRayleighPDF V-840 |
| StatsInvFCDF V-807 | StatsRectangularCDF V-840 |

StatsRectangularPDF V-840
 StatsRunsCDF V-843
 StatsSpearmanRhoCDF V-846
 StatsStudentCDF V-848
 StatsStudentPDF V-848
 StatsTopDownCDF V-848
 StatsTriangularCDF V-849
 StatsTriangularPDF V-849
 StatsTrimmedMean V-849
 StatsUSquaredCDF V-853
 StatsVonMisesCDF V-856
 StatsVonMisesNoise V-856
 StatsVonMisesPDF V-856
 StatsWaldCDF V-857
 StatsWaldPDF V-857
 StatsWeibullCDF V-859
 StatsWeibullPDF V-859
 StudentA V-871
 StudentT V-871
 sum V-872
 variance V-921
 waveMax V-930
 waveMin V-931
 wnoise V-960
 incomplete gamma function V-248–V-249
 k-means clustering V-412
 maximum V-939
 minimum V-939
 of complex waves V-934
 of matrices
 maximum chunk location V-936
 maximum column location V-936
 maximum layer location V-936
 maximum row location V-936
 minimum chunk location V-936
 minimum column location V-936
 minimum layer location V-936
 minimum row location V-936
 of waves III-117–III-119, V-934
 average deviation V-936
 average value V-935
 dispersion V-936
 kurtosis V-936
 maximum V-930, V-936, V-939
 maximum location V-936
 mean V-503
 median V-504
 minimum V-931, V-936, V-939
 minimum location V-936
 number of points V-935
 RMS V-936
 root mean squared V-936
 skewness V-936
 standard deviation V-936
 standard error of mean V-936
 sum V-872
 sum of values V-935
 variance V-921, V-936
 operations V-4
 EdgeStats V-167
 Histogram V-297
 ImageGLCM V-319
 ImageHistModification V-322
 ImageHistogram V-323
 ImageStats V-356
 JointHistogram V-405
 PulseStats V-665
 SetRandomSeed V-728
 StatsAngularDistanceTest V-775
 StatsANOVA1Test V-776
 StatsANOVA2NRTTest V-777
 StatsANOVA2RMTTest V-779
 StatsANOVA2Test V-779
 StatsChiTest V-783
 StatsCircularCorrelationTest V-784
 StatsCircularMeans V-786
 StatsCircularMoments V-787
 StatsCircularTwoSampleTest V-791
 StatsCochranTest V-792
 StatsContingencyTable V-793
 StatsDExpPdf V-795
 StatsDunnettTest V-796
 StatsFriedmanTest V-800
 StatsFTest V-801
 StatsHodgesAjneTest V-803
 StatsJBTTest V-814, V-817
 StatsKDE V-815
 StatsKendallTauTest V-816
 StatsKWTest V-818
 StatsLinearCorrelationTest V-819
 StatsLinearRegression V-821
 StatsMultiCorrelationTest V-826
 StatsNPMTTest V-831
 StatsNPNominalSRTTest V-833
 statsQuantiles V-837
 StatsRankCorrelationTest V-839
 StatsResample V-841
 StatsSample V-843
 StatsScheffeTest V-844
 StatsShapiroWilkTest V-845
 StatsSignTest V-845
 StatsSRTTest V-846
 StatsTTest V-849
 StatsTukeyTest V-852
 StatsVariancesTest V-854
 StatsWatsonUSquaredTest V-857
 StatsWatsonWilliamsTest V-858
 StatsWheelerWatsonTest V-859
 StatsWilcoxonRankTest V-860
 StatsWRCorrelationTest V-862
 WaveMeanStdv V-930
 WaveStats V-934

- random V-171, V-279
references III-347
special functions V-247–V-249
Student's T distribution V-871
StatsAngularDistanceTest operation V-775
StatsANOVA1Test operation V-776
StatsANOVA2NRTTest operation V-777
StatsANOVA2RMTTest operation V-779
StatsANOVA2Test operation V-779
StatsBetaCDF function V-780
StatsBetaPDF function V-781
StatsBinomialCDF function V-781
StatsBinomialPDF function V-781
StatsCauchyCDF function V-782
StatsCauchyPDF function V-782
StatsChiCDF function V-782
StatsChiPDF function V-782
StatsChiTest operation V-783
StatsCircularCorrelationTest operation V-784
StatsCircularMeans operation V-786
StatsCircularMoments operation V-787
StatsCircularTwoSampleTest operation V-791
StatsCMSSDCDF function V-791
StatsCochranTest operation V-792
StatsContingencyTable operation V-793
StatsCorrelation function V-794
StatsDExpCDF function V-795
StatsDExpPdf function V-795
StatsDIPTTest operation V-795
StatsDunnettTest operation V-796
StatsErlangCDF function V-797
StatsErlangPDF function V-797
StatsErrorPDF function V-798
StatsEValueCDF function V-798
StatsEValuePDF function V-798
StatsExpCDF function V-799
StatsExpPDF function V-799
StatsFCDF function V-799
StatsFPDF function V-799
StatsFriedmanCDF function V-800
StatsFriedmanTest operation V-800
StatsFTTest operation V-801
StatsGammaCDF function V-802
StatsGammaPDF function V-802
StatsGeometricCDF function V-802
StatsGeometricPDF function V-802
StatsGEVCDF function V-803
StatsGEVPDF function V-804
StatsHodgesAjneTest operation V-803
StatsHyperGCDF function V-804
StatsHyperGPDF function V-805
StatsInvBetaCDF function V-805
StatsInvBinomialCDF function V-805
StatsInvCauchyCDF function V-805
StatsInvChiCDF function V-806
StatsInvCMSSDCDF function V-806
StatsInvDExpCdf function V-806
StatsInvEValueCDF function V-807
StatsInvExpCDF function V-807
StatsInvFCDF function V-807
StatsInvFriedmanCDF function V-807
StatsInvGammaCDF function V-808
StatsInvGeometricCDF function V-808
StatsInvKuiperCDF function V-808
StatsInvLogisticCDF function V-809
StatsInvLogNormalCDF function V-809
StatsInvMaxwellCDF function V-809
StatsInvMooreCDF function V-809
StatsInvNBinomialCDF function V-810
StatsInvNCChiCDF function V-810
StatsInvNCFCDF function V-810
StatsInvNormalCDF function V-810
StatsInvParetoCDF function V-810
StatsInvPoissonCDF function V-810
StatsInvPowerCDF function V-811
StatsInvQCDF function V-811
StatsInvQpCDF function V-811
StatsInvRayleighCdf function V-812
StatsInvRectangularCDF function V-812
StatsInvSpearmanCDF function V-812
StatsInvStudentCDF function V-812
StatsInvTopDownCDF function V-812
StatsInvTriangularCDF function V-813
StatsInvUSquaredCDF function V-813
StatsInvVonMisesCDF function V-814
StatsInvWeibullCDF function V-814
StatsJBTest operation V-814, V-817
StatsKDE operation V-815
StatsKendallTauTest operation V-816
StatsKuiperCDF function V-818
StatsKWTest operation V-818
StatsLinearCorrelationTest operation V-819
StatsLinearRegression operation V-821
StatsLogisticCDF function V-824
StatsLogisticPDF function V-824–V-825
StatsLogNormalCDF function V-825
StatsMaxwellCDF function V-825
StatsMaxwellPDF function V-825
StatsMedian function V-826
StatsMooreCDF function V-826
StatsMultiCorrelationTest operation V-826
StatsNBinomialCDF function V-828
StatsNBinomialPDF function V-828
StatsNCChiCDF function V-829
StatsNCChiPDF function V-829
StatsNCFCDF function V-829
StatsNCFPDF function V-829
StatsNCTCDF function V-830
StatsNCTPDF function V-830
StatsNormalCDF function V-830
StatsNormalPDF function V-831
StatsNPMCTest operation V-831

StatsNPNominalSRTest operation V-833
 StatsParetoCDF function V-834
 StatsParetoPDF function V-834
 StatsPermute function V-834
 StatsPoissonCDF function V-835
 StatsPoissonPDF function V-835
 StatsPowerCDF function V-835
 StatsPowerNoise function V-836
 StatsPowerPDF function V-836
 StatsQCDF function V-836–V-837
 statsQuantiles operation V-837
 StatsRankCorrelationTest operation V-839
 StatsRayleighCDF function V-839
 StatsRayleighPDF function V-840
 StatsRectangularCDF function V-840
 StatsRectangularPDF function V-840
 StatsResample operation V-841
 StatsRunsCDF function V-843
 StatsSample operation V-843
 StatsScheffeTest operation V-844
 StatsShapiroWilkTest operation V-845
 StatsSignTest operation V-845
 StatsSpearmanRhoCDF function V-846
 StatsSRTTest operation V-846
 StatsStudentCDF function V-848
 StatsStudentPDF function V-848
 StatsTopDownCDF function V-848
 StatsTriangularCDF function V-849
 StatsTriangularPDF function V-849
 StatsTrimmedMean function V-849
 StatsTTest operation V-849
 StatsTukeyTest operation V-852
 StatsUSquaredCDF function V-853
 StatsVariancesTest operation V-854
 StatsVonMisesCDF function V-856
 StatsVonMisesNoise function V-856
 StatsVonMisesPDF function V-856
 StatsWaldCDF function V-857
 StatsWaldPDF function V-857
 StatsWatsonUSquaredTest operation V-857
 StatsWatsonWilliamsTest operation V-858
 StatsWeibullCDF function V-859
 StatsWeibullPDF function V-859
 StatsWheelerWatsonTest operation V-859
 StatsWilcoxonRankTest operation V-860
 StatsWRCorrelationTest operation V-862
 status line help
 for controls III-387
 stellar images
 deconvolution V-347
 Step button in debugger IV-201
 Step Into button in debugger IV-201
 Step Out button in debugger IV-201
 stereographic projection V-663
 Stop button in debugger IV-201
 stop tool
 Gizmo II-329
 StopMSTimer function V-863
 stopping
 from control panel IV-148
 macros IV-115
 user functions IV-103
 str2num function II-68, V-863
 Strconstant keyword V-863
 in switch statements IV-41
 string declaration IV-47
 strict wave reference mode IV-49, IV-70
 String declaration II-97, V-864
 automatic creation of SVAR IV-65
 in user functions IV-65
 local variables in macros IV-111
 local variables in user functions IV-34
 not in a macro loop IV-111
 string expressions
 continuation characters IV-35, IV-104
 string inspector in debugger IV-207–IV-208, IV-210
 string objects
 Gizmo II-357, II-383
 string variables II-97–II-98, IV-12–IV-18
 (see also strings, text waves)
 \$ operator IV-17, IV-57
 assignment IV-5, IV-16
 char2num function V-50
 CmpStr function V-61
 constants IV-47
 ConvertGlobalStringTextEncoding operation
 V-79
 converting to names IV-17–IV-18, IV-57
 copying II-107
 creating V-864
 declaring II-97, V-864
 default values V-871
 deleting II-97
 dependency assignments IV-215
 exists function V-180
 expressions IV-12
 global II-97, III-370, III-381, V-864
 GrepList function V-289
 GrepString function V-289
 indexing IV-15
 initializing II-97, V-864
 in macros IV-111
 in user functions IV-34
 killing II-97, II-109, V-411
 KillString operation V-411
 length of IV-13, V-867
 list of
 GetIndexedObjName function V-261
 GetIndexedObjNameDFR function V-262
 ListBox controls III-369, III-379
 listing in data folder V-119

- ListMatch function V-436
 ListToTextWave function V-436
 loading from Igor experiment file V-437–V-440
 LowerStr function V-462
 MoveString operation V-558
 moving to data folder II-107
 names
 CheckName function V-57
 naming rules III-443
 num2char function V-601
 num2istr function V-601
 num2str function V-602
 parsing V-771
 pass-by-reference IV-54
 ProcedureText function V-662
 related functions V-11
 renaming II-107, III-444, V-676
 saving V-695
 Set Variable controls III-370, III-381
 SortList function V-755
 SplitString operation V-769
 sscanf operation V-771
 static IV-48
 Static keyword V-775
 str2num function V-863
 Strconstant V-863
 StringByKey function V-864
 StringFromList function V-865
 StringList function V-866
 stringmatch function V-866
 strlen function V-867
 strsearch function V-867
 StrVarOrDefault function V-871
 substitution IV-17–IV-18
 precedence IV-18
 text encodings III-428
 text waves IV-13
 UniqueName function V-907
 string-to-number conversion V-863
 StringByKey function IV-162, V-864
 stringCRC function V-864
 StringFromList function IV-161, V-865
 example IV-187
 load waves (example) II-151–II-152
 StringList function V-866
 stringmatch function V-866
 strings IV-12–IV-18
 (see also string variables, text waves)
 \$ operator IV-17, IV-57
 and sprintf IV-245
 as lists IV-161
 assignment IV-5, IV-16
 char2num function V-50
 character-by-character operations IV-162
 characters versus bytes III-433
 CmpStr function V-61
 command in string: Execute operation V-176
 concatenation IV-5, IV-7
 constants IV-47
 conversion to upper case V-909
 converting to names IV-17–IV-18, IV-57
 declaring II-97
 escape characters IV-13
 escape sequences IV-13
 exists function V-180
 expressions IV-12
 FontSizeHeight function V-220
 FontSizeStringWidth function V-221
 Grep operation V-282
 GrepList function V-289
 GrepString function V-289
 in user functions IV-31
 indexing IV-15
 initializing
 in macros IV-111
 in user functions IV-34
 keyword-value packed strings II-77, IV-162
 length of IV-13, V-867
 ListBox controls III-369, III-379
 ListToTextWave function V-436
 LowerStr function V-462
 naming rules III-443
 null IV-13, IV-15
 num2char function V-601
 num2istr function V-601
 num2str function V-602
 PadString function V-620
 parsing V-771
 pass-by-reference IV-54
 ProcedureText function V-662
 processing lists of waves IV-187–IV-190
 related functions V-11
 RemoveEnding function V-672
 ReplaceString function V-680
 replacing items V-680
 searching V-282, V-289, V-867
 SelectString function V-712
 SortList function V-755
 SplitString operation V-769
 splitting V-769
 sprintf operation V-771
 Static keyword V-775
 str2num function V-863
 StringByKey function V-864
 StringFromList function V-865
 StringList function V-866
 stringmatch function V-866
 strlen function V-867
 strsearch function V-867
 substitution IV-17–IV-18, IV-57
 in user functions IV-77
 precedence IV-18

-
- substrings IV-15
 - text encodings III-429
 - text waves IV-13
 - TrimString function V-906
 - Unicode III-429
 - Unicode escape sequences IV-14
 - UnPadString function V-908
 - UTF-16 literals IV-12–IV-13
 - UTF-8 III-429
 - utility functions IV-18
 - strip chart (see controls:charts)
 - strlen function V-867
 - characters versus bytes III-433
 - StrSearch function V-867
 - strswitch statements IV-41, V-868
 - default keyword V-126
 - STRUCT keyword V-868
 - StructGet operation V-868
 - use in multitasking IV-307
 - StructPut operation V-869
 - use in multitasking IV-307
 - structure fit functions III-229–III-232
 - examples III-230
 - multivariate III-232
 - syntax III-231
 - WMFitInfoStruct structure III-231
 - structures IV-91–IV-96
 - accessing members IV-93
 - action procedures IV-95
 - alignment IV-92
 - applications IV-95
 - arrays of
 - disallowed IV-93
 - built-in IV-95
 - Point V-636
 - PointF V-637
 - Rect V-669
 - RectF V-669
 - RGBAColor V-689
 - RGBColor V-689
 - WMAxisHookStruct V-518, V-952
 - WMBackgroundStruct V-952
 - WMButtonAction V-47, V-952
 - WMCheckboxAction V-55, V-953
 - WMCustomAction V-115
 - WMCustomControlAction V-953
 - WMDrawUserShapeStruct V-955
 - WMFitInfoStruct V-955
 - WMGizmoHookStruct II-385, V-956
 - WMListboxAction V-433, V-956
 - WMMarkerHookStruct IV-289, V-957
 - WMPopupAction V-958
 - WMSetVariableAction V-732, V-958
 - WMSliderAction V-747, V-959
 - WMTabControlAction V-878, V-960
 - WMWinHookStruct IV-276, IV-279, V-960
 - Point V-636
 - PointF V-637
 - Rect V-669
 - RectF V-669
 - RGBAColor structure V-689
 - RGBColor structure V-689
 - static IV-93
 - STRUCT keyword V-868
 - StructGet operation V-868
 - StructPut operation V-869
 - structure fit functions III-229–III-232
 - examples III-230
 - multivariate III-232
 - syntax III-231
 - WMFitInfoStruct structure III-231
 - user data IV-96
 - using IV-93
 - windows IV-95
 - WMAxisHookStruct structure V-952
 - controls III-388, IV-95
 - debugging IV-207
 - declaring IV-92
 - defining IV-92
 - DFREF keyword IV-74
 - EndStructure keyword V-171
 - examples IV-94, IV-96
 - exporting V-188
 - into a string V-869
 - into a wave V-869
 - for axes
 - WMAxisHookStruct V-518
 - for controls
 - WMButtonAction V-47
 - WMCheckboxAction V-55
 - WMCustomAction V-115
 - WMListboxAction V-433
 - WMSetVariableAction V-732
 - WMSliderAction V-747
 - WMTabControlAction V-878
 - global IV-96
 - importing V-187
 - from a string V-868
 - from a wave V-868
 - limitations IV-96
 - local references V-868
 - member arrays IV-92
 - member types IV-92
 - Multithread keyword example IV-307
 - named window hooks
 - WMWinHookStruct IV-276
 - passing IV-93
 - passing to XOPs IV-96
 - Point structure V-636
 - PointF structure V-637
 - predefined IV-95
 - printing V-652–V-653
 - printing structure elements V-652
 - reading V-187
 - Rect structure V-669
 - RectF structure V-669
 - RGBAColor structure V-689
 - RGBColor structure V-689
 - static IV-93
 - STRUCT keyword V-868
 - StructGet operation V-868
 - StructPut operation V-869
 - structure fit functions III-229–III-232
 - examples III-230
 - multivariate III-232
 - syntax III-231
 - WMFitInfoStruct structure III-231
 - user data IV-96
 - using IV-93
 - windows IV-95
 - WMAxisHookStruct structure V-952

-
- WMBackgroundStruct structure V-952
 - WMButtonAction structure V-952
 - WMCheckboxAction structure V-953
 - WMCustomControlAction structure V-953
 - WMDrawUserShapeStruct structure V-955
 - WMFitInfoStruct structure V-955
 - WMGizmoHookStruct structure V-956
 - WMListboxAction structure V-956
 - WMMarkerHookStruct structure V-957
 - WMPopupAction structure V-958
 - WMSetVariableAction structure V-958
 - WMSliderAction structure V-959
 - WMTabControlAction structure V-960
 - WMWinHookStruct structure V-960
 - writing V-188
 - StrVarOrDefault function V-871
 - example IV-135
 - saving parameters IV-135
 - StudentA function V-871
 - StudentT function V-871
 - Student's T distribution V-871
 - style macros II-43, II-262–II-264, V-950
 - adding annotations II-264
 - DoWindow operation V-149
 - for page layouts II-409
 - for tables II-205
 - limitations II-263
 - load waves II-153
 - object indexing IV-19
 - vs preferences II-262–II-263
 - styles
 - (see also column styles, wave styles)
 - plain notebooks III-8
 - Submenu keyword IV-118, V-872
 - submenus
 - consolidating items IV-123
 - creating IV-119
 - subminor ticks
 - in user tick waves II-243
 - log axes II-237–II-238
 - subpatterns
 - in regular expressions IV-175
 - named IV-175
 - subrange
 - display syntax II-250
 - displaying II-250
 - limitations II-251
 - subranges
 - of text waves IV-16
 - of waves II-71
 - subscripts
 - in an axis label II-247
 - in annotations III-38, III-54
 - in notebooks III-9
 - subset of data
 - using cursors in graphs II-248
 - subtopics (see help:subtopics)
 - subtraction IV-5
 - subtypes IV-110, IV-193–IV-194
 - ButtonControl IV-194
 - CameraWindow IV-194
 - CDFFunc IV-194
 - CheckBoxControl IV-194, V-55
 - CursorStyle IV-193
 - DrawUserShape IV-193
 - FitFunc IV-194
 - GizmoPlot IV-194
 - Graph IV-193
 - GraphMarquee IV-193, V-267
 - GraphStyle IV-193
 - GridStyle IV-193
 - Layout IV-194
 - LayoutMarquee IV-194, V-267
 - LayoutStyle IV-194
 - ListBoxControl IV-194
 - Panel IV-194
 - PopupMenuControl IV-194, V-646
 - SetVariableControl IV-194, V-732
 - SliderControl IV-194
 - TabControl IV-194
 - Table IV-194
 - TableStyle IV-194
 - user functions IV-32
 - window macros II-42
 - subwindows III-76–III-88
 - (see also embedding)
 - ChildWindowList function V-58
 - closing V-411
 - command syntax III-87
 - contextual menus III-78
 - converting to III-86
 - creating III-78
 - DefineGuide operation V-132
 - draw mode III-76, III-80
 - examples III-82
 - exterior III-394, V-275, V-575, V-577
 - examples V-578
 - frame style III-80
 - frames III-76
 - Gizmo II-381
 - graphs III-78
 - GuideInfo function V-291
 - GuideNameList function V-292
 - guides III-76, III-79, III-81
 - built-in III-79, V-132
 - creating V-132
 - deleting V-132
 - information about V-291
 - list of V-292
 - moving V-132
 - user-defined III-80–III-81
 - in control panels III-394

killing V-411
 layout mode III-76, III-81
 limitations III-78
 listing V-58
 MoveSubwindow operation V-558
 notebook subwindows III-86
 operate mode III-76, III-80
 page layouts III-78, III-85
 panels III-78
 path to active V-275
 positioning III-79
 programming III-87
 recreating notebooks V-599
 renaming V-677
 repositioning V-558
 selection III-76
 SetActiveSubwindow operation V-713
 setting active V-713
 sizing in commands III-87
 tables III-78
 terminology III-76
 tutorial III-82
 window hook functions IV-277
 sum function V-872
 SumDimension operation V-872
 SumSeries operation V-873
 Sun Raster files
 file info V-316
 importing V-334
 loading II-139
 superscripts
 in an axis label II-247
 in annotations III-38, III-54
 in notebooks III-9
 surface plot
 data format II-364
 Gizmo tour II-324, II-326
 Voronoi interpolation II-326
 surface plots II-86
 Gizmo II-372
 SVAR keyword IV-60, V-875
 /Z flag IV-62
 automatic creation IV-65
 automatic creation with rtGlobals IV-65
 checking in debugger IV-199
 example IV-64
 failures IV-61
 SVAR_Exists function V-876
 use with \$ IV-57
 use with data folders IV-64
 with data folders IV-235
 SVAR_Exists IV-61, V-876
 SVD (see singular value decomposition)
 SVG
 graphics technology III-446
 SVGs
 exporting graphics III-91, III-98
 switch statements IV-41, V-876
 break IV-41
 Constant keyword V-69
 default IV-41
 default keyword V-126
 Strconstant keyword V-863
 Symbol font III-436–III-438
 EPS III-438
 Greek letters III-436
 Igor6 compatibility III-436
 PDFs III-438
 Symbolic Path Status dialog II-22
 symbolic paths II-21–II-22
 automatically created II-22
 creating manually II-21, V-579
 example II-21, II-155
 home II-22
 Igor II-22
 IgorUserFiles II-22
 killing II-22
 KillPath operation V-410
 naming rules III-443
 CheckName function V-57
 NewPath operation V-579
 Open operation V-605
 PathInfo operation V-625
 PathList function V-626
 platform-related issues III-399
 related functions V-12
 related operations V-5
 renaming III-444, V-677
 Sync to Gizmo II-330
 syntax coloring III-359
 changing III-359
 system locale III-411
 system requirements III-451
 system text encoding III-411
 system variables (see variables:system)

T

t function V-876
 in multidimensional waves II-84–II-85, II-87
 T scaling
 changing V-90
 SetScale operation V-728
 CopyScales operation V-90
 SetScale operation V-728
 T units
 changing V-90, V-728
 T values
 t function V-876
 T_ReplacedDuplicates V-208
 T_Tags V-335

-
- tab characters
 escape code for IV-13
 in annotations III-40
 in delimited text files II-122
 in general text files II-128
 in notebooks III-7–III-8
 in strings IV-13
 in tables II-193
 in text data columns II-125
 indentation conventions IV-24
 plain notebooks III-8
 saving text waves II-160
- Tab key
 in tables II-178
- tab-delimited data
 exporting from tables II-187
 pasting II-174
 saving waves as V-693
- TabControl III-371, III-383
 creating III-383
 drawing order of V-127
- TabControl operation V-876
- TabControl subtype IV-194
 keyword V-879
- Table Date Format dialog II-174
- Table Macros submenu II-43
- Table menu II-169, II-171
- Table pop-up menu II-171
- table selection
 Compose Expression dialog III-131
- Table subtype IV-194
 keyword V-879
- TableInfo function V-879
- tables II-169–II-207
 3D copy and paste II-203
 appending columns II-177
 AppendToTable operation V-33
 arrow keys II-178
 can't enter X values II-179
 carriage return characters II-193
 cell area II-171
 cell ID area II-178
 CheckDisplayed operation V-56
 Choose Dimensions dialog II-197
 chunks of data II-197
 clearing values II-182
 closing II-176
 columns
 autosizing
 by double-clicking II-187
 by menus II-188
 limitations II-188
 formats II-189
 pasting II-184
 headings by index V-931
 indices II-195
- names II-176, II-195
 positions II-187
 styles II-205
 titles II-189
 widths II-187
- comma as decimal separator II-190
 compared to spreadsheets II-169
 complex columns II-176
 Compose Expression dialog III-131
 copy/paste multidimensional data II-199–II-203
 copying II-182, II-187
 create-paste of multidimensional data II-202
 creating II-169, V-169–V-170
 blank values II-182
 multidimensional waves II-169
 text waves II-169
 waves by copy/paste II-175, II-203
 while loading waves II-170
- cutting II-183
 rows or columns II-202
- d suffix II-176
- data values II-170
- date format II-174
- dates II-174, II-180, II-191
 formats II-181
- decimal numeric format II-190
- decimal separators II-173
- decimal symbols II-190
- DelayUpdate box II-172, II-179
 deleting data II-184
 digits after decimal point II-190
 dimension labels II-170, II-196
 dynamic updating II-169, II-172
 Edit operation V-169–V-170
 Edit Text Cell dialog II-193
 editing existing waves II-170
 elapsed time II-191
 elements column hiding V-552
 empty table in new experiments II-20
- Enter key II-178
 entering dates II-181
 entering new waves II-169, II-174
 entering values II-179
 escape sequences for invalid text II-194
 exporting as graphics II-204, V-704
 exporting data II-187
 save table copy II-204
 SaveTableCopy operation V-707
- exporting graphics (see exporting)
- extracting a matrix from a 3D wave II-203
- finding values II-184
 fixed dimension II-198
 fractional seconds II-191
 free dimension II-198
 general numeric format II-190
 hex dump II-195

| | |
|---|---|
| hexadecimal numbers II-192 | relation to layouts I-3 |
| hiding parts of II-172 | relation to waves I-3, II-169 |
| horizontal dimension II-197 | removing columns II-177, V-674 |
| horizontal index row II-195 | replace-paste of multidimensional data II-200 |
| i suffix II-176 | replacing values II-186 |
| imag suffix II-176 | Return key II-178 |
| in new experiments II-169 | row column hiding V-552 |
| in notebooks III-18 | row indices II-195 |
| index columns II-176, II-184 | scientific numeric format II-190 |
| for multidimensional waves II-177 | Select All II-178 |
| INFs II-182 | Select All in Modify Columns dialog II-188 |
| insert-paste of multidimensional data | selecting cells II-178 |
| II-200-II-201 | selection |
| inserting data II-179, II-184 | Compose Expression dialog III-131 |
| insertion cell II-171, II-174, II-179 | selections V-272 |
| integer numeric format II-190 | setting to NaN II-182 |
| invalid text II-194 | shortcuts II-206 |
| killing II-176 | showing parts of II-172 |
| killing waves II-178 | showing X values II-170 |
| l suffix II-176 | significant digits II-190 |
| layers of data II-196 | slices of data II-196 |
| linefeed characters II-193 | special characters II-195 |
| list of V-947, V-949 | specifying column by index number V-548 |
| making a matrix from 1D waves II-201 | style macros II-205 |
| making a new table II-40 | styles II-188-II-189 |
| example I-14 | for multidimensional waves II-189 |
| ModifyTable operation II-189, V-548-V-552 | subwindows III-78 |
| multidimensional waves II-195-II-203 | subwindows in layouts II-407 |
| names and titles II-40 | tab characters II-193 |
| NaNs II-182 | Tab key II-178 |
| new table II-40 | tab-delimited data II-174 |
| example I-14 | Table pop-up menu II-171 |
| numeric formats II-189 | TableInfo function V-879 |
| numeric precision II-174, II-190 | target cell ID II-171 |
| octal numbers II-192 | target cells II-178 |
| page setup preference II-205 | terminator characters II-193 |
| page setups II-204 | text color V-551 |
| parts of a table II-170 | text waves II-193 |
| pasting | thousands separators II-173 |
| data II-174, II-183 | time-of-day II-191 |
| index columns II-184 | times II-174, II-191 |
| with column names II-175 | troubleshooting II-175, II-179 |
| X columns (see tables:X columns) | vertical dimension II-197 |
| point column II-187, II-196 | views of multidimensional waves II-197 |
| hiding V-552 | WaveName function V-931 |
| precision II-180 | waves in V-932 |
| preferences II-205 | whitespace characters II-193 |
| printing II-204, V-661 | window names II-175, V-907 |
| printing selection II-204 | window titles II-170, II-175 |
| properties V-879 | wintype function V-951 |
| real columns II-176 | X columns II-176 |
| real suffix II-176 | x suffix II-176, II-189 |
| recreating II-176 | X values II-170 |
| recreation macros V-950 | y suffix II-176, II-189 |
| Redimension Waves dialog II-201, II-203 | TableStyle subtype IV-194 |
| related operations V-1 | keyword V-879 |

Tag operation V-881–V-885
/Q and contour plots II-292
tags III-44–III-48
(see also annotations, textboxes, legends)
anchors III-47
arrows III-46–III-47
as contour labels II-290–II-291
attached to wave III-45
attachment point III-39, III-45
 changing III-46
axis escape codes III-57
definition III-35
deleting III-46, V-133
dynamic text III-39, III-55
lines III-46–III-47
lines too close to markers III-47
making a tag (example) I-18
modifying III-36
offscreen III-47
position III-47–III-48
 offscreen III-48
standoff III-47
Tag operation V-881–V-885
TagVal function III-39, V-886
TagWaveRef function III-39, V-886
trace offsets III-39
wave name III-39
TagVal function III-39, V-886
 in contour labels II-291
TagWaveRef function III-39, IV-187, V-886
tan function V-886
tan of a wave V-940
tanh function V-887
tank icon (it's a bulldozer, really) III-66
Targa files
 exporting V-348
 file info V-316
target cells in tables II-178
target window II-39
 graphs II-213
TBB IV-302
 MultiThreadControl operation V-563
TDMS files
 loading II-119
 saving II-157
technical support II-4
 FAQ II-5
 mailing list II-4
 World Wide Web II-5
template files
 formatted notebooks III-30
templates
 experiments II-20
 file extensions II-20
 in procedure windows III-351
temporary files
 saving experiments II-28
termination criteria in curve fitting III-154
terminator II-120
terminator character
 in tables II-193
terminator characters
 in delimited text files II-117
ternary graphs II-246
tetrahedron objects
 Gizmo II-358
text
 cross-platform issues III-402
 DrawText operation V-157
 in annotations III-36
 retrieving from notebooks III-28
text color
 in notebooks III-9
text encoding names III-434
text encodings III-410–III-438
 Asian III-412
 binary data III-424
 byte order marks III-420
 character encoding schemes III-413
 Choose Text Encoding dialog V-453
 code points III-413
 ConvertGlobalStringTextEncoding operation
 V-79
 ConvertTextEncoding operation V-82
 data folders III-428
 default file text encoding III-415
 dimension labels III-423
 experiment file text encoding III-415
 formatted notebooks III-421
 Grep operation V-284
 history area III-420
 inspecting in Data Browser III-422
 invalid text III-414
 invalid text in tables II-194
 literal strings III-430
 LoadWave operation II-120, III-424, V-445,
 V-453
 MBCS III-412
 misidentification III-413
 mixed III-414
 NewNotebook operation V-574
 OpenNotebook operation V-611
 OpenProc operation V-612
 override experiment III-416
 plain text files III-417
 problems III-413
 programming III-429
 SaveNotebook operation V-701
 saving text waves II-160
 SetWaveTextEncoding operation V-733
 string variables III-428

-
- text encoding names III-434
 - text waves II-79
 - TextEncoding pragma IV-51
 - TextEncodingCode function V-890
 - TextEncodingName function V-890
 - Unicode conversion errors III-410
 - UTF-16 III-413
 - UTF-32 III-413
 - UTF-8 III-413
 - wave names III-423
 - wave units III-423
 - waves III-422–III-427
 - WaveTextEncoding function V-937
 - western III-412, III-416
 - text encodings (see also wave text encodings)
 - TEXT files
 - notebooks III-3
 - text files
 - delimited text files II-120–II-127
 - delimiter characters II-117
 - description of II-117
 - fixed field text files II-127
 - FORTRAN files II-127
 - FReadLine operation V-223
 - general text files II-128–II-131
 - headers II-117
 - Igor Text files II-131–II-135
 - terminator characters II-117
 - TextFile function V-891
 - text formats
 - (see also fonts, font size, font style)
 - in notebooks III-9
 - text info variables III-51, III-55–III-56
 - examples
 - simple III-52
 - Text Markers dialog II-224
 - text markers in graphs II-224
 - text operations
 - Close operation V-59
 - DrawText operation V-157
 - FGetPos operation V-195
 - fprintf operation IV-244–IV-246, V-223
 - FReadLine operation V-223
 - FSetPos operation V-225
 - FStatus operation V-226
 - IndexedFile function V-383
 - Open operation IV-185, V-604–V-609
 - Print operation V-652
 - printf operation IV-244–IV-246, V-653–V-655
 - sprintf operation IV-244–IV-246, V-771
 - sscanf operation V-771
 - TextFile function V-891
 - wfprintf operation IV-244–IV-246, V-942
 - text size
 - in notebooks III-9
 - text sizes
 - (see also font size)
 - in notebooks III-9
 - in procedure windows III-359
 - text style
 - in notebooks III-9
 - text styles
 - (see also font style)
 - in notebooks III-9
 - in procedure windows III-359
 - text transfers IV-260
 - text waves
 - (see also strings, string variables)
 - accessing IV-62, IV-77, V-924
 - allowable content of II-79
 - assignments IV-17, IV-62, IV-77, V-924
 - containing binary data III-424–III-427
 - converting to/from numeric wave II-68
 - creating IV-17
 - creating in tables II-169
 - in category plots II-268, V-140
 - in Igor Text files II-135
 - in tables II-193
 - in user functions IV-62, IV-77, V-924
 - indexing IV-16
 - labels in graphs II-224
 - loading from delimited text files II-125
 - making II-79–II-80
 - examples II-63, II-79
 - markers in graphs II-224
 - preallocation V-465
 - redimensioning II-67
 - saving in text files II-160
 - SetScale pitfall V-729
 - speeding up V-465
 - strings IV-13
 - subranges IV-16–IV-17
 - text encoding when saving II-160
 - text encodings II-79
 - TextBox operation V-887–V-890
 - textboxes
 - (see also annotations, tags, legends, drawing tools:Simple Text tool)
 - definition III-35
 - deleting V-133
 - exterior III-41
 - affects graph plot area III-42
 - Gizmo II-384
 - in page layouts II-396
 - interior III-41
 - modifying III-36
 - offset III-42
 - position III-41–III-43
 - TextBox operation V-887–V-890
 - TextEncoding keyword V-890
 - TextEncoding pragma IV-51

-
- TextEncodingCode function V-890
 TextEncodingName function V-890
 TextFile function V-891
 texture objects II-379
 textures
 creating V-364
 ImageGLCM V-319
 thermometer display (see controls:Value Displays)
 thinning
 ImageSkeleton3D operation V-356
 thousands separators
 in tick mark labels V-540
 ThreadGroupCreate function V-892
 ThreadGroupGetDF function V-892
 ThreadGroupGetDFR IV-310
 ThreadGroupGetDFR function V-892
 ThreadGroupPutDF IV-310
 ThreadGroupPutDF operation V-893
 ThreadGroupRelease function V-893
 ThreadGroupWait function V-894
 ThreadProcessorCount function V-894
 ThreadReturnValue function V-894
 threads IV-308–IV-316
 Igor Text files II-133
 MatrixOp operation III-139
 network operations IV-255
 worker functions IV-309
 ThreadSafe Functions IV-97
 ThreadSafe functions IV-308–IV-316
 ThreadSafe Functions (see also preemptive multitasking)
 ThreadSafe keyword V-894
 ThreadStart operation V-895
 thumbnails
 in page layouts II-391
 tick mark labels II-236
 axis scaling II-248
 color II-236, V-541
 engineering mode II-237
 exponential mode II-237
 exponential notation II-237
 forcing II-239
 font II-236
 Gizmo II-383
 hiding II-240
 log axes II-248
 low trip, high trip II-237
 minor tick labels on log axes II-244
 no leading zero II-239
 no trailing zeroes II-239
 scaling II-237
 scientific notation II-237
 tweaks II-239
 units
 suppress II-239
 units in every label II-239
 use thousands separator II-239, V-540
 x10ⁿ prevention II-248
 zero as 0 II-239
 tick marks
 auto ticks II-236
 color II-236
 computed manual ticks II-236
 control of II-236–II-237
 control of minor II-237
 crossing II-238
 hiding II-236
 inside II-238
 length II-237
 location II-238
 manual II-240–II-243
 canonic tick II-240
 date/time axes II-246
 from waves II-241–II-243
 tick increment II-240
 minor ticks on log axes II-244
 on mirror axes II-235
 outside II-238
 problems II-245
 separation II-237
 subminor on log axes II-237
 thickness II-236–II-237
 types illustrated II-237
 user ticks from waves II-236, II-241–II-243
 specifying tick type II-243
 Tick Options tab II-239
 Ticks and Grids tab II-237–II-239
 date/time items II-245
 ticks function IV-232, V-895
 TIFF
 CMYK III-93, III-99
 GeoTIFF II-150, II-159
 TIFF files
 bilevel II-138
 CMYK II-139
 EXIF metadata V-337
 exporting V-348, V-351
 RGB waves V-351
 RGBA waves V-351
 stacks V-351
 tags V-348
 file info V-316
 grayscale II-139
 importing V-334
 palette color II-139
 RGB II-139
 RGBA II-139
 stacks II-139
 TIFFs
 importing III-448
 loading II-138
 Tile operation V-895–V-896

- Tile or Stack Windows dialog II-44
 TileWindows operation V-896–V-897
 tiling
 in page layouts II-395, II-400, V-895–V-896
 windows II-44, V-896–V-897
 titles
 controls III-53
 time format in date/time axes II-245
 time frequency analysis III-249
 time function V-897
 time-of-day II-191, II-244–II-246, V-711
 loading format II-121
 timeouts
 in network operations IV-255
 URLRequest operation V-913
 timers IV-232
 MarkPerfTestTime operation V-467
 StartMSTimer function V-775
 StopMSTimer function V-863
 ticks function V-895
 times
 date/time axes II-235, II-244–II-246
 DateTime function V-122
 elapsed time II-121, II-191, II-244–II-246, V-711
 in delimited text files II-121
 in Igor Text files II-132
 in notebooks III-12, III-20
 in tables II-174, II-191
 formats II-191
 pasting in tables II-184
 related functions V-7
 representation of II-244
 Secs2Time function V-711
 ticks function V-895
 time function V-897
 time-of-day II-121, II-191, II-244–II-246, V-711
 units II-63–II-64
 UTC V-121
 wave precision II-64
 tips I-8
 TextBox controls III-371, III-384
 TextBox operation V-897
 titles
 (see also window titles, annotations)
 column titles in tables II-189
 TextBox operation V-897
 To Clip button I-7
 To Cmd Line button I-7
 ToCommandLine operation V-900
 tool palette
 (see also drawing tools:tool palette)
 Gizmo II-328
 HideTools operation V-296
 in page layouts II-392, II-394–II-397
 ShowTools operation V-742
 tool tips I-8, II-3
 for columns II-3
 for traces II-3
 tools (see tool palette, drawing tools)
 ToolsGrid operation V-900
 topics (see help:topics)
 total least squares (see curve fitting:ODR)
 total pages
 in notebooks III-12
 trace instance names II-214
 trace menus IV-129
 trace name parameters
 user-defined IV-82
 trace names II-216
 as parameters IV-82
 programming IV-81
 programming example IV-83
 Trace Offset dialog II-231
 trace symbols
 in axis labels II-247
 TraceFromPixel function V-901
 TraceInfo function IV-162, V-902
 TraceNameList function V-903
 example IV-186, IV-188
 in dialogs IV-133
 TraceNameToWaveRef function IV-78, IV-187,
 V-904
 example IV-134, IV-186
 traces
 (see also waves, graphs)
 alpha II-228
 appearance in graphs II-222–II-234, II-260,
 II-275, II-293, V-522
 AppendToGraph operation V-31
 apppending II-216
 color II-228, V-32, V-529
 of each point V-529
 cursors
 z value from contour trace V-967
 customize at point II-234, V-532
 dashed lines II-225
 data folder II-104
 defined II-213
 display modes II-222, V-32
 drawing layer III-68
 editing by drawing (example) I-23–I-24, I-31
 f(z) II-228
 fill between II-227
 gaps II-217, II-233
 hiding II-225, II-232
 hiding portions trick II-259
 in graphs V-903
 index in style macros II-263
 instance names III-39, IV-19, V-522
 labels II-224
 line size II-225

-
- line style II-225, II-260, II-275, II-293
 list of V-903, V-927
 live II-259–II-260
 log colors II-228, V-525
 markers II-220, II-223, II-229
 as $f(z)$ II-228
 coloring uniquely V-529
 ModifyGraph operation V-522
 names as parameters IV-82
 next defined II-226
 offsetting in graphs II-231–II-232
 example I-26
 multipliers II-232
 preventing II-231
 undoing II-231
 opacity II-228
 preferences II-260, II-275, II-293
 programming IV-81
 programming example IV-83
 property from auxiliary wave II-228
 related functions V-8
 related operations V-1
 removing II-216, V-673
 reordering II-228
 ReorderTraces operation V-678
 ReplaceWave operation V-681
 replacing II-106, II-216
 selecting for modification II-222
 sending to back II-228
 Set as $f(z)$ II-228
 SetDashPattern operation V-714
 setting all the same II-222
 shortcuts II-265–II-266
 styles (see waves:styles)
 symbol in an axis label II-247, III-38
 text markers II-224
 tool tips II-3
 trace instance names II-214
 trace names II-216
 TraceFromPixel function V-901
 TraceInfo function V-902
 TraceNameList function V-903
 TraceNameToWaveRef function V-904
 transparency II-228
 user-defined trace names IV-82
 wave reference from V-904
 X wave from trace V-966
 transferring
 experiments II-23
 files III-398–III-399
 FTP III-398, V-229, V-232
 files via FTP IV-257
 files via HTTP IV-261
 rulers III-12
 transforms (see image analysis:transforms,
 waves:transforms, and specific transform
 names)
 translation
 Gizmo II-338
 translucency III-440
 color table waves II-312
 Gizmo II-345
 image plots II-312–II-313
 transparency
 annotations III-40
 color table waves II-312
 EPS III-90, III-96
 Gizmo II-345
 graphics technology III-445
 image plots II-312–II-313
 in Gizmo II-341
 in graph traces II-228
 in PDFs III-97
 PDFs III-90, III-96
 troubleshooting in Gizmo II-382
 transpose
 4D wave V-370
 volumes V-370
 transposition
 MatrixOp operation III-137
 Transverse Mercator projection V-663
 trapezoidal integration
 area function V-34
 areaXY function V-35
 faverage function V-186
 faverageXY function V-186
 Integrate operation V-386
 integrate1D operation V-388
 tree icon (what it is) III-65
 trend removal
 DSPDetrend operation V-161
 trial exponent for axis label II-247
 triangle objects
 Gizmo II-350
 triangle window function III-247
 Triangulate3d operation V-905
 triangulation
 convexHull operation V-85
 Delaunay V-514
 Triangulate3d operation V-905
 triangulaton
 ModifyContour operation V-511
 perturbation in contour plots V-514
 trigonometric functions V-7
 acos V-19
 arbitrary precision V-25
 asin V-35
 atan V-36
 atan2 V-36
 cos V-92, V-939

- cot V-93
 - csc V-97
 - csch V-97
 - sawtooth V-709
 - sec V-710
 - sech V-710
 - sin V-743
 - tan V-886, V-940
 - TrimString function V-906
 - triple-clicking
 - on text III-360
 - triplet axes
 - Gizmo II-363
 - triplet waves
 - Gizmo II-320
 - troubleshooting II-4, IV-317–IV-318
 - (see also crashes)
 - crash log file IV-318
 - curve fitting III-233–III-236
 - delimited text files II-127
 - general text files II-131
 - Gizmo II-381
 - tables II-175, II-179
 - true and false IV-37
 - TrueType
 - embedding in EPS III-93, III-99
 - embedding in PDFs III-93
 - exporting tables
 - Macintosh OS X III-94
 - Windows OS III-100
 - truncate to integer (trunc) function V-906
 - try keyword V-906
 - try-catch-endtry statements IV-45, V-907
 - catch keyword V-48
 - endtry keyword V-171
 - TSV files (see MIME-TSV)
 - tutorial I-13
 - .txt file extension
 - notebooks III-3
 - type (see numeric type)
- U**
- U+XXXX (see UTF-16 literals)
 - uint64 declaration
 - local variables in user functions IV-33
 - variables in user functions IV-33
 - uint64 keyword V-907
 - UltraHD displays III-446
 - resolution of panels III-405
 - UNC paths III-401, V-622
 - undefine statement V-18
 - Unicode III-410
 - byte order marks III-420
 - canonical equivalence V-582
 - compatible characters V-582
 - decomposed characters V-582
 - normalization V-581
 - NormalizeUnicode function V-581
 - precomposed characters V-582
 - programming III-429
 - replacement character III-415
 - UTF-16 III-413
 - UTF-16 literals IV-12–IV-13
 - UTF-32 III-413
 - UTF-8 III-413
 - III-412–III-413
 - Unicode conversion errors III-410
 - uniform spacing (see waveform data, X scaling)
 - UniqueName function V-907
 - units
 - (see also X units, Y units)
 - dat II-64
 - precision II-64
 - of waves V-942
 - Universal Name Convention III-401
 - Unix
 - paths III-402
 - shell scripts IV-250
 - example IV-250
 - UNIX paths V-622
 - unlocking
 - notebooks III-6
 - procedure files III-351
 - unpacked experiments
 - adopting files II-23
 - adopting files programmatically V-21
 - experiment file II-17
 - LoadData operation II-137
 - UnPadString function V-908
 - UnsetEnvironmentVariable function V-908
 - unsigned integers V-907
 - Unwrap operation III-269, V-909
 - unwrapping phase III-243, V-376
 - Update All Now III-14, III-18
 - Update Selection Now III-14, III-18
 - updates
 - during macros IV-115
 - during user functions IV-103
 - for Igor II-4
 - updating
 - annotations III-39–III-40
 - controls
 - ControlUpdate operation V-79
 - ControlUpdate operation III-387
 - DelayUpdate operation V-132
 - DoUpdate operation V-147
 - during procedures V-132, V-147, V-627, V-688
 - Igor II-4
 - PauseUpdate operation V-627
 - pictures in notebooks III-18
 - pop-up menu controls III-380

ReplaceWave operation V-681
 ResumeUpdate operation V-688
 special characters in notebooks III-14, V-598
 traces in graph II-106
upgrading
 Igor II-4
uploading
 directories via FTP IV-259
 files via FTP IV-259
 upper-case string conversion V-909
 UpperStr function V-909
 URLDecode function V-909
 URLEncode function IV-253, V-910
 URLRequest operation V-910
 authentication V-911
 FILE scheme V-914
 headers V-911
 HTTP POST method V-915
 passwords V-911
 percent encoding V-915
 POST method V-915
 proxy servers V-913
 redirects V-912
 schemes V-910
 timeouts V-913
 usernames V-911
URLs IV-252
 in help files IV-243
 percent encoding IV-253
 reserved characters IV-253
 URLDecode function V-909
 URLEncode function V-910
 URLRequest operation V-910
Use Fusion Style III-447
Use Global Attributes
 Gizmo II-333
Use Selection for Find II-48
 in procedure windows III-358
use table formatting checkbox II-158
UseNewDiskHeaderBytes II-35
UseNewDiskHeaderCompress II-35
user data
 controls III-391
 Buttons V-47
 CheckBoxes V-55, V-115
 examples III-392
 GroupBox V-290
 ListBox V-432
 pop-up menus V-645
 SetVariable V-732
 Sliders V-747
 TabControl V-877
 GetUserData function V-273
 storing global variables IV-96
 windows IV-275, V-741
 examples IV-275
 getting V-273
user files
 path to folder V-764
user files folder (see Igor Pro User Files)
user functions IV-30–IV-106
 \$ operator IV-57
 & operator IV-54
 aborting IV-45, IV-47, IV-103, V-18–V-19, V-907
 accessing global variables IV-64
 accessing waves III-142–III-146, IV-76–IV-79
 automatic local variables IV-56
 bitwise and logical operators IV-39
 body code IV-35
 break in switch IV-41
 break statements IV-44
 calling a macro IV-191
 calling an external operation IV-191
 case statements IV-41
 coercion of data types IV-102
 compared to macros IV-108
 comparisons IV-38
 compile time vs runtime IV-58
 complex IV-31
 complex return value IV-31
 complex wave references IV-59
 complex waves IV-62, IV-77
 conditional compilation IV-100
 conditional statements IV-37
 constants IV-47
 continuation characters IV-35, IV-104
 continue statements IV-45
 control panels IV-146
 creating global variables in data folders IV-235
 curve fitting to III-163, V-234
 data folder reference result IV-31
 data folder references IV-72–IV-76
 data folders II-103
debugging
 debugger IV-198–IV-211
 GetRTStackInfo function V-271
 runtime stack information V-271
 default values V-603, V-871
 dependency assignment IV-217, V-723
 dialogs IV-132
 direct reference to globals IV-106
 do-while loops IV-42
 DoUpdate IV-103
 Duplicate operation V-164–V-165
 errors IV-102
 examples III-143–III-148
 FindSegmentMeans III-146
 LogRatio III-145
 modifying a wave III-144
 RemoveOutliers III-144
 WavesAverage III-146
 WavesMax III-145

- WaveSum III-144
 Execute operation IV-191
 exists function V-180
 FitFunc keyword V-219
 flags IV-31
 flow control IV-37
 for loops IV-43
 FuncRefInfo function V-239
 Function Execution Error dialog IV-102
 function references IV-98–IV-99
 FunctionInfo function V-240
 FunctionList function V-244
 GetRTError IV-102
 GetRTStackInfo function V-271
 global variables IV-59–IV-65
 hook functions IV-264–IV-275
 if-else-endif IV-37
 if-elseif-endif IV-38
 in curve fitting
 - details III-219–III-228
- IndependentModule keyword V-380
 information about V-239–V-240
 initialization of local variables IV-34
 inline parameter lists IV-33
 invoking operations IV-102
 liberal names IV-62
 local variable declaration IV-34
 local variables IV-56
 loops IV-42
 MultiThread keyword V-562
 multivariate curve fitting to V-237
 names IV-31
 operation queue IV-263
 optional parameters IV-33, IV-55, V-621
 overriding IV-98, V-619
 parameter lists IV-32
 pass-by-reference IV-54
 path to V-246
 pause for user IV-140
 PauseForUser operation V-626
 performance V-467
 pop-up menus IV-133
 precision of calculations IV-31
 predefined symbols IV-101
 preemptive multitasking IV-97, IV-308–IV-316
 preferences IV-192
 ProcedureText function V-662
 processing waves III-143–III-148
 programming with liberal names
 - IV-157–IV-158
- Prompt reuse IV-135
 Prompt statements IV-132, IV-135
 prototype functions IV-98
 retrieve code
 - ProcedureText function V-662
- return statements IV-35
- returning waves III-142
 reusing prompts IV-135
 rtFunctionErrors pragma IV-51
 rtGlobals=0 IV-106
 runtime stack information V-271
 S_ variables IV-56
 scope of variables II-95, II-97, IV-34, IV-56
 simple input dialog IV-132
 static IV-96
 - ModuleName keyword IV-50, V-553
- Static keyword V-775
 string IV-31
 string return value IV-31
 subtypes IV-32
 switch statements IV-41
 syntax for curve fitting III-220
 syntax of IV-31
 text waves IV-62, IV-77
 ThreadSafe IV-97, IV-308–IV-316
 ThreadSafe keyword V-894
 timing V-467
 updates IV-103
 V_ variables IV-56
 variables
 - declaration IV-34
 - global IV-59–IV-65
 - local IV-56
 - scope II-95, II-97, IV-34, IV-56
- wave access IV-59–IV-65
 wave as parameter IV-76
 wave parameters IV-55
 wave reference functions IV-78
 wave reference result IV-31
 wave references IV-65–IV-72
 waves as parameters III-142, V-564
 while loops IV-43
- user interface I-6
 User Procedures IV-23
 User Procedures folder II-32, III-354, IV-23, IV-155
 user shapes drawing tool III-65
 user-defined buttons
 - Data Browser II-112
- user-defined drawing shapes V-158
 user-defined functions (see user functions)
 user-defined menus
 - contextual menu example IV-149
- user-defined menus (see menu definitions)
 user-defined trace names IV-82
 UserAxes drawing layer III-68
 - (see also drawing tools:layers)
- UserBack drawing layer III-68
 - in page layouts II-392–II-393
- UserFront drawing layer III-68–III-69
 - in page layouts II-392–II-393
- usernames
 - in URLs IV-252–IV-253

URLRequest operation V-911
 UTC V-121
 UTF-16 III-413
 Unicode escape sequences IV-14
 UTF-16 literals IV-12–IV-13
 UTF-32 III-413
 Unicode escape sequences IV-14
 UTF-8 III-410–III-411, III-413, III-430
 character-by-character operations IV-162
 plain text files III-420
 programming III-429
 TextEncoding pragma IV-52
 Unicode escape sequences IV-14
 utility procedures IV-23
 writing IV-156

V

V_ variables II-95
 curve fitting III-202–III-206
 in macros IV-115
 in user functions IV-56
V_AbortCode IV-45, V-907
V_audev III-118, V-358, V-842, V-936
V_Alpha V-58, V-76–V-77, V-265, V-275–V-276, V-642, V-649, V-727
V_alreadyOpen V-610
V_autoMultiThread V-563
V_avg III-117, V-358, V-842, V-935
V_Blue V-58, V-76–V-77, V-265, V-275–V-276, V-642, V-649, V-727
V_bottom V-267, V-276–V-277
V_bytesRead V-441
V_CenterX V-44
V_CenterY V-44
V_CenterZ V-44
V_chisq III-185, III-203, III-205
V_correlation V-358
V_creationDate V-260
V_debugDangerously IV-210–IV-211
V_debugOnError V-125
V_defaultTextEncoding V-130
V_denominator V-668
V_disable V-74
V_EdgeAmp4_0 V-168
V_EdgeDLoc3_1 V-168
V_EdgeLoc1 V-168
V_EdgeLoc2 V-168
V_EdgeLoc3 V-168
V_EdgeLvl0 V-168
V_EdgeLvl1 V-168
V_EdgeLvl2 V-168
V_EdgeLvl3 V-168
V_EdgeLvl4 V-168
V_EdgeSlope3_1 V-168
V_enable V-125

V_endChunk III-119, V-937
V_endCol III-118, V-273, V-936
V_endLayer III-119, V-937
V_endParagraph V-273
V_endPos V-151, V-273
V_endRow III-118, V-273, V-936
V_Error V-760
V_FIFOChunks V-196
V_FIFOnchans V-196
V_FIFORunning V-196
V_filePos V-195, V-226
V_FitError III-203, III-205
V_FitIterStart III-204, III-206
V_FitMaxIters III-204
V_FitNumIters III-204
V_FitOptions III-185, III-203–III-204
V_FitQuitReason III-204–III-205, V-161
V_FitTol III-203
V_Flag II-111
 use with GetErrMessage V-258
V_flag V-38, V-45, V-56, V-58, V-74, V-88, V-90, V-96, V-119, V-129, V-133–V-135, V-142, V-145–V-146, V-148, V-151, V-161–V-162, V-168, V-176–V-177, V-195–V-196, V-202, V-209, V-211–V-212, V-216, V-226, V-229, V-232, V-253–V-254, V-259, V-264, V-267, V-269, V-272, V-278, V-336, V-357, V-404, V-427, V-441–V-442, V-454, V-458, V-475–V-476, V-478–V-479, V-500–V-501, V-508, V-555–V-556, V-572, V-585, V-591–V-592, V-595, V-597, V-608, V-610, V-618, V-625, V-632–V-633, V-635, V-640–V-642, V-651, V-666, V-697, V-700, V-704, V-706, V-709, V-722, V-727, V-757–V-759, V-769, V-776–V-780, V-783, V-787, V-789, V-792, V-794, V-797, V-800–V-801, V-803, V-814, V-816–V-817, V-819, V-827, V-833, V-845, V-851, V-853–V-854, V-858, V-860–V-861, V-914, V-964
 loading waves (example) II-151
 LoadWave operation II-151
V_Green V-58, V-76–V-77, V-265, V-275–V-276, V-642, V-649, V-727
V_Height V-74, V-77
V_horizScroll V-75
V_IQR V-842
V_isAliasShortcut V-260
V_isFile V-259
V_isFolder V-259
V_isInvisible V-259
V_isReadOnly V-259
V_isStationery V-260
V_kind V-641
V_kurt III-118, V-358, V-842, V-936
V_LeadingEdgeLoc V-212

| | |
|--|---|
| V_left V-74, V-267, V-269, V-276–V-277 | V_PulseAmp4_0 V-666 |
| V_LevelsFound V-211 | V_PulseLoc1 V-666 |
| V_LevelX V-209 | V_PulseLoc2 V-666 |
| V_logEOF V-226, V-260 | V_PulseLoc3 V-666 |
| V_LUPolarity V-481 | V_PulseLvl0 V-666 |
| V_marquee V-268 | V_PulseLvl123 V-666 |
| V_max III-118, V-223, V-254, V-358, V-618–V-619, V-842, V-936 | V_PulseLvl4 V-666 |
| V_maxChunkLoc III-118, V-936 | V_PulsePolarity V-666 |
| V_maxColLoc III-118, V-358, V-936 | V_PulseWidth2_1 V-666 |
| V_maxLayerLoc III-118, V-936 | V_PulseWidth3_1 V-666 |
| V_maxloc III-118, V-618, V-936 | V_PulseWidth3_2 V-666 |
| V_maxRowLoc III-118, V-358, V-936 | V_q III-203, III-205 |
| V_Median V-842 | V_Q25 V-842 |
| V_min III-118, V-254, V-358, V-481, V-618–V-619, V-842, V-936 | V_Q75 V-842 |
| V_minChunkLoc III-118, V-936 | V_r2 III-203 |
| V_minColLoc III-118, V-358, V-936 | V_Rab III-203 |
| V_minLayerLoc III-118, V-936 | V_Radius V-44 |
| V_minloc III-118, V-618, V-936 | V_Red V-58, V-76–V-77, V-265, V-275–V-276, V-642, V-649, V-727 |
| V_minRowLoc III-118, V-358, V-936 | V_responseCode V-914 |
| V_modificationDate V-260 | V_right V-267, V-276–V-277 |
| V_nextRun V-38 | V_rising V-209 |
| V_nextValue V-427 | V_rms III-118, V-358, V-842, V-936 |
| V_nheld III-203 | V_Root V-217 |
| V_no_MIME_TSV_Load IV-267 | V_Root2 V-217 |
| V_npnts III-117, III-185, V-358, V-628, V-935 curve fitting III-203 | V_rowHeight V-75 |
| V_nterms III-203 | V_SANumIncreases V-618 |
| V_numConversionsFailed V-82, V-737 | V_SANumReductions V-618 |
| V_numConversionsSkipped V-82, V-738 | V_sdev III-118, V-358, V-842, V-936 |
| V_numConversionsSucceeded V-82, V-737 | V_selCol V-75 |
| V_numerator V-668 | V_sem III-118, V-936 |
| V_numImages V-336 | V_siga III-203 |
| V_numINFs III-117, III-203, V-842, V-935 | V_sigb III-203 |
| V_numNaNs III-117, III-203, V-842, V-935 | V_skew III-118, V-358, V-842, V-936 |
| V_NumParticles V-312 | V_SoundInAGC V-757–V-758 |
| V_numRegions V-377 | V_SoundInChansAv V-758 |
| V_numResidues V-376–V-377 | V_SoundInGain V-757–V-758 |
| V_numRoots V-217 | V_SoundInSampSize V-758 |
| V_NVAR_SVAR_WAVE_Checking V-125 | V_startChunk III-119, V-937 |
| V_ODEFUNCTIONCalls V-396 | V_startCol III-118, V-273, V-936 |
| V_ODEMinStep V-396 | V_startLayer III-119, V-937 |
| V_ODEStepCompleted III-286, V-396 | V_startParagraph V-273 |
| V_ODEStepSize V-396 | V_startPos V-151, V-219, V-273 |
| V_ODETOTALSteps V-396 | V_startRow III-118, V-75, V-273, V-936 |
| V_OptNumFunctionCalls V-619 | V_statistic V-845 |
| V_OptNumIters V-619 | V_structSize V-441, V-704 |
| V_OptTermCode V-618 | V_Sum V-481, V-842 |
| V_overrideExperiment V-130 | V_sum III-117, V-935 |
| V_PeakLoc V-212 | V_SVConditionNumber V-502 |
| V_PeakVal V-212 | V_tapValue V-427 |
| V_PeakWidth V-212 | V_TBBufZone III-40, IV-275, V-888 |
| V_period V-38 | V_threshold V-359 |
| V_Pr III-203 | V_tol III-203, III-234 |
| V_prob V-845 | V_top V-74, V-267, V-269, V-276–V-277 |
| | V_TrailingEdgeLoc V-212 |

V_value V-74, V-129, V-217–V-219, V-265, V-275, V-370, V-378, V-430, V-633, V-946
 V_version V-260
 V_vertScroll V-75
 V_Width V-74
 V_YatRoot V-217
 V_YatRoot2 V-217
 ValDisplay controls
 using III-371
 ValDisplay operation III-385–III-387, IV-217, V-916–V-920
 Value Display controls
 bar display III-371, III-386–III-387
 examples III-385–III-387
 height III-386
 LED display III-385
 limits III-371, III-386–III-387
 numeric readout III-385–III-386
 programming III-385–III-387
 title III-386
 updating
 problems III-394, V-79
 widths explained III-385
 Variable declaration II-96, V-921
 automatic creation of NVAR IV-65
 in user functions IV-65
 local variables in macros IV-111
 local variables in user functions IV-34
 not in a macro loop IV-111
 VariableList function V-922
 variables II-94–II-98
 (see also numeric variables, string variables,
 system variables)
 complex II-96
 default values V-603
 exists function V-180
 global II-94–II-97, II-103, III-370–III-371,
 III-381–III-382
 creating II-94
 in data folders II-100
 in user functions IV-59–IV-65
 numeric variables V-921
 runtime lookup IV-60–IV-62
 string variables V-864
 uses of II-94
 using structures instead IV-95
 versus local IV-56
 in debugger IV-203, IV-205
 list of
 GetIndexedObjName function V-261
 GetIndexedObjNameDFR function V-262
 listing in data folder V-119
 LoadData operation II-137
 loading from Igor experiment file V-437–V-440
 loading waves II-151
 local II-97
 in macros IV-111
 in user functions IV-34
 versus global IV-56
 MoveVariable operation V-559
 names II-94
 CheckName function V-57
 naming rules III-443
 numeric II-96
 NVAR_Exists function V-604
 pass-by-reference IV-54
 references using \$ IV-57
 runtime lookup of globals IV-60–IV-62
 saving V-695
 saving procedure parameters IV-135
 scope II-95, II-97, IV-34, IV-56, IV-111, IV-115
 Static keyword V-775
 string II-97–II-98
 SVAR_Exists function V-876
 system II-94–II-95
 user II-95
 uses for global variables II-94
 V_variables II-95
 veclen II-95
 writing formatted data V-223
 variables file
 in experiments II-18
 variance
 of images V-358
 of waves V-358, V-936
 variance function V-921
 VAX floating point II-148
 vcsr function V-923
 in wave assignments II-76
 VDT2 XOP IV-291
 veclen II-95
 vector (see waveform data)
 vector plots II-225, V-523
 wind barbs V-523
 vectors
 cross product V-97
 version
 IgorVersion function V-308
 in include statement IV-155
 of Igor V-307
 of procedure file IV-155
 pragma keyword V-923
 version pragma IV-50
 VertCrossing free axis II-214–II-215
 vertical dimension in tables II-197
 vertical offsets
 in notebooks III-9
 viewing volume
 Gizmo II-334
 viewport projection
 Gizmo II-337
 virtual memory III-451

virtual memory (see memory)
 VISA
 data acquisition IV-291
 VISA XOP IV-291
 Visual C++ IV-195
 VoigtFunc function V-923
 volumes
 shrinkBox V-369
 transpose volume V-370
 volumetric plots II-86
 Voronoi interpolation V-328, V-511
 surface plot II-326
 voronoi tesselation V-370
 voxelgram plots
 Gizmo II-375
 voxels
 shrinkBox V-369
 VRAM II-321
 Gizmo II-376–II-377

W

W_Abs V-938
 W_Acos V-938
 W_alphaValues V-473
 W_AngleWave V-788
 W_ANOVA1BnF V-776
 W_ANOVA1Welch V-777
 W_Asin V-938
 W_Atan V-939
 W_BackgroundCoeff V-346
 W_Beam V-363
 W_betaValues V-473
 W_BoundaryIndex V-311
 W_BoundaryX V-311
 W_BoundaryY V-311
 W_CConjugate V-939
 W_circularity V-312
 W_CircularMeans V-786
 W_CircularStats V-787
 W_coef III-185
 in curve fitting III-168–III-169, V-105, V-111
 W_Compressed V-361
 W_ContingencyTableResults V-793
 W_Cos V-939
 W_Covar III-197
 W_Cross V-97
 W_CumulativeVAR V-627
 W_CWTScaling V-118
 W_DebugTimerIDs V-467
 W_DebugTimerVals V-467
 W_DeCompressed V-361
 W_Detrend V-161
 W_Diagonal V-482
 W_DWT V-166
 W_Eigen V-628–V-629
 W_eigenValues V-471–V-472, V-500
 W_ExtractedCol V-363
 W_ExtractedRow V-363
 W_extremum III-299, V-619
 W_FFT V-190
 W_FindLevels V-210
 W_fitConstants III-163, III-185
 W_FitConstraint III-201, V-105, V-111
 W_flipped V-939
 W_FPCenterIndex V-222
 W_FPClusterIndex V-222
 W_FuzzyClasses V-363
 W_Hilbert V-296
 W_Histogram V-297, V-299
 W_HodgesAjne V-803
 W_IE V-627, V-629
 W_IEigenValues V-500
 W_ImageHist V-323
 W_ImageHistB V-323
 W_ImageHistG V-323
 W_ImageHistR V-323
 W_ImageLineProfile V-333
 W_ImageObjArea V-312
 W_ImageObjPerimeter V-312
 W_IND V-628–V-629
 W_Index V-284
 W_index V-283
 W_IndexedValues V-365
 W_inPoly V-213
 W_IntAvg V-310
 W_Interpolated V-398
 W_IntMax V-310
 W_IntMin V-310
 W_Inverse V-939
 W_InvW V-502
 W_IPIV V-478
 W_JackKnifeStats V-841
 W_JBResults V-814
 W_KMDispersion V-412
 W_KMMembers V-412–V-413
 W_KSResults V-817
 W_KWTestResults V-776, V-818
 W_LDiagonal V-482
 W_LFSR V-427
 W_LineOrderStats V-788
 W_LinearRegressionMC V-824
 W_LineProfileStdv V-333
 W_LineProfileX V-333
 W_LineProfileY V-333
 W_LombPeriodogram V-460–V-461
 W_LombProb V-460–V-461
 W_LUPermutation V-480
 W_Magnitude V-939
 W_MagSqr V-939
 W_MatrixOpInfo V-471
 W_MatrixRCONDE V-471

W_MatrixRCONDV V-471
 W_max V-939
 W_MeanStdv V-930
 W_min V-939
 W_MultiTaperDF V-561
 W_MultiTaperF V-561
 W_MultiTaperPSD V-561
 W_MultiThreadingArraySizes V-563–V-564
 W_NNResults V-565
 W_normalizedArea V-939
 W_ObjPerimeter V-311
 W_OptGradient III-299, V-619
 W_ParamConfidenceInterval V-111
 W_Periodogram V-161
 W_Phase V-939
 W_PIV V-482
 W_polyRoot V-217
 W_PolyX V-151
 W_PolyY V-151
 W_PrimeFactors V-651
 W_PSL V-628–V-629
 W_QuantilesIndex V-837
 W_QuantileValues V-837
 W_reciprocalConditionE V-473
 W_reciprocalConditionV V-473
 W_rectangularity V-312
 W_RegParams V-345
 W_ReEigenValues V-500
 W_ReplacedDuplicates V-208
 W_Resampled V-841–V-842
 W_RMS V-628–V-629
 W_roi_to_1d V-367
 W_Root V-217
 W_RSD V-628–V-629
 W_Sgn V-940
 W_sigma III-185
 in curve fitting V-111
 W_sigma wave in curve fitting III-169, III-193
 W_Sin V-940
 W_SoundInRates V-758
 W_SphericalInterpolation V-768
 W_SpotX V-312
 W_SpotY V-312
 W_sqrt V-940
 W_SqrtN V-298
 W_StatsChiTest V-783
 W_StatsCircularTwoSamples V-784, V-791
 W_StatsFTest V-801
 W_StatsKendallTauTest V-816
 W_StatsLinearCorrelationTest V-819
 W_StatsLinearRegression V-821
 W_StatsMultiCorrelationTest V-827–V-828
 W_StatsNPSRTTest V-833
 W_StatsQuantiles V-838, V-842
 W_StatsRankCorrelationTest V-839
 W_StatsSRTTest V-846
 W_StatsTTest V-849
 W_StatsVariancesTest V-854
 W_StatsWRCorrelationTest V-862
 W_sumCols V-369
 W_SumDimension V-873
 W_sumRows V-369
 W_tan V-940
 W_Texture V-364
 W_TextureParams V-319
 W_TriangulationData V-328, V-331
 W_U2Diagonal V-482
 W_UDiagonal V-482
 W_W V-477, V-501
 W_WatsonUtest V-791, V-857
 W_WatsonWilliams V-858
 W_WaveList wave V-277
 W_WaveTransform V-938
 W_WheelerWatson V-859
 W_WilcoxonTest V-776, V-860
 W_XContour V-207
 W_XHull V-85
 W_xmax V-312
 W_xmin V-312
 W_XPolyn V-281
 W_XPolynn III-65
 W_XProjection V-663
 W_YatRoot V-217
 W_YContour V-207
 W_YHull V-85
 W_ymax V-312
 W_ymin V-312
 W_YPolyn V-281
 W_YPolynn III-65
 W_YProjection V-663
 W_ZScores V-935
 wait
 Sleep operation V-744
 wait until user clicks
 Sleep/B V-744
 warping
 images V-329
 watch cursor
 nonspinning V-744
 waterfall
 subranges II-251
 waterfall plots II-255
 creating II-255, V-580
 cursors V-629, V-667
 displaying II-255
 modifying V-552
 ModifyWaterfall operation V-552
 NewWaterfall operation V-580
 pcsr function V-629
 qcsr function V-667
 “poor man’s” II-231
 wave (see waveform data, waves)

wave assignments II-69
 * II-71
 bounds checking IV-49
 chunk indexing V-876
 chunk numbers V-691
 column indexing V-966
 column numbers V-667
 Compose Expression dialog III-130–III-131
 concatenating waves II-73
 data values II-69
 decomposing waves II-74
 dependency formulas II-77, IV-216
 destination waves II-69
 evaluation of II-69
 example II-70
 FastOp operation V-184
 impulses II-74
 increment II-71
 INF II-71
 interpolation II-72, II-76
 layer indexing V-967
 layer numbers V-668
 lists of values II-72
 mismatched waves II-75, III-148
 multidimensional waves II-88–II-89
 MultiThread keyword V-562
 omitting indices II-71
 p function II-69, II-88
 point numbers V-620
 q function II-88
 r function II-88
 row indexing in assignments V-961
 row numbers V-620
 s function II-88
 source waves II-69
 speeding up V-184
 subranges II-71
 synthesis II-74
 unexpected results II-76
 x function II-69
 X indexing in assignments V-961
 XY data II-73
 wave declaration
 automatic creation of NVAR IV-65
 WAVE files V-761
 wave inspector in debugger IV-207–IV-209
 wave instance names IV-19
 in annotations III-39
 WAVE keyword IV-60, V-924
 /Z flag IV-62
 automatic creation with rtGlobals IV-65–IV-66
 checking in debugger IV-199
 example IV-64
 failures IV-61
 function results IV-70
 in procedures III-142

inline IV-67
 reference type flags IV-68
 reference types IV-67
 standalone IV-66
 use with \$ IV-57
 use with data folders IV-64
 wave reference waves IV-71
 with data folders IV-235
 wave names
 text encodings III-423
 wave notes II-77
 copy/paste in tables II-175, II-203
 keyword-value packed strings II-77
 note function V-583
 Note operation V-583
 Wave parameters III-142
 in macros IV-113
 wave reference functions IV-78, IV-186
 ListToWaveRefWave function V-437
 WaveExists function V-926
 WaveRefIndexed function V-932
 WaveRefIndexedDFR function V-932
 WaveRefsEqual function V-933
 WaveRefWaveToList function V-933
 XWaveRefFromTrace function V-966
 wave references IV-65–IV-72
 as destination waves IV-79
 as function results IV-70
 automatic creation IV-66
 checking in debugger IV-199
 creation with \$ IV-57, IV-77
 explicit IV-69
 inline IV-67
 passed as function parameter IV-76
 problems IV-69
 real versus complex IV-59
 standalone IV-66
 strict mode IV-49, IV-70
 WAVE keyword IV-60
 waves containing IV-71
 wave scaling
 IndexToScale function V-384
 ScaleToIndex function V-709
 Wave Stats dialog III-119
 wave styles (see waves:styles)
 wave symbols III-43
 centering in annotations III-44
 customize at point III-44
 in an axis label II-247, III-38
 in annotations III-38, III-43
 markers III-44
 size in annotations III-44
 width in annotations III-44
 wave text encodings III-422–III-427
 problems III-423
 SetWaveTextEncoding operation III-427, V-733

WaveTextEncoding function V-937
 wave units
 text encodings III-423
 WAVEClear keyword V-925
 waveCRC function V-925
 WaveDims function V-926
 WaveExists IV-61
 WaveExists function V-926
 example IV-189
 waveform arithmetic (see wave assignments)
 waveform data
 (see also waves)
 computing areas III-115
 computing means III-115
 converting to matrix II-89
 definition I-2
 description of II-57
 generating from XY data III-104
 loading waves (example) II-151
 versus XY data III-103
 WaveInfo function V-926
 wavelet transforms
 continuous III-251, V-116
 CWT operation V-116
 discrete III-252, V-166
 DWT operation V-166
 image analysis III-315–III-316
 inverse V-166
 WaveList function V-927
 in dialogs IV-133
 liberal names with IV-158
 waveMax function V-930
 WaveMeanStdv operation V-930
 WaveMetrics
 Igor mailing list II-4
 packages IV-232
 support II-4
 WaveMetrics Procedures IV-23
 WaveMetrics Procedures folder II-32, III-354, IV-23,
 IV-155
 packages III-355
 read only III-351
 waveMin function V-931
 WaveName function V-931
 WaveRefIndexed function IV-186, V-932
 example IV-189
 WaveRefIndexedDFR function IV-186, V-932
 WaveRefsEqual function IV-187, V-933
 WaveRefWaveToList function IV-187, V-933
 waves II-57–II-80
 (see also waveform data, traces)
 2D (see contour plots, image plots, matrices)
 3D (see multidimensional waves)
 4D (see multidimensional waves)
 64-bit capable wave record II-35
 accessing in user functions IV-59–IV-72
 adopting in Data Browser II-111
 adopting programmatically V-21
 appearance in graphs II-222–II-234, II-260,
 II-275, II-293
 AppendToGraph operation V-31
 AppendToTable operation V-33
 as bezier curves III-71
 as polygons III-71, V-213
 as XY pair I-3, V-965–V-966
 auxiliary
 setting markers II-228
 average deviation V-358, V-936
 average value III-146, V-358, V-935
 axis controlled by wave II-215, II-246–II-247,
 V-37, V-70, V-325
 browsing II-67
 in dialogs II-162
 combining V-68
 comparing V-172
 complex II-74
 Concatenate operation V-68
 concatenating II-73
 contour names V-71
 converting to/from text II-68
 copying II-107
 CopyScales operation V-90
 creating II-60, II-84, V-164, V-464
 by drawing
 GraphWaveDraw operation V-280
 examples I-37, I-48, I-55
 in tables II-174, II-183
 CreationDate function V-96
 CsrWave function V-98
 CsrWaveRef function V-99
 CsrXWaveRef function V-99
 dat units II-64
 precision II-64
 data
 scaling V-728
 units V-728
 values II-58
 finding point number V-42
 data folder containing wave V-273–V-274
 data full scale II-64
 data types II-61
 date format II-180, II-244
 date/time II-78
 deallocating memory IV-194, V-925
 decomposing II-74
 default properties II-62
 definition I-2, II-57
 deleting data II-68, II-184, V-136
 dependency formulas II-77, IV-216
 DimDelta function V-139
 dimension labels (see waves:labels, dimension
 labels, column labels, row labels)

dimensions
 how many V-926
 labels V-207, V-257
 scaling V-728
DimOffset function V-139
DimSize function V-139
 dispersion V-358, V-936
 display of complex III-242
 Duplicate operation V-164–V-165
 duplicating II-65
 in tables II-175, II-203
 dynamic updating in tables II-169, II-172
 editing by drawing III-65, III-71–III-72
 examples I-23–I-24, I-31
 GraphWaveDraw operation V-281
 error waves II-233
 exists function V-180
 exporting (see *exporting:waves*)
Extract operation V-182
 $f(z)$ II-228
 finding values V-217–V-218
FindSequence operation V-217
FindValue operation V-218
 fixed length V-464, V-670
 flip V-938
 free IV-84–IV-88
 Extract operation V-182
 freeing memory IV-194, V-925
 freezing
 brr V-733
 graphing II-212–II-266
 hiding in graphs II-225
 image names V-340
 in experiments V-927
 in graphs V-927
 CheckDisplayed operation V-56
 in tables V-927
 exporting II-204, V-707
 in user functions III-142–III-146, IV-76–IV-79
 in windows V-927
 index V-938
 index in style macros II-263
 indexing II-71
 dimension labels II-85
 using dimension labels II-75
 information about II-67, V-926
 initialization II-72
 inserting data II-68, II-184, V-385
 instance names III-39, IV-19
 integer data types II-77
 integer wave calculations IV-8
 inverse V-939
 killing II-65–II-66, II-109
KillWaves operation V-411
 kurtosis V-358, V-936
 labels II-85–II-86
 example II-75
FindDimLabel function V-207
GetDimLabel function V-257
 in delimited text files II-122
 in tables II-196
 length limit II-86, II-179
 naming conventions II-86
SetDimLabel operation V-715
 speed considerations II-86
 viewing in tables II-170
 wave indexing II-75
 list of V-927
CountObjects operation V-94
CountObjectsDFR operation V-94
GetIndexedObjName function V-261
GetIndexedObjNameDFR function V-262
 properties II-80
 waves in graph V-277
 listing in data folder V-119
ListToWaveRefWave function V-437
 live II-259–II-260
 loading
 (see also *Load Waves*, *loading waves*)
 from Igor experiment file V-437–V-440
 locking V-733
 magnitude squared V-939
Make operation V-464
 making II-60, II-62, II-84, V-164, V-464
MatrixOp operation III-136
 maximum
 column location V-358
 location V-936
 row location V-358
 value V-358, V-936
 minimum
 column location V-358
 location V-936
 row location V-358
 value V-358, V-936
 mismatched waves II-75, III-148
 modification date/time V-508
MoveWave operation V-560
 moving to data folder II-107
 multidimensional (see *multidimensional waves*)
 name from wave reference V-564
 names II-58, II-60, III-39
 (see also *waves:renaming*)
 as parameters IV-79
 CheckName function V-57
 in Igor Binary files II-136
 instance names IV-19
 related functions V-11
 naming rules III-443
 normalization II-72
 notes (see *wave notes*)

number of INFs V-935
 number of NaNs V-935
 number of points II-62, III-104, III-128, V-139,
 V-464, V-602, V-670, V-935
 default II-62
 numeric precision II-61, II-63, V-670
 default II-62
 numeric types V-941
 numpnts function V-602
 offsets in graphs II-231–II-232
 multipliers II-232
 preventing II-231
 undoing II-231
 overview of waves I-2–I-3
 overwriting caveats II-63
 parameters
 in user functions IV-55
 to functions V-564
 pass-by-reference IV-55
 passed as function parameter IV-76
 point numbers II-58, V-961
 preventing modification V-733
 printing V-652
 processing lists of waves IV-187–IV-190
 properties default II-62
 Redimension operation V-670
 redimensioning II-67, V-670
 related functions V-8
 related operations V-2–V-3
 relation to graphs I-3
 relation to tables I-3, II-169
 removing INFs V-940
 removing NaNs V-940
 renaming II-67, II-107, III-444, V-676
 in tables II-169, II-174
 reshaping 1D to 2D V-671
 Reverse operation V-688
 RMS value V-358, V-936
 rotate V-938
 Rotate operation V-690
 rows II-57
 runtime lookup of globals IV-60–IV-62
 saving
 (see also saving waves)
 wfprintf operation V-942
 saving huge waves II-35
 scaling II-63, V-139, V-728
 searching V-217–V-218
 SetDimLabel operation V-715
 SetScale operation V-728–V-729
 SetWaveLock operation V-733
 shift V-938
 sign V-940
 skewness V-358, V-936
 splitting V-770
 splitting up II-65

SplitWave operation V-770
 standard deviation V-930, V-936
 standard error of mean V-936
 statistics III-117–III-119, V-930–V-931, V-934
 styles II-222–II-234, II-262–II-264
 preferences II-260, II-275, II-293
 sum function V-872
 sum of values V-935
 symbols in legends III-38, III-43
 synthesis II-74
 temporary II-100
 terminology I-2, II-57
 text (see text waves)
 text encodings III-422
 time format II-180, II-244
 trace instance names III-39
 transforms V-938
 uniform spacing I-2
 UniqueName function V-907
 units string of V-942
 variance V-936
 wave instance names IV-19
 wave reference functions IV-186
 ContourNameToWaveRef V-72
 ImageNameToWaveRef V-341
 WAVEClear keyword V-925
 WaveDims function V-926
 WaveExists function V-926
 WaveInfo function V-926
 WaveList function V-927
 WaveName function V-931
 WaveRefIndexed function V-932
 WaveRefIndexedDFR function V-932
 WaveRefsEqual function V-933
 WaveRefWaveToList function V-933
 WaveStats operation III-117
 WaveTransform operation V-938
 X scaling I-2, II-58, V-136, V-423, V-689
 X values II-57–II-58
 x0, dx II-58
 zero padding V-670

WAVES keyword in Igor Text files II-132
 waves text encodings
 Override Experiment III-423
 WavesAverage function III-146
 WavesMax function III-145
 WaveStats
 multidimensional waves II-90
 WaveStats operation V-934
 for finding the mean III-115
 NaNs and INFs III-119
 special variables III-117
 WaveSum function III-144
 WaveTextEncoding function V-937
 WaveTransform
 removing NaNs III-108

WaveTransform function V-938
 WaveType function V-941
 WaveUnits function V-942
 WDF (see Wigner Distribution Function)
 Web (see World Wide Web)
 web pages
 downloading via HTTP IV-261
 HTTP queries IV-262
 weighting wave
 curve fitting III-172
 JointHistogram operation V-406
 western text encodings III-412, III-416
 wfprintf operation IV-184, IV-244–IV-246, V-942
 conversion specifications IV-245
 example IV-246
 WhichListItem function V-943
 while loops
 in user functions IV-42–IV-43
 whitespace characters
 in tables II-193
 Whole Word III-24
 width of graphs II-221
 Wigner Distribution Function III-250
 Wigner transform III-250
 WignerTransform operation V-944
 wildcard character V-866, V-922, V-928
 WinList function V-947
 wind barbs II-258, V-523
 Window Control dialog II-44, II-175, II-213
 window hooks
 deactivate events IV-283
 exterior subwindows IV-285
 hide events IV-284
 kill events IV-283
 show events IV-284
 Window keyword IV-110, V-945
 data folders II-103
 window names II-40
 (see also window titles)
 changing V-147
 CheckName function V-57
 graphs II-213, V-141
 references using \$ IV-58
 UniqueName function V-907
 window position
 platform-related issues III-405
 window recreation
 (see also recreation macros)
 DoWindow operation V-147
 page layouts II-390
 tables II-176
 Window Tiling Area dialog II-44
 window titles II-40
 (see also window names)
 command window II-9
 DoWindow operation V-149
 for notebooks III-12, III-20, III-25
 for page layouts II-390
 for tables II-170, II-175
 graphs II-213–II-214
 WindowFunction operation V-946
 windowing
 amplitude compensation III-247
 Bartlet function V-192
 Bartlett function V-162, V-193, V-946
 Blackman function V-162, V-193, V-946
 Cos function V-193
 DSPPeriodgram operation V-161
 energy loss III-247
 Hamming function V-162, V-193, V-946
 Hanning function V-162, V-194, V-946
 Hanning window function III-246
 images V-378
 Bartlet V-379
 Bartlett V-379
 Blackman V-379
 Hamming V-379
 Hanning V-379
 Kaiser V-379
 Kaiser Bessel function V-162, V-194, V-379, V-946
 matrices V-378
 other window functions III-248
 Parzen function V-162, V-194, V-946
 Poisson function V-162, V-194, V-946
 Riemann function V-162, V-194, V-946
 triangle window function III-247
 used with FFT III-244–III-248
 WindowFunction operation V-946
 Windows
 file permissions II-29
 high-DPI III-446
 windows II-39–II-53
 activating II-41
 active state V-275
 AutoPositionWindow operation V-36
 Bring to Front II-45
 Close Window dialogs II-42, II-261
 closing II-41, V-411
 control dialog II-44
 DefineGuide operation V-132
 DoWindow operation V-147
 expand to full size II-45
 GetUserData function V-273
 GetWindow operation V-274
 GuideInfo function V-291
 GuideNameList function V-292
 guides
 built-in V-132
 creating V-132, V-291
 deleting V-132
 information about V-291

- list of V-292
- moving V-132
- help windows II-3
- hiding II-41
 - HideProcedures operation V-295
- hook function V-276
 - named V-276, V-740
 - unnamed V-740
- hook functions
 - named IV-276
 - subwindows IV-277
 - unnamed IV-286
- killing II-41, V-411
- list of V-947, V-949
- macro submenus II-43
- MacroList function V-463
- making a new window II-40
- managing position and size II-44
- maximized state V-276
- menu II-40-II-45
- move to preferred position II-44
- MoveWindow operation V-560
- names
 - (see also window names)
 - of notebooks III-25, V-575
 - of tables II-175
- naming rules III-443
- note V-276, V-740
- overview II-39
- Recent Windows submenu II-41
- recreation macros II-42-II-43, II-261, V-147, V-950
- related functions V-10
- related operations V-2
- renaming V-677
- retrieving II-45
- retrieving all II-45
- saving II-42
- Send to Back II-45
- SetWindow operation V-739
- shortcuts II-53
- showing II-41
 - DisplayProcedure operation V-143
- size V-277
- stacking II-44, V-775
- style macros V-149
- subwindows (see subwindows)
- target window II-39
- Tile or Stack Windows dialog II-44
- tiling II-44, V-896-V-897
- titles (see window titles)
- user data IV-275, V-741
 - examples IV-275
 - getting V-273
- Windows menu II-40-II-45
- Windows metafiles
 - saving V-704
- Windows OS
 - ActiveX Automation IV-250
 - date system II-180
 - file extensions
 - cross-platform issues
 - in procedures III-404
 - in procedure files III-404
 - template files II-20
 - file paths
 - in procedures III-404
 - issues III-398
 - Igor program name III-398
 - system requirements III-451
 - system version info V-308
- Windows-1252 text encoding III-410-III-411, III-430
- WinList function V-947
 - independent modules V-947
- WinName function V-949
- WinRecreation function V-950
- wintype function V-951
- wireframe plots II-86
- WMAxisHookStruct V-518
- WMAxisHookStruct structure V-952
- WMBackgroundStruct structure IV-298-IV-299, V-952
- WMButtonAction structure V-952
- WMCheckboxAction structure V-953
- WMCustomControlAction structure V-953
- WMDrawUserShapeStruct structure V-955
- WMF
 - saving V-704
- WMF (see Windows metafiles)
- WMFitInfoStruct structure V-955
- WMGizmoHookStruct II-385
- WMGizmoHookStruct structure V-956
- WMLListBoxAction structure V-956
- WMMarkerHookStruct IV-289
- WMMarkerHookStruct structure V-957
- WMMenus.ipf IV-232
- WMPopupAction structure V-958
- WMSetVariableAction structure V-958
- WMSliderAction structure V-959
- WMT0 files
 - notebooks III-3
- WMTabControlAction structure V-960
- WMWinHookStruct IV-279
 - keyboard example IV-281
- WMWinHookStruct structure V-960
- wnoise function V-960
- worker functions for threads IV-309
- worksheets
 - using a notebook as III-4
- World Wide Web II-5
 - creating help file links IV-243

HDF file format specification II-140
 Igor as browser IV-266–IV-267, IV-271
 NIDAQ Tools information IV-291
 opening preferred browser V-45
 WaveMetrics
 home page II-5
 Wrap Around Search III-24
 wrap end effect method III-268
 write-protect
 in notebooks III-10, V-586
 write-protect icon
 in notebooks III-6
 in procedure windows III-351
 WWW (see World Wide Web, internet)

X

x
 suffix in tables II-176, II-189
 x function V-961
 in multidimensional waves II-84–II-85, II-87
 in wave assignments II-69
 X keyword in Igor Text files II-133
 x offset
 in polynomial fitting III-182, V-107

X scaling I-2, II-58
 changed by FFTs III-240
 changed by IFFTs III-240
 changing II-63, V-90
 SetScale operation V-728
 checking
 in tables II-170
 CopyScales operation V-90
 default II-62
 deltax function V-136
 for XY data II-58
 in Igor Text files II-133
 leftx function V-423
 loading text files II-124, II-130
 pnt2x function V-636
 rightx function V-689
 Rotate operation III-268
 SetScale operation V-728
 x2pnt function V-961

X units
 changed by FFTs III-240
 changed by IFFTs III-240
 changing II-63, V-90
 SetScale operation V-728
 default II-62

X values II-57–II-58
 (see also index values)
 can't enter in tables II-179
 conversion to point numbers V-961
 definition II-58
 in tables II-170, II-176

in wave assignments II-69
 indexing II-69, II-71
 interpolation II-72
 pnt2x function V-636
 relation to point numbers II-58
 tag attached at III-45
 viewing in tables II-170
 x function V-961
 x2pnt function V-961

X waves
 CsrXWave function V-99
 CsrXWaveRef function V-99
 x2pnt function V-961
 Xcode IV-195
 xcsrc function V-962
 XFUNCs (see external functions)
 XLLoadWave operation II-140, V-962
 XOP Toolkit IV-195
 XOPs IV-195
 XOPs (see external operations)
 XOR
 bitwise operator IV-5–IV-6

XWaveName function V-965
 XWaveRefFromTrace function IV-186, V-966
 XY data
 areaXY function V-35
 converting to waveform data II-73, III-104
 definition I-3
 description of II-58
 faverageXY function V-186
 in curve fitting III-170
 in graphs II-214, V-965–V-966
 interpolation of III-104, V-397
 loading waves (example) II-154
 overview I-3
 versus waveform data III-103
 X scaling of II-58
 XY area procedures III-117

XY Pair to Waveform panel III-104
 XYToWave1 user-defined function III-106
 XYToWave2 user-defined function III-107
 XYZ (color) conversions
 rgb2xyz V-367
 xyz2rgb V-371

XYZ data

 bounding sphere V-44
 converting to matrix II-280

 interpolation V-398, V-768

Y

y
 suffix in tables II-176

Y full scale
 default II-62

y function V-966
 in multidimensional waves II-84–II-85, II-87

Y scaling
 changing V-90
 SetScale operation V-728

CopyScales operation V-90

SetScale operation V-728
 use in Axis Range tab II-219

Y units
 changing V-90
 SetScale operation V-728
 default II-62

Y values
 lists of II-72

y function V-966

Z

z function V-967
 in multidimensional waves II-84–II-85, II-87

Z scaling
 changing V-90
 SetScale operation V-728

CopyScales operation V-90

SetScale operation V-728

Z units
 changing V-90

SetScale operation V-728

Z values
 z function V-967

Zapf Dingbats font III-437

zcsr function V-967

ZernikeR function V-968

zero end effect method III-268

zero line in graphs II-239

zero padding waves V-670

zeros of functions
 finding III-290–III-295

FindRoots operation V-213

zeta function V-967

zooming
 command line II-47

 dialogs
 text areas II-47

 graphs II-218
 example I-37

 help II-47

 help files II-47

 history area II-47

 notebooks II-47

 page layouts II-390

 procedure windows II-47

 setting default II-47

zooming

zooming